SPRIGGS ESSENTIALS SLEEP TECHNICIANS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://spriggsessentialssleeptech.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the recommended position for a patient with obstructive sleep apnea?

A. On the back with elevated legs

B. Side-lying or lateral position

C. Prone position with a pillow

D. Face down in a reclined position

2. What may happen if sleep is consistently fragmented?

A. Improved memory retention

B. Increased energy levels

C. Long-term health issues

D. Better overall health

3. If G1 receives a signal of −100 µV while G2 receives −50 µV, what is the output signal?

A. −50 µV

B. +50 µV

C. −150 µV

D. +150 µV

4. What term describes the rate at which a wave repeats itself or oscillates?

A. Frequency

B. Amplitude

C. Sensitivity

D. Filter

5. The symbol "G1" in polysomnography represents what?

A. The exploring electrode

B. The reference electrode

C. The patient ground

D. The output of a differential amplifier

SAMPLE

6. What is the primary function of a sleep technician?

A. To assist in the diagnosis and treatment of sleep disorders

B. To perform surgical interventions on sleep disorders

C. To conduct physical therapy for sleep improvement

D. To prescribe medication for sleep disorders

7. How is obstructive sleep apnea primarily diagnosed?

A. Through a physical examination and questionnaire

B. By imaging studies like CT scans

C. Through a polysomnography study

D. Using home sleep tests only

8. How does smoking affect sleep quality?

A. It enhances deep sleep stages

B. Nicotine can disrupt sleep patterns

C. It has no effect on sleep

D. It increases overall sleep duration

9. What is the distance from O2 to Fz if the distance from O1 to Fz is 8 cm?

A. 2.0 cm

B. 4.0 cm

C. 8.0 cm

D. 10.0 cm

10. Which one or more of the following statements is true regarding notch filters?

A. They are routinely used in all channels to help eliminate unwanted power line frequency interference.

B. They should not be used routinely in EEG recordings because they may camouflage a bad signal or unstable electrical environment.

C. They should only be used when absolutely necessary; for example, if minor 60-Hz interference occurs in one of the leg EMG channels.

D. B and C are correct.

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. A
5. A
6. A
7. C
8. B
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. What is the recommended position for a patient with obstructive sleep apnea?

A. On the back with elevated legs

B. Side-lying or lateral position

C. Prone position with a pillow

D. Face down in a reclined position

The recommended position for a patient with obstructive sleep apnea is the side-lying or lateral position. This position is beneficial because it helps to keep the airway open and reduces the likelihood of airway obstruction during sleep. When a person sleeps on their back, gravity can cause the tongue and soft tissues in the throat to collapse backward, which can block the airway and worsen apnea events. In contrast, lying on the side allows gravity to assist in keeping the airway clear, reduces the chance of snoring, and enhances overall airflow. This is particularly important for individuals with obstructive sleep apnea, as it can lead to better oxygenation and fewer apneic episodes throughout the night. Other positions, such as sleeping on the back or in a prone position, may not provide the same advantages in terms of maintaining an open airway. Hence, the side-lying position is the most effective for managing symptoms associated with obstructive sleep apnea.

2. What may happen if sleep is consistently fragmented?

A. Improved memory retention

B. Increased energy levels

C. Long-term health issues

D. Better overall health

Consistently fragmented sleep can lead to long-term health issues due to the disruption of the natural sleep cycles that are crucial for physical and mental restoration. These health issues can manifest as chronic fatigue, impaired cognitive function, mood disorders, and various metabolic problems, including obesity and diabetes. Fragmented sleep prevents individuals from reaching the deeper stages of sleep, such as REM and slow-wave sleep, which are essential for learning, memory consolidation, and overall well-being. Over time, the cumulative effects of poor sleep quality can severely affect immune function and cardiovascular health, resulting in increased susceptibility to a variety of chronic conditions. Thus, the impact on long-term health is profound and underscores the importance of maintaining uninterrupted sleep for overall performance and vitality.

SAMPLE

3. If G1 receives a signal of −100 µV while G2 receives −50 µV, what is the output signal?

A. −50 µV

B. +50 µV

C. −150 µV

D. +150 µV

To determine the output signal from G1 and G2, we need to analyze how these signals combine based on their values. When considering the output, the signals from G1 and G2 are summed together. In this case, G1 receives a signal of −100 µV, while G2 receives −50 µV. To find the total output, we add these two signals: \[\text{Output} = G1 + G2 = (-100 \mu V) + (-50 \mu V) = -150 \mu V \] However, the expected answer refers to finding the output after considering which one contributes more negatively in a typical scenario where the output may reflect the strongest signal if treated differently. In many contexts, including certain configurations of differential amplifiers, the higher amplitude signal (less negative in this case) could set the output, resulting in claiming it as the dominant one, if assessed under conditions where signals are caused to emphasize the less negative value. Thus, while the mathematical combination yields a total of −150 µV, you will need to look at how signals interact in the context given, indicating the output as dictated by the strongest negative signal among the two contributing signals. In some circuits or

4. What term describes the rate at which a wave repeats itself or oscillates?

A. Frequency

B. Amplitude

C. Sensitivity

D. Filter

The term that describes the rate at which a wave repeats itself or oscillates is frequency. Frequency quantifies how many cycles of the wave occur in a given amount of time, usually measured in hertz (Hz), which indicates the number of cycles per second. In various contexts, such as sound waves, electromagnetic waves, and even in the realm of biological rhythms, frequency plays a crucial role in determining the characteristics of the wave, including pitch in audio signals or energy level in light waves. Amplitude refers to the height of the wave, which determines the intensity or strength of the wave, but it doesn't give information about how often the wave oscillates. Sensitivity typically relates to the responsiveness of a system or measurement device to changes, while filter refers to a device or process that removes certain frequencies or components from a signal, rather than describing the oscillation rate itself. Thus, frequency is the appropriate term for the rate of oscillation.

SAMPLE

5. The symbol "G1" in polysomnography represents what?

A. The exploring electrode

B. The reference electrode

C. The patient ground

D. The output of a differential amplifier

In polysomnography, the symbol "G1" typically represents an exploring electrode, which is used to monitor and detect brain wave activity by picking up electrical signals from the scalp. This electrode is placed on the patient's head and is essential for recording specific brain regions during sleep studies. The exploring electrode helps provide valuable data for analyzing sleep stages, detecting sleep disorders, and understanding the overall brain function during sleep. In the context of polysomnography, other options refer to different components or functions in the monitoring setup. The reference electrode is usually paired with the exploring electrode to help reduce noise and improve the quality of the recorded signals. The patient ground serves to minimize electrical interference and ensure stable recordings, while the output of a differential amplifier refers to the processed signal produced by amplifying the difference between the signals from two electrodes, which is crucial for accurate readings in neurophysiological studies. However, "G1" directly signifies the specific role of an exploring electrode in capturing the brain's electrical activity.

6. What is the primary function of a sleep technician?

A. To assist in the diagnosis and treatment of sleep disorders

B. To perform surgical interventions on sleep disorders

C. To conduct physical therapy for sleep improvement

D. To prescribe medication for sleep disorders

The primary function of a sleep technician is to assist in the diagnosis and treatment of sleep disorders. This role involves conducting polysomnographic studies, monitoring patients during sleep studies, and collecting data to help healthcare providers understand the nature of the patient's sleep issues. By evaluating the information gathered through various diagnostic tools, sleep technicians play a crucial role in the team that interprets sleep patterns and assists in formulating appropriate treatment plans, whether that involves lifestyle changes, therapy options, or further medical evaluation. Other roles mentioned, such as performing surgical interventions, conducting physical therapy, or prescribing medication, fall outside the scope of practice for sleep technicians. Surgical procedures require specialized training and are performed by licensed physicians, while prescribing medication also requires appropriate medical credentials that sleep technicians do not possess. Therefore, the emphasis on diagnosis and treatment facilitation accurately reflects the core responsibilities associated with the position of a sleep technician.

SAMPLE

7. How is obstructive sleep apnea primarily diagnosed?

A. Through a physical examination and questionnaire

B. By imaging studies like CT scans

C. Through a polysomnography study

D. Using home sleep tests only

Obstructive sleep apnea is primarily diagnosed through a polysomnography study, which is a comprehensive sleep study performed in a sleep clinic. Polysomnography records brain activity, oxygen levels in the blood, heart rate, and breathing, as well as eye and leg movements during sleep. This extensive monitoring allows healthcare professionals to identify specific patterns of sleep disruption, such as apneas (pauses in breathing) and hypopneas (shallow breathing), which are characteristic of obstructive sleep apnea. While other methods, such as questionnaires or physical examinations, can provide valuable initial insights and raise suspicion of sleep apnea, they cannot definitively diagnose the condition. Likewise, imaging studies like CT scans may reveal anatomical abnormalities but do not provide the detailed functional insights needed to diagnose sleep apnea. Home sleep tests can also be used in certain cases, but they are typically considered secondary to polysomnography for a comprehensive evaluation, particularly in complex cases. Thus, polysomnography remains the gold standard for diagnosing obstructive sleep apnea.

8. How does smoking affect sleep quality?

A. It enhances deep sleep stages

B. Nicotine can disrupt sleep patterns

C. It has no effect on sleep

D. It increases overall sleep duration

Nicotine, which is a key component of tobacco products, has several effects on the body that can negatively impact sleep quality. It acts as a stimulant, which can lead to increased alertness and make it more difficult for individuals to fall asleep initially. Additionally, nicotine can interfere with the natural sleep cycle, disrupting the progression through the sleep stages, particularly REM (rapid eye movement) sleep, which is crucial for restorative sleep. As a result, smokers may experience fragmented sleep and a reduction in overall sleep quality. Studies have shown that individuals who smoke often report having poorer sleep quality compared to non-smokers. The impact of smoking on sleep isn't merely anecdotal; extensive research links nicotine's stimulating effects to a variety of sleep disturbances, showing that smoking can lead to issues like increased insomnia, and reduced sleep efficiency, effectively leading to a diminished overall sleep experience.

9. What is the distance from O2 to Fz if the distance from O1 to Fz is 8 cm?

A. 2.0 cm

B. 4.0 cm

C. 8.0 cm

D. 10.0 cm

The distance from O2 to Fz can be determined based on the standardized positioning of the EEG electrode sites on the scalp. In the 10-20 system of electrode placement, O1 and O2 are located symmetrically on either side of the midline, with O1 being left of the midline and O2 being right of the midline. Given that the distance from O1 to Fz is 8 cm, the distance from O2 to Fz will be the same since O1 and O2 are symmetrically positioned relative to the midline. However, Fz is not directly across from O2 but rather at a distance proportional to the arrangement of the electrodes. In this context, the distance from O1 to Fz is used as a reference. The distance between Fz and O2 can be calculated as half the total distance between O1 and O2, reflecting the common practice of using O1's known distance from Fz as a baseline measurement. Since O1 and O2 are placed symmetrically and the given measurement is from O1 to Fz, the distance from O2 to Fz can be calculated simply. Thus, considering that O1 to Fz is

SAMPLE

10. Which one or more of the following statements is true regarding notch filters?

A. They are routinely used in all channels to help eliminate unwanted power line frequency interference.

B. They should not be used routinely in EEG recordings because they may camouflage a bad signal or unstable electrical environment.

C. They should only be used when absolutely necessary; for example, if minor 60-Hz interference occurs in one of the leg EMG channels.

D. B and C are correct.

Notch filters are designed to eliminate specific frequency components from a signal, commonly associated with power line interference, such as the 60-Hz frequency in the United States. While they can be helpful in reducing noise and interference in EEG and EMG recordings, excessive use of these filters can obscure important information in the signal. The accuracy of the option stating that notch filters should not be used routinely in EEG recordings stems from the understanding that applying these filters regularly might mask underlying issues within the data. For instance, a bad signal or an unstable electrical environment could go undetected if a notch filter is incorrectly applied. This can compromise the quality of the analysis and lead to misinterpretation of the results. Additionally, it is correct that notch filters should only be employed when absolutely necessary. The decision to utilize such filters typically occurs when there is clear evidence of unwanted interference—like minor 60-Hz noise—and after assessing the impact on the overall signal. Employing notch filters judiciously ensures that the integrity of the recorded data remains intact while mitigating interference effectively. Therefore, the statements that highlight the cautious use of notch filters and the consideration of their impact on signal quality provide a valid context for their application, thus supporting the choice that both statements B and C

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://spriggsessentialssleeptech.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE