SQA HIGHER CHEMISTRY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sqahigherchemistry.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What do the fatty acid chains in an emulsifier interact with?

A. Water

B. Air

C. Oil

D. Minerals

2. Which type of bonds in a molecule contributes to creating a permanent dipole?

A. Non-polar covalent bonds

B. Ionic bonds

C. Polar covalent bonds

D. Metallic bonds

3. What are the steps involved in free radical chain reactions?

A. Evaporation, condensation, and precipitation

B. Initiation, propagation, and termination

C. Formation, transformation, and destruction

D. Activation, reaction, and resolution

4. Which process involves the gain of electrons?

A. Oxidation

B. Reduction

C. Ionization

D. Decomposition

5. What type of molecule contains an ester link COO ?

A. An alcohol

B. A carboxylic acid

C. An ester

D. An aldehyde

6. What structure do ionic compounds typically form?

A. Chains of molecular structures

B. Crystalline lattice structures of oppositely charged ions

C. Individual discrete molecules

D. Amorphous forms of solids

SAMPLE

7. What describes the reaction that occurs simultaneously with reduction?

A. Only oxidation

B. Only hydrolysis

C. Both reduction and oxidation

D. Only electron transfer

8. What does equilibrium indicate in a chemical reaction?

A. The concentrations of reactants and products remain constant and are equal.

B. The concentrations of reactants and products remain constant, but are rarely equal.

C. The reaction has completely shifted to the reactants side.

D. The system is undergoing continuous change.

9. What are the properties of effective oxidizing agents?

A. They produce heat and light

B. They are capable of killing fungi and bacteria

C. They are primarily used in cooking

D. They enhance the levels of pollution

10. What is the definition of first ionisation energy?

A. The energy to remove one mole of electrons from gaseous atoms

B. The energy to remove one mole of electrons from liquid atoms

C. The energy required to add one mole of electrons to gaseous molecules

D. The energy to remove an electron from a solid atom

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. B
5. C
6. B
7. C
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What do the fatty acid chains in an emulsifier interact with?

A. Water

B. Air

C. Oil

D. Minerals

The fatty acid chains in an emulsifier primarily interact with oil. Emulsifiers contain both hydrophilic (water-attracting) and hydrophobic (water-repelling) components. The fatty acid chains, which are hydrophobic, are attracted to oils, which also consist of fatty substances. When an emulsifier is added to a mixture of oil and water, the hydrophobic tails of the fatty acid chains embed themselves into the oil phase, while the hydrophilic heads interact with the water phase. This dual affinity allows the emulsifier to stabilize the emulsion by reducing the surface tension between the oil and water, preventing them from separating. In contrast, the other options do not capture the primary interaction characteristic of emulsifiers. Water does not interact with the hydrophobic fatty acid chains in the same way, and emulsifiers do not directly interact with air or minerals in the emulsification process. Thus, the correct answer highlights the critical role of fatty acid chains in stabilizing oil-water mixtures.

2. Which type of bonds in a molecule contributes to creating a permanent dipole?

A. Non-polar covalent bonds

B. Ionic bonds

C. Polar covalent bonds

D. Metallic bonds

Polar covalent bonds contribute to creating a permanent dipole in a molecule because they involve the unequal sharing of electrons between atoms with different electronegativities. This disparity causes one end of the molecule to become partially negative, while the opposite end becomes partially positive, resulting in a dipole moment. In a polar covalent bond, one atom pulls the shared electrons closer to itself, creating a charge separation within the molecule. This is in contrast to non-polar covalent bonds, where electrons are shared equally, and no charge separation occurs, resulting in no permanent dipole. Ionic bonds can indeed create dipoles, but this happens within the context of the ionic charges of the constituent ions themselves rather than a permanent dipole in a molecular sense. Metallic bonds involve a sea of delocalized electrons and do not create permanent dipoles in the same way that polar covalent bonds do. Therefore, the nature of polar covalent bonds is what specifically leads to the formation of a permanent dipole in a molecule.

SAMPLE

3. What are the steps involved in free radical chain reactions?

A. Evaporation, condensation, and precipitation

B. Initiation, propagation, and termination

C. Formation, transformation, and destruction

D. Activation, reaction, and resolution

Free radical chain reactions consist of a series of steps that contribute to the overall mechanism of the reaction. The correct answer identifies these steps as initiation, propagation, and termination. During the initiation stage, free radicals are generated, typically through the breaking of covalent bonds via heat or light, creating highly reactive species that can initiate the chain reaction. Next, in the propagation stage, these free radicals react with stable molecules to produce new radicals and more products. This step repeats, as the newly formed radicals can continue to react, leading to the propagation of the reaction and resulting in the formation of larger products. Finally, in the termination stage, two free radicals can combine to form a stable product, which effectively stops the chain reaction as it reduces the number of active radicals. These steps highlight the dynamic nature of free radical chain reactions and illustrate the transformation from reactive intermediates to more stable products, which is key to understanding processes such as polymerization and combustion. The other choices presented do not accurately represent the stages in a free radical chain mechanism, as they refer to unrelated processes or incorrect terminologies.

4. Which process involves the gain of electrons?

A. Oxidation

B. Reduction

C. Ionization

D. Decomposition

The process that involves the gain of electrons is reduction. In the context of redox (reduction-oxidation) reactions, reduction specifically refers to the process where an atom, ion, or molecule gains electrons. This results in a decrease in the oxidation state of the substance undergoing reduction. Reduction is often coupled with oxidation, where another species loses electrons. Therefore, when one substance gains electrons and is reduced, another substance is oxidized by losing those electrons. The concept is fundamental in chemistry, particularly in understanding reactions in electrochemistry and metabolic processes. Ionization refers to the process of adding or removing electrons to form ions, but it does not specifically imply gaining electrons as a reduction does. Decomposition involves breaking down compounds into simpler substances and does not directly relate to the gaining of electrons. Oxidation, on the other hand, is the opposite of reduction, characterized by the loss of electrons. Thus, reduction is clearly associated with the gain of electrons, distinguishing it from the other processes listed.

SAMPLE

5. What type of molecule contains an ester link COO ?

A. An alcohol

B. A carboxylic acid

C. An ester

D. An aldehyde

The presence of an ester link COO is characteristic of esters, which are formed when an alcohol reacts with a carboxylic acid. The structure of an ester includes a carbonyl group (C=O) directly bonded to an alkoxy group (O R, where R is an alkyl group). This specific linkage is responsible for the unique properties of esters, including their common use in fragrances and flavorings. In contrast, alcohols contain a hydroxyl group (OH) and lack the carbonyl component necessary to form an ester. Carboxylic acids are defined by the presence of a carboxyl group (COOH), and while they are involved in the formation of esters, they do not contain the ester link themselves. Aldehydes feature a carbonyl group at the end of a carbon chain (R CHO) but also do not possess the ester functional group. Hence, the correct identification of an ester link COO directly leads to recognizing the molecule as an ester.

6. What structure do ionic compounds typically form?

A. Chains of molecular structures

B. Crystalline lattice structures of oppositely charged ions

C. Individual discrete molecules

D. Amorphous forms of solids

Ionic compounds typically form crystalline lattice structures of oppositely charged ions due to the strong electrostatic forces of attraction between the positively charged cations and negatively charged anions. In a crystalline lattice, these ions are arranged in a repeating pattern that maximizes the attraction between oppositely charged ions while minimizing the repulsion between like charges. This orderly arrangement contributes to the characteristic properties of ionic compounds, such as high melting and boiling points, as well as their hardness and brittleness. The lattice structure is a defining feature of ionic compounds, as it contrasts with molecular compounds, which are composed of individual discrete molecules and do not form such organized structures. Likewise, the term 'amorphous' is used to describe solids that lack a defined crystalline structure, and 'chains of molecular structures' is not applicable to ionic compounds, as they do not consist of covalently bonded molecular chains but rather extend into a three-dimensional network.

SAMPLE

7. What describes the reaction that occurs simultaneously with reduction?

A. Only oxidation

B. Only hydrolysis

C. Both reduction and oxidation

D. Only electron transfer

The response indicates that both reduction and oxidation occur simultaneously in the context of a redox reaction. This is fundamental to understanding the nature of these reactions: when one species is reduced (gains electrons), another species must be oxidized (loses electrons) to maintain charge balance. In a redox process, the reduction and oxidation states are always interconnected, meaning that you cannot have reduction without simultaneous oxidation. For instance, in the reaction of a metal reacting with a non-metal, the metal may lose electrons (oxidation), while the non-metal gains those electrons (reduction). Together, these processes embody the essential characteristic of redox chemistry. The other options do not accurately capture this key principle. Mentioning only oxidation fails to include the necessary reduction component, while referencing only hydrolysis suggests a different kind of reaction that does not pertain to electron transfer or redox chemistry. Finally, focusing solely on electron transfer omits the overall context of how reduction and oxidation are integral to the process as they define the roles of the reactants in the reaction. Thus, the chosen answer effectively encapsulates the defining relationship between reduction and oxidation in redox reactions.

8. What does equilibrium indicate in a chemical reaction?

A. The concentrations of reactants and products remain constant and are equal.

B. The concentrations of reactants and products remain constant, but are rarely equal.

C. The reaction has completely shifted to the reactants side.

D. The system is undergoing continuous change.

Equilibrium in a chemical reaction signifies a dynamic balance between the concentrations of reactants and products. A key aspect of this state is that the concentrations remain constant over time, indicating that the rate of the forward reaction equals the rate of the reverse reaction. This balance does not necessarily imply that the concentrations of reactants and products are equal; rather, they can be at different levels while still achieving equilibrium. Different reactions may reach equilibrium with different ratios of products to reactants, depending on the reaction conditions, such as temperature and pressure. It is crucial to understand that equilibrium is a state where there is no net change in the amounts of reactants and products, despite the ongoing nature of the reactions in both directions. Thus, the correct interpretation of equilibrium is that concentrations remain constant, but they do not have to be equal, making the chosen answer appropriate.

SAMPLE

9. What are the properties of effective oxidizing agents?

A. They produce heat and light

B. They are capable of killing fungi and bacteria

C. They are primarily used in cooking

D. They enhance the levels of pollution

An effective oxidizing agent is a substance that has the ability to gain electrons during a chemical reaction, which means it can facilitate the oxidation of other substances. This characteristic is crucial in various chemical reactions, including those that involve biological systems, such as the ability to kill fungi and bacteria. Oxidizing agents often work by disrupting cellular processes in microorganisms, leading to their destruction. For instance, substances like hydrogen peroxide or ozone act as potent oxidizers in disinfecting and sterilizing applications because they can react with and degrade the cellular components of these pathogens. The other options do not accurately describe the primary properties of effective oxidizing agents. While producing heat and light can be a characteristic of some reactions involving oxidizing agents, it is not a definitive property of the agents themselves. Their use in cooking is usually associated with reducing agents or cooking methods rather than oxidation. Additionally, the assertion that they enhance pollution is context-dependent and doesn't align with the primary function of oxidizing agents in chemical processes. Therefore, the capacity to kill fungi and bacteria stands out as a key property of effective oxidizing agents.

10. What is the definition of first ionisation energy?

A. The energy to remove one mole of electrons from gaseous atoms

B. The energy to remove one mole of electrons from liquid atoms

C. The energy required to add one mole of electrons to gaseous molecules

D. The energy to remove an electron from a solid atom

The first ionisation energy is defined as the energy required to remove one mole of electrons from one mole of gaseous atoms. This process involves converting neutral atoms into positively charged ions by overcoming the attractive forces between the nucleus and the electron being removed. When measuring ionisation energy, it is important that the atoms are in the gaseous state, as this allows for an accurate assessment of the energy changes involved without intermolecular forces that are present in liquids or solids. Therefore, the definition provided in the correct answer aligns perfectly with the standard description of first ionisation energy in chemistry. The definition reflects the fundamental concept that ionisation involves a gaseous atom, highlighting both the specific phase (gaseous) and the systematic approach (one mole of electrons) required for ionisation. Other options address incorrect states of matter or processes that do not relate to the removal of electrons from atoms.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sqahigherchemistry.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE