
SSI SPECIALTY COURSE ENRICHED AIR NITROX (SC-EAN) 40% LEVEL 2 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ssiscean40percentlvl2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a potential symptom of oxygen toxicity?

A. Shortness of breath.

B. Visual disturbances or seizures.

C. Headaches and dizziness.

D. Nausea and vomiting.

2. What is the significance of dive tables for nitrox diving?

A. They help determine the best time for surface intervals

B. They indicate the depth of recreational dives

C. They assist in calculating no-decompression limits

D. They provide information on aquatic life

3. What is the maximum partial pressure of oxygen (PO2) that is typically considered safe for recreational diving?

A. 2.0 ATA

B. 1.4 ATA

C. 1.6 ATA

D. 2.5 ATA

4. To make sure your personal equipment is suitable for nitrox, you have to:

A. Perform routine maintenance yourself

B. Ask your SSI Dive Center/Dive Professional if your equipment needs special preparation/modification

C. Use the same equipment as your training partner

D. Only dive with branded gear

5. Why is it critical to properly mark nitrox cylinders?

A. To comply with local regulations

B. To prevent accidental exposure to incorrect gas mixtures

C. To indicate the owner of the equipment

D. To improve aesthetic presentation of gear

SAMPLE

6. What effect does reduced nitrogen content have on decompression schedules?

A. It increases the required safety stops

B. It decreases the likelihood of decompression sickness

C. It has no effect on decompression schedules

D. It increases dive time limits

7. What should divers always confirm before using enriched air nitrox?

A. The water temperature

B. The gas mixture's oxygen percentage

C. The time of day

D. The visibility at the dive site

8. What are the two factors that determine total oxygen "dose" in diving?

A. The diver's weight and experience level

B. The ppO2 at depth and the duration of exposure

C. The water temperature and visibility

D. The equipment used and the depth of dive

9. How does the partial pressure of oxygen influence oxygen toxicity?

A. Lower partial pressures decrease risks

B. Higher partial pressures can increase the risk of toxicity

C. Partial pressure does not affect toxicity

D. Oxygen toxicity only occurs at surface levels

10. What is the primary purpose of the contents tag on a nitrox cylinder?

A. To provide maintenance instructions

B. To ensure proper identification and handling

C. To list the weight of the cylinder

D. To indicate the manufacturer

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is a potential symptom of oxygen toxicity?

A. Shortness of breath.

B. Visual disturbances or seizures.

C. Headaches and dizziness.

D. Nausea and vomiting.

Oxygen toxicity can occur when a diver breathes in a mixture with a high partial pressure of oxygen, such as nitrox with a high oxygen percentage. One of the significant potential symptoms of this condition includes visual disturbances, which can manifest as blurred vision, tunnel vision, or other visual anomalies. In extreme cases, oxygen toxicity can lead to seizures, which are a serious neurological reaction to elevated oxygen levels in the body. The underlying mechanism of oxygen toxicity relates to the effect of high oxygen levels on the central nervous system and how it can disrupt normal neuronal function. The risk of these symptoms increases with prolonged exposure to high-pressure oxygen environments, such as during deep dives. The other symptoms listed, while they may occur in various conditions, are not specific indicators of oxygen toxicity. Shortness of breath can occur for numerous reasons and does not pinpoint oxygen toxicity. Headaches and dizziness can arise from various factors, including dehydration or changes in pressure, not exclusively from elevated oxygen levels. Nausea and vomiting may be related to conditions like decompression sickness or seasickness, rather than being direct indicators of oxygen toxicity. Thus, visual disturbances and seizures specifically characterize the risk associated with high oxygen partial pressures.

2. What is the significance of dive tables for nitrox diving?

A. They help determine the best time for surface intervals

B. They indicate the depth of recreational dives

C. They assist in calculating no-decompression limits

D. They provide information on aquatic life

Dive tables for nitrox diving play a crucial role in understanding and managing safety during a dive. Specifically, they assist in calculating no-decompression limits. When diving with nitrox, which has a higher oxygen content than regular air, it is essential to know how long a diver can stay at certain depths without exceeding the no-decompression limits. These limits help prevent the risk of decompression sickness, which can occur if a diver ascends too quickly after spending too much time at depths where nitrogen absorption can lead to dangerous levels in the body. Nitrox dive tables are specifically designed to take into account the different oxygen partial pressures and their effects on the body. By using these tables, divers can plan their dives more safely, ensuring they stay within the recommended limits for their gas mixture. This makes it imperative to understand how to read and use the tables for effective and safe dive planning. The other options, while relevant to diving generally, do not specifically address the primary purpose of dive tables in the context of nitrox diving. For instance, dive tables may not determine the best time for surface intervals or indicate the depth of recreational dives within the specific parameters of enriched air. Similarly, while dive tables can sometimes offer information about aquatic life, that is not their

SAMPLE

3. What is the maximum partial pressure of oxygen (PO2) that is typically considered safe for recreational diving?

A. 2.0 ATA

B. 1.4 ATA

C. 1.6 ATA

D. 2.5 ATA

The maximum partial pressure of oxygen that is typically considered safe for recreational diving is 1.4 ATA (atmospheres absolute). This level is widely accepted to minimize the risks associated with oxygen toxicity, which can lead to central nervous system effects and other potentially hazardous conditions when diving. At higher partial pressures of oxygen, particularly above 1.4 ATA, the risk of experiencing oxygen toxicity increases significantly. Recreational divers are trained to manage their gas mixtures to ensure that their exposure to oxygen remains within safe limits. While some technical diving practices may occasionally allow for higher values, for the purposes of recreational diving, adhering to the 1.4 ATA guideline ensures a balance between the benefits of using enriched air nitrox for extended bottom times and reduced nitrogen absorption versus the inherent risks of increased oxygen exposure. The other options suggest higher partial pressures that are beyond the commonly accepted safe limit for recreational diving, increasing the potential for toxic effects and complicating dive planning and safety protocols.

4. To make sure your personal equipment is suitable for nitrox, you have to:

A. Perform routine maintenance yourself

B. Ask your SSI Dive Center/Dive Professional if your equipment needs special preparation/modification

C. Use the same equipment as your training partner

D. Only dive with branded gear

The correct response emphasizes the importance of consulting with an SSI Dive Center or Dive Professional regarding the suitability of your equipment for nitrox diving. Nitrox, with its increased oxygen content compared to air, can require specific considerations for various types of scuba gear to ensure safety and prevent equipment malfunction. Diving with enriched air nitrox can involve the risk of oxygen toxicity, which can be influenced by the pressure of the gas and depth of the dive. Some materials in regular diving equipment might not be compatible with the higher oxygen levels found in nitrox mixes. A Dive Professional can provide guidance on whether your gear needs any special preparation or modification, such as replacing O-rings, cleaning, or using certain materials that are safe for enriched air. Keeping equipment maintained and assessing compatibility with nitrox diving involves more than just personal intuition or following a standardized practice, which makes consulting a knowledgeable source crucial. While performing routine maintenance is essential for general diving safety, it does not ensure that equipment is specifically prepared for nitrox. Using the same equipment as a training partner does not guarantee compatibility, since everyone's gear requirements can differ. Finally, diving only with branded gear does not inherently ensure that the equipment is suitable for nitrox; suitability is determined more by the materials and maintenance practices

SAMPLE

5. Why is it critical to properly mark nitrox cylinders?

A. To comply with local regulations

B. To prevent accidental exposure to incorrect gas mixtures

C. To indicate the owner of the equipment

D. To improve aesthetic presentation of gear

Properly marking nitrox cylinders is essential primarily to prevent accidental exposure to incorrect gas mixtures. In scuba diving, the breathing gas mixture contained within a cylinder can significantly affect the safety and planning of a dive. For example, enriched air nitrox typically has a higher oxygen content than standard air, and each specific mix carries its own set of no-decompression limits and potential risks, especially related to oxygen toxicity at depth. If a diver mistakenly uses a cylinder marked with a gas mixture other than what they expect, it could lead to dangerous situations, such as an unintentional exposure to a higher level of oxygen or even a different gas altogether. This is particularly critical because the body can react severely to the inappropriate levels of oxygen, leading to serious, sometimes life-threatening issues during a dive. Therefore, clear and accurate markings not only enhance safety but also facilitate proper dive planning and execution. The other options, while relevant in a broader context, do not address the most pressing safety concern for divers, which is the accurate identification of the gases being used for breathing during dives. Compliance with local regulations, ownership indication, and aesthetics, though important in their own right, do not provide the same direct impact on diver safety as preventing the risk of using the

6. What effect does reduced nitrogen content have on decompression schedules?

A. It increases the required safety stops

B. It decreases the likelihood of decompression sickness

C. It has no effect on decompression schedules

D. It increases dive time limits

Reduced nitrogen content in breathing gas mixtures, such as Enriched Air Nitrox, decreases the likelihood of decompression sickness. Nitrogen is a gas that dissolves into the body's tissues during a dive, and as a diver ascends and pressure decreases, this nitrogen can form bubbles if it comes out of solution too quickly. By using a gas mixture with a lower nitrogen content than air, divers can minimize the amount of nitrogen that is absorbed during the dive. This reduced absorption directly contributes to a lower risk of developing decompression sickness, which is a critical aspect of dive safety. The other options do not accurately reflect the outcomes associated with lower nitrogen levels in dive schedules. The effect is specifically related to the risk reduction of decompression sickness, rather than adjustments to safety stop requirements, dive time limits, or having no effect at all. Thus, the correct understanding is that lower nitrogen content makes dives safer by reducing the risk associated with nitrogen exposure at pressure.

SAMPLE

7. What should divers always confirm before using enriched air nitrox?

A. The water temperature

B. The gas mixture's oxygen percentage

C. The time of day

D. The visibility at the dive site

Before using enriched air nitrox, divers should always confirm the gas mixture's oxygen percentage. This is crucial because enriched air nitrox contains a higher percentage of oxygen compared to regular air. Knowing the exact oxygen content allows divers to plan their dives appropriately, including managing their exposure to oxygen and calculating their no-decompression limits. Each mix of nitrox has specific operational procedures, and divers must ensure that their equipment, dive plans, and personal limits are aligned with the actual oxygen levels of the gas they are using. This practice helps to mitigate the risks associated with oxygen toxicity and ensures overall dive safety.

8. What are the two factors that determine total oxygen "dose" in diving?

A. The diver's weight and experience level

B. The ppO2 at depth and the duration of exposure

C. The water temperature and visibility

D. The equipment used and the depth of dive

The total oxygen "dose" in diving is primarily determined by the partial pressure of oxygen (ppO2) at a given depth and the duration of the exposure to that pressure. Partial pressure refers to the amount of oxygen in a gas mixture and is influenced by both the depth of the dive and the percentage of oxygen in the breathing gas. As a diver goes deeper underwater, the pressure increases, which raises the ppO2 and consequently increases the risk of oxygen toxicity. The duration of exposure is equally significant because prolonged exposure to elevated ppO2 can lead to accumulating effects on the body. Each diver has a different exposure limit based on the ppO2 and exposure time, making this consideration critical for safe diving practices, especially when using enriched air nitrox, which contains a higher percentage of oxygen compared to standard air. In contrast, the other factors mentioned, such as a diver's weight and experience level or environmental conditions like water temperature and visibility, do not directly affect the calculation of total oxygen dose, making them less relevant in the context of oxygen toxicity risk assessment. Likewise, while the equipment and depth of the dive can influence safety and dive planning, they do not fundamentally define the total oxygen dose.

9. How does the partial pressure of oxygen influence oxygen toxicity?

A. Lower partial pressures decrease risks

B. Higher partial pressures can increase the risk of toxicity

C. Partial pressure does not affect toxicity

D. Oxygen toxicity only occurs at surface levels

The correct answer highlights the relationship between higher partial pressures of oxygen and the increased risk of oxygen toxicity. Oxygen toxicity occurs when an individual is exposed to oxygen levels that exceed safe thresholds for a given pressure. As the partial pressure of oxygen increases, especially above 1.4 ATA (atmospheres absolute), the body may begin to experience adverse effects due to heightened oxygen levels. Under these elevated pressures, oxygen can produce toxic effects on the central nervous system and lungs, leading to symptoms such as visual disturbances, seizures, and lung damage. This risk is particularly pertinent in diving environments where divers might breathe gases enriched with oxygen, especially during deep dives or extended exposures that require greater caution. Understanding this principle is crucial for divers using Enriched Air Nitrox, as it guides safe diving practices and helps in planning dives while minimizing the risk of oxygen toxicity by monitoring and managing the partial pressures of oxygen.

SAMPLE

10. What is the primary purpose of the contents tag on a nitrox cylinder?

A. To provide maintenance instructions

B. To ensure proper identification and handling

C. To list the weight of the cylinder

D. To indicate the manufacturer

The primary purpose of the contents tag on a nitrox cylinder is to ensure proper identification and handling. This tag provides essential information about the specific gas mixture contained within the cylinder, such as the percentage of oxygen and nitrogen, which is crucial for divers to know before using the cylinder. Proper identification helps prevent mix-ups that could lead to dangerous situations, such as using a cylinder with the wrong gas for a dive. Additionally, it communicates safe handling practices, ensuring that individuals know how to treat the gas appropriately, particularly considering the increased risks associated with higher oxygen levels in nitrox mixtures.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ssiscean40percentlvl2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE