STATE LANDSCAPING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://statelandscaping.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following soils will expand the most with water?**

   A. Sandy soil

   B. Loamy soil

   C. Clay

   D. Gravelly soil

2. **Once the pavers are placed in their specified pattern, they are compacted into the bedding sand with a:**

   A. Power roller

   B. Plate compactor

   C. Hand tamper

   D. Vibratory screed

3. **What is the minimum aggregate base thickness required for installing concrete pavers for walks?**

   A. 2 in

   B. 4 in

   C. 6 in

   D. 8 in

4. **What is the minimum height requirement for a fence around a commercial swimming pool?**

   A. 4′

   B. 6′

   C. 5′

   D. 7′

5. **How many stakes are needed when setting forms for a 28-ft long concrete walkway if the stakes are spaced 16 in o.c.?**

   A. 44 stakes

   B. 28 stakes

   C. 36 stakes

   D. 52 stakes

SAMPLE

6. What tool would be most useful for installing underground wiring?

A. Shovel

B. Auger

C. Trowel

D. Trencher

7. What is the primary method of pest control in sustainable landscaping?

A. Chemical pesticides

B. Integrated Pest Management (IPM)

C. Planting pesticide-resistant crops

D. Use of traps and baits

8. What do you call the pipes used to protect lines passing under a sidewalk?

A. Tunnel

B. Sleeve

C. Conduit

D. Wrapper

9. What is a landscape buffer?

A. A hard structure for support

B. A landscaped area that helps filter runoff

C. A type of decorative plant

D. A water feature in the landscape

10. When installing a wooden header board with a strong curve, what is a correct procedure?

A. Using straight boards without lamination

B. Using at least four 3/8" 4" boards tightly laminated with staggered joints

C. Using single boards with no support

D. Spacing supports at 6ft o.c.

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. C
5. A
6. D
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following soils will expand the most with water?

A. Sandy soil

B. Loamy soil

C. Clay

D. Gravelly soil

Clay soil is known for its ability to retain water and expand significantly upon absorption. This property is primarily due to its small particle size and plate-like structure, which creates spaces that can hold water. When clay absorbs water, it swells as the water enters the spaces between the particles, leading to a notable increase in volume. In contrast, sandy soil consists of larger particles with larger spaces between them, which allows for rapid drainage and minimal water retention, meaning it does not expand significantly. Loamy soil, a mix of sand, silt, and clay, retains some moisture but generally possesses less expansive qualities compared to pure clay. Gravelly soil, similar to sandy soil, has larger particles and drains well, contributing to a lesser degree of expansion as it does not retain water effectively. Understanding these properties is essential for landscape design and soil management, particularly in applications like foundation support, erosion control, and garden planning.

2. Once the pavers are placed in their specified pattern, they are compacted into the bedding sand with a:

A. Power roller

B. Plate compactor

C. Hand tamper

D. Vibratory screed

The use of a plate compactor is essential after placing pavers in their designated pattern to ensure proper installation. This equipment applies consistent, downward pressure, which consolidates the bedding sand beneath the pavers, helping to lock them into place. This process enhances the strength and stability of the paver project, preventing shifting or movement over time. A plate compactor effectively vibrates and compresses the sand, filling any voids and creating a solid base that supports the pavers. Proper compaction is vital for ensuring that the pavers can bear weight without settling unevenly, which could lead to issues like cracking or lifting. Other tools, while useful for different tasks, do not provide the same level of compaction required for paver installation. For instance, a power roller is often used for larger areas but may not offer the precision needed for smaller paver applications. A hand tamper is less effective for larger areas and requires more manual effort, potentially leading to inconsistent compaction. A vibratory screed is typically used for leveling materials, such as concrete or asphalt, but is not suited for compacting pavers into sand. Thus, the plate compactor is the most appropriate choice for this task.

SAMPLE

3. What is the minimum aggregate base thickness required for installing concrete pavers for walks?

A. 2 in

B. 4 in

C. 6 in

D. 8 in

The minimum aggregate base thickness required for installing concrete pavers for walks is critical for ensuring proper load distribution, structural stability, and drainage. An aggregate base of 4 inches is generally recommended because it provides a stable foundation that helps prevent settling or shifting of the pavers once installed. This thickness allows for adequate compaction, which is necessary to support both the weight of the pavers and any foot traffic they will bear. Additionally, a 4-inch base creates room for effective drainage, reducing the risk of water pooling or incorrectly permeating the surface, which can lead to erosion or destabilization over time. The choice of this thickness balances the need for strength and stability with practical considerations in material availability and labor. Thinner bases, such as 2 inches, may not provide adequate support and can lead to the pavers sinking or cracking, while a 6 or 8-inch base may be unnecessarily excessive for standard walkways unless specific soil or traffic conditions warrant additional depth. Thus, the recommendation of 4 inches ensures a reliable, long-lasting installation of concrete pavers for walks.

4. What is the minimum height requirement for a fence around a commercial swimming pool?

A. 4'

B. 6'

C. 5'

D. 7'

The minimum height requirement for a fence around a commercial swimming pool is typically established to ensure safety and prevent unauthorized access. A fence height of 5 feet is commonly mandated in various regulations, as it provides a sufficient barrier for keeping children and unauthorized individuals out of the pool area while allowing visibility for supervision. In many places, fences serve as a protective measure to reduce drownings and enhance the overall safety of swimming facilities. A height of 5 feet strikes a balance between being high enough to deter climbing, while also being manageable for maintenance and visibility. Other heights proposed may either be too low, failing to offer adequate protection, or unnecessarily high, which could complicate visibility for lifeguards and staff tasked with monitoring the pool area.

SAMPLE

5. How many stakes are needed when setting forms for a 28-ft long concrete walkway if the stakes are spaced 16 in o.c.?

A. 44 stakes

B. 28 stakes

C. 36 stakes

D. 52 stakes

To determine the number of stakes needed when setting forms for a 28-ft long concrete walkway with stakes spaced 16 inches on center, you first need to convert the length of the walkway from feet to inches. Since there are 12 inches in a foot, a 28-foot walkway equals 336 inches (28 ft × 12 in/ft). Next, you need to calculate how many 16-inch sections fit into the total length of 336 inches. This can be done by dividing the total inches by the spacing: 336 inches ÷ 16 inches/stake = 21 stakes However, when setting forms, stakes are typically placed at both ends of the form, requiring one additional stake. Therefore, you must add one to the previous total: 21 stakes + 1 stake = 22 stakes To arrive at the correct number of stakes, we should also consider that stakes are placed at the beginning and end of each section created by the spacing. When setting the stakes, you would place one at the start (0 inches), one at 16 inches, one at 32 inches, and so forth, until 336 inches. Therefore, the last stake at 336 inches adds to the total count, resulting in the

6. What tool would be most useful for installing underground wiring?

A. Shovel

B. Auger

C. Trowel

D. Trencher

The trencher is the most useful tool for installing underground wiring because it is specifically designed to create narrow, deep trenches efficiently. When installing wiring underground, it is essential to maintain a precise depth and width for the trench to protect the wiring and ensure it is below the frost line and other interfering elements. A trencher is capable of achieving this more accurately and with less physical effort than other tools. Other tools serve different purposes and may not meet the specific requirements for underground wiring installation. For instance, a shovel is primarily used for digging and moving material but lacks the precision and consistency a trencher provides. An auger is designed more for drilling into the ground and may not create the necessary continuous trench needed for wiring. A trowel is typically utilized for smaller-scale gardening tasks and isn't suited for trenching applications at all. Thus, the trencher stands out as the optimal choice for safely and effectively installing underground wiring.

SAMPLE

7. What is the primary method of pest control in sustainable landscaping?

A. Chemical pesticides

B. Integrated Pest Management (IPM)

C. Planting pesticide-resistant crops

D. Use of traps and baits

The primary method of pest control in sustainable landscaping is Integrated Pest Management (IPM). This approach emphasizes a holistic strategy that considers the ecological balance and employs a variety of pest control techniques to manage pest populations effectively while minimizing environmental impact. IPM focuses on understanding the life cycle of pests and their natural enemies, promoting biological control methods, and using cultural practices that discourage pest infestations. For instance, it may involve rotating crops, selecting pest-resistant plant varieties, and implementing habitat management to enhance beneficial insect populations. By combining these methods, IPM seeks to reduce reliance on harmful chemical pesticides, addressing pest issues in an environmentally friendly manner. This strategy is essential for sustainable landscaping as it aligns with the principles of maintaining ecosystem health and reducing chemical inputs, which can lead to soil and water contamination, and harm beneficial organisms. By advocating for a balanced approach that incorporates prevention, monitoring, and targeted interventions, IPM represents the comprehensive philosophy of sustainable pest management.

8. What do you call the pipes used to protect lines passing under a sidewalk?

A. Tunnel

B. Sleeve

C. Conduit

D. Wrapper

The term used to describe the pipes that protect utility lines passing under a sidewalk is "sleeve." A sleeve refers to a hollow structure that acts as a protective casing for utility lines, allowing them to pass safely without direct contact with surrounding materials, which can cause wear and damage. This is particularly important for electrical, plumbing, or telecommunications lines that need to remain functional and unharmed as they traverse under pedestrian pathways. Sleeves help to prevent potential damage caused by ground movement or when the surface is exposed to varying weather conditions and heavy foot traffic. They often are designed to accommodate the specific dimensions and needs of the cables or pipes they are protecting, ensuring that they remain secure and operational. Hence, calling these protective structures “sleeves” accurately describes their function in landscaping and utility management contexts.

SAMPLE

9. What is a landscape buffer?

A. A hard structure for support

B. A landscaped area that helps filter runoff

C. A type of decorative plant

D. A water feature in the landscape

A landscape buffer is primarily defined as a landscaped area that helps filter runoff. This type of design is crucial in environmental landscaping as it plays an essential role in managing water quality. By incorporating native vegetation and various plant types within the buffer zone, it can absorb and filter stormwater before it enters waterways. This natural filtration process reduces pollutants in the water, such as sediments, nutrients, and contaminants, by trapping them in the root systems and soil of the plants. Additionally, landscape buffers provide ecological benefits by promoting biodiversity, creating habitats for wildlife, and contributing to a more aesthetically pleasing environment. The design can address practical concerns such as erosion control and mitigating noise or visual impacts from adjacent areas. While hard structures might support specific landscaping elements, they do not serve the same ecological purpose as a landscape buffer. Decorative plants may enhance the visual appeal but do not inherently provide the functional environmental benefits associated with runoff filtration. Water features can be part of a landscape design but do not define a buffer's primary function in managing runoff. Thus, the correct interpretation of a landscape buffer is its vital role in filtering runoff through strategic planting and design.

10. When installing a wooden header board with a strong curve, what is a correct procedure?

A. Using straight boards without lamination

B. Using at least four 3/8" 4" boards tightly laminated with staggered joints

C. Using single boards with no support

D. Spacing supports at 6ft o.c.

When installing a wooden header board that requires a strong curve, the correct procedure involves using multiple boards that are laminated together. This method provides the necessary strength and flexibility to achieve the desired curve without compromising the integrity of the structure. Choosing at least four 3/8" x 4" boards tightly laminated with staggered joints ensures that the header can effectively handle loads and maintain its shape over time. Laminating the boards allows for a more gradual and smoother curve compared to using straight boards, which could lead to weaknesses, especially at the joints. Staggering the joints enhances the overall strength of the assembly, distributing stress more evenly across the header, which is crucial for curved applications where forces may vary along the curve. This technique also minimizes the risk of splintering or breaking, allowing for a more durable and aesthetically pleasing result. In contrast, the other options fall short in providing the structural integrity needed for such a curved installation. Using straight boards without lamination lacks the flexibility required for a strong curve, single boards without support cannot adequately bear weight, and spacing supports at 6 feet on center may not be sufficient to support a curved header effectively. Therefore, laminating multiple boards together is the optimal approach.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://statelandscaping.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE