
STATE OF MICHIGAN ENGINE PERFORMANCE AND TUNE UP PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://miengineperftuneup.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which tool is used to check ignition coil resistance?

A. An infrared thermometer

B. A multimeter (ohmmeter)

C. A vacuum gauge

D. A pressure gauge

2. During closed loop operation, a reading of 450 to 500 millivolts from the O2 sensor indicates what condition?

A. The sensor is fine and functioning normally

B. The sensor is slow to respond but acceptable

C. It is functioning perfectly

D. The sensor is sluggish and probably bad

3. Which statement describes the throttle body injection (TBI) system?

A. An electronic fuel injected system that sprays into the throat of intake

B. A port fuel injection system that sprays at the intake ports

C. A direct injection system that sprays into the combustion chamber

D. A carburetor-based system

4. Which vehicles are designed to go into a closed-loop operation?

A. Diesel engines

B. Gasoline engines with oxygen sensors

C. Hybrid electric vehicles

D. All of the above

5. When base timing is reached and no advance occurs, which mode is commonly engaged to protect the engine?

A. Vehicle in limp mode

B. Normal operation

C. Overboost

D. Fuel cut-off

SAMPLE

6. Describe a basic test to check for intake vacuum leaks.

A. Replace the intake manifold gasket

B. Use a vacuum gauge to observe steady high vacuum and perform a smoke test or leak detection

C. Run a compression test on all cylinders

D. Inspect the air filter

7. The Powertrain Control Module contains which type of memory for its firmware?

A. Dynamic RAM

B. Random Access Memory

C. Read-Only Memory

D. Non-volatile storage

8. If knock is detected and the ECU retards timing, which sensor initiated this action?

A. MAF sensor

B. O2 sensor

C. MAP sensor

D. Knock sensor

9. If ignition primary circuit is open, which diagnostic step is most appropriate?

A. Check exhaust back pressure

B. Check primary circuit at the coil

C. Check RPM sensor

D. Check fuel injector spray pattern

10. Regarding fault codes, which statement is true?

A. fault codes can be generated from past failures

B. fault codes can only reflect the current fault

C. fault codes are randomly assigned

D. fault codes apply only to emission controls

SAMPLE

Answers

SAMPLE

1. B
2. D
3. A
4. D
5. A
6. B
7. C
8. D
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. Which tool is used to check ignition coil resistance?

A. An infrared thermometer

B. A multimeter (ohmmeter)

C. A vacuum gauge

D. A pressure gauge

Measuring resistance requires a tool that can pass a tiny current through the winding and read how much opposition it offers. A multimeter set to ohms does just that, so it's the right instrument to check ignition coil resistance. With the ignition system powered off, you place the meter probes on the coil's primary terminals (and, if specified, on the secondary terminals) and compare the reading to the manufacturer's spec. A reading that's too high, too low, or infinite indicates a problem with the winding. An infrared thermometer only measures temperature, not electrical resistance; a vacuum gauge or a pressure gauge measures gas pressure, not electrical resistance, so they aren't suitable for this test.

2. During closed loop operation, a reading of 450 to 500 millivolts from the O2 sensor indicates what condition?

A. The sensor is fine and functioning normally

B. The sensor is slow to respond but acceptable

C. It is functioning perfectly

D. The sensor is sluggish and probably bad

In closed-loop operation, the narrowband O2 sensor provides a rapid switching signal that the ECU uses to trim the fuel mixture. It should swing between lean and rich, typically around 0.1–0.2 V when lean and about 0.8–0.9 V when rich, continuously as the engine runs. A reading of about 0.45–0.50 V is mid-range and shows the sensor isn't switching as it should. That steady mid-level signal indicates the sensor is not responding quickly to changes in exhaust composition, which is a sign that the sensor is sluggish and likely bad. When the sensor can't provide the quick, alternating signal, the engine's fuel control can't properly maintain the correct air-fuel ratio.

3. Which statement describes the throttle body injection (TBI) system?

A. An electronic fuel injected system that sprays into the throat of intake

B. A port fuel injection system that sprays at the intake ports

C. A direct injection system that sprays into the combustion chamber

D. A carburetor-based system

Throttle body injection uses electronic fuel metering and places the injectors inside the throttle body to spray fuel into the intake throat (the plenum) as air enters the engine. This central, air-side injection mixes fuel before it travels into the intake runners, rather than spraying at each port or directly into the combustion chamber. That combination of EFI with a carburetor-like throttle body characterizes TBI, and it's distinct from port fuel injection (fuel sprayed at the ports) and direct injection (fuel sprayed directly into the cylinders). It's not carbureted because it relies on electronic control to meter fuel rather than a mechanical carburetor.

SAMPLE

4. Which vehicles are designed to go into a closed-loop operation?

A. Diesel engines

B. Gasoline engines with oxygen sensors

C. Hybrid electric vehicles

D. All of the above

Closed-loop operation means the engine control system uses sensor feedback to continuously adjust fuel delivery to achieve the target air-fuel ratio. When the exhaust oxygen sensor tells the ECU whether the mixture is too rich or too lean, the system trims fuel in real time to bring the ratio back toward the desired value. Gasoline engines with oxygen sensors clearly rely on this feedback loop. Once the engine is warmed up, the ECU uses the O2 sensor signal to maintain a near-stoichiometric mix for good power, efficiency, and emissions. Hybrid electric vehicles also use closed-loop fueling during engine operation. The engine shares torque with electric motors, but when the gasoline engine runs, it still benefits from oxygen-sensor feedback to keep the air-fuel ratio correct, just as a conventional gasoline engine does. Diesel engines today can also operate with closed-loop control, especially in modern systems that monitor exhaust conditions and adjust injection strategies to meet emissions targets. Even though diesels often run lean, the control strategy can use sensor feedback to optimize performance and emissions during appropriate operating conditions. Because each of these vehicle types can employ sensor feedback to regulate the fuel-air mixture, they are all designed to go into closed-loop operation.

5. When base timing is reached and no advance occurs, which mode is commonly engaged to protect the engine?

A. Vehicle in limp mode

B. Normal operation

C. Overboost

D. Fuel cut-off

The key idea is how modern engines protect themselves when ignition timing cannot advance beyond the base setting. Ignition timing usually needs to advance as RPM increases to optimize power and efficiency and to avoid knocking. If the system can't advance timing—due to a fault, sensor issue, or control limit—the engine is at higher risk of detonation or damage if it tried to run normally. To safeguard the engine, the ECU often drops the vehicle into a protective state called limp mode. In limp mode, power is restricted, fueling and spark are limited, and RPM is kept low so you can drive a short distance to a repair facility without causing further harm. Other modes like normal operation would allow proper timing advance, overboost relates to turbo pressure, and fuel cut-off is a different protective measure not specifically tied to a static base timing scenario. So the mode commonly engaged is limp mode.

SAMPLE

6. Describe a basic test to check for intake vacuum leaks.

A. Replace the intake manifold gasket

B. Use a vacuum gauge to observe steady high vacuum and perform a smoke test or leak detection

C. Run a compression test on all cylinders

D. Inspect the air filter

The basic way to check for intake vacuum leaks is to measure the engine's manifold vacuum with a vacuum gauge and then verify suspected leaks with a smoke test or leak-detection method. At idle, a healthy engine should show a steady, fairly high vacuum reading. If the vacuum is lower than expected or fluctuates, it suggests air is entering the intake somewhere a leak is present. To locate the leak, you perform a smoke test or leak-detection process: introduce visible smoke into the intake system and watch for where it escapes, which pinpoints the leak location. This approach is simple, non-destructive, and directly shows where air is sneaking in. Replacing the intake manifold gasket is a repair step, not a diagnostic test. A compression test checks cylinder sealing and overall compression, not specifically intake vacuum leaks. Inspecting the air filter might reveal a clogged element, but it doesn't diagnose leaks in the intake plenum or hoses.

7. The Powertrain Control Module contains which type of memory for its firmware?

A. Dynamic RAM

B. Random Access Memory

C. Read-Only Memory

D. Non-volatile storage

Firmware in a Powertrain Control Module must stay available across power cycles, so it's stored in non-volatile memory. Read-Only Memory fits this role because it preserves its contents without power and is typically not modified during normal operation, providing a stable home for the software that boots the ECU and governs core control tasks. Dynamic RAM and RAM are volatile and lose their data when power is off, so they aren't suitable for storing firmware. Non-volatile storage is the broader category that includes ROM, and in many PCM designs ROM has traditionally carried the firmware, making it the best match for this question.

8. If knock is detected and the ECU retards timing, which sensor initiated this action?

A. MAF sensor

B. O2 sensor

C. MAP sensor

D. Knock sensor

When knock (detonation) is detected, the engine control unit needs to pull timing back to prevent engine damage. The sensor that initiates this action is the knock sensor, which detects abnormal combustion vibrations and sends a signal to the ECU to retard ignition timing. Other sensors like the MAF, MAP, and O2 provide data used for fueling and estimating load, but they do not directly detect knock or trigger timing changes. The knock sensor is the specific initiator for retarding timing in response to knocking.

SAMPLE

9. If ignition primary circuit is open, which diagnostic step is most appropriate?

A. Check exhaust back pressure

B. Check primary circuit at the coil

C. Check RPM sensor

D. Check fuel injector spray pattern

When the ignition primary circuit is open, no current can energize the coil, so there will be no spark. The most sensible first step is to test the primary circuit right at the coil. This means confirming that the coil is receiving power and has a solid ground, and checking the primary winding itself. Start by verifying voltage at the coil's feed with the ignition on, then check the coil ground to ensure a good return path. Measure the coil's primary resistance and compare it to the manufacturer's spec. If you don't see voltage or the ground is poor, trace the circuit back to the ignition switch, any ballast resistor, and the wiring for an open or damaged connection. If voltage is present and the resistance is within spec, the coil itself may be faulty. Only after establishing the primary circuit is functioning properly would you move on to ignition secondary components or other systems.

10. Regarding fault codes, which statement is true?

A. fault codes can be generated from past failures

B. fault codes can only reflect the current fault

C. fault codes are randomly assigned

D. fault codes apply only to emission controls

Fault codes are stored by the vehicle's computer whenever a fault is detected, and many systems keep a record of those events. That means a code can reflect a past failure even if the symptom isn't present right now. Technicians can retrieve not only current codes but also history or pending codes, along with freeze-frame data showing the conditions at the time of the fault. This history helps diagnose intermittent or previously fixed issues and verify repairs. The other ideas don't fit because codes aren't limited to current faults, they aren't randomly assigned, and they cover more than just emission controls (they can pertain to ignition, fuel, transmission, ABS, and other systems).

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://miengineperftuneup.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE