
STERILE COMPOUNDING MODULE 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sterilecompoundingmod1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a primary characteristic of Category 3 CSPs?

A. Short BUD

B. Least controlled conditions

C. Most controlled conditions

D. All preparations allowed

2. Which device is characterized by being a glove box that operates under negative pressure and is used for hazardous drug preparation?

A. Compounding aseptic isolator (CAI)

B. Laminar airflow workbench

C. Compounding aseptic containment isolators (CACI)

D. HEPA filter

3. What does USP Chapter 797 relate to?

A. Handling of hazardous medications

B. Requirements for compounding sterile preparations

C. Quality control in non-sterile compounding

D. Packaging of pharmaceutical products

4. Which factors contribute to the beyond use dating for Category 1?

A. Compounding methods

B. Storage conditions

C. Sterility testing

D. Environmental monitoring

5. Which USP chapter focuses on preventing patient harm from microbial contamination?

A. Chapter 795

B. Chapter 800

C. Chapter 797

D. Chapter 900

SAMPLE

6. What is the maximum volume for small volume parenterals?

A. 50 mL

B. 100 mL

C. 150 mL

D. 200 mL

7. Which medications must be filtered to prevent complications like crystallization?

A. TPN formulations

B. Heparin solutions

C. Mannitol and TPN

D. Insulin and TPN

8. Which date is determined and set by the compounder?

A. Expiration date

B. Beyond use date

C. Manufacturing date

D. Usage date

9. What is the key feature of a compounding aseptic isolator (CAI)?

A. It has a negative pressure environment

B. It contains an ante chamber

C. It is used for nonhazardous drug preparation

D. It is often used for high-risk pathogens

10. Which type of drugs are compounded in a positive pressure room?

A. Hazardous drugs

B. Nonhazardous drugs

C. High-risk drugs

D. Controlled substances

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. B
5. C
6. B
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is a primary characteristic of Category 3 CSPs?

A. Short BUD

B. Least controlled conditions

C. Most controlled conditions

D. All preparations allowed

The primary characteristic of Category 3 Compounded Sterile Preparations (CSPs) is that they are prepared under the most controlled conditions. This categorization applies to CSPs that may require more stringent procedures and quality checks due to their complexity or the specific requirements for their preparation. Category 3 CSPs must be compounded using aseptic techniques and typically involve a higher risk of contamination. Therefore, they necessitate a controlled environment, such as a cleanroom or laminar airflow hood, to minimize that risk. The stringent conditions are meant to ensure patient safety and the integrity of the sterile product. In the context of this category, the use of specific equipment and practices is enforced to maintain sterility and quality, which distinguishes them from lower categories with less stringent requirements. This level of control is paramount for ensuring that the final compounded product is safe for patient use.

2. Which device is characterized by being a glove box that operates under negative pressure and is used for hazardous drug preparation?

A. Compounding aseptic isolator (CAI)

B. Laminar airflow workbench

C. Compounding aseptic containment isolators (CACI)

D. HEPA filter

The device characterized as a glove box that operates under negative pressure for hazardous drug preparation is known as a Compounding Aseptic Containment Isolator (CACI). This type of isolator provides a controlled environment that ensures the safety of the personnel handling hazardous drugs by preventing exposure to these substances. The negative pressure within the isolator is critical as it not only protects the healthcare workers from harmful fumes and particles but also contains any hazardous materials within the chamber, minimizing the risk of contamination in the surrounding area. Unlike a Compounding Aseptic Isolator (CAI), which is designed for non-hazardous preparations and maintains positive pressure to ensure sterility, a CACI specifically caters to hazardous compounding needs. This distinction is vital for maintaining safety standards in environments where potent medications are prepared and handled. The CACI is equipped with appropriate ventilation systems to filter the air effectively, ensuring that any potential contamination or exposure is mitigated. While a laminar airflow workbench facilitates sterile practices through airflow dynamics, it does not provide the same level of containment necessary for hazardous drugs. A HEPA filter, although critical in maintaining air quality, is merely one component of the systems used in isolators and does not function as a standalone device for drug

SAMPLE

3. What does USP Chapter 797 relate to?

A. Handling of hazardous medications

B. Requirements for compounding sterile preparations

C. Quality control in non-sterile compounding

D. Packaging of pharmaceutical products

USP Chapter 797 specifically pertains to the requirements for compounding sterile preparations. This chapter provides guidelines aimed at ensuring the safety and quality of compounded sterile products by outlining the necessary practices, standards, and environments in which compounding must occur. The primary goal is to minimize the risks associated with contamination of these sterile preparations, which can lead to serious health issues for patients. Chapter 797 addresses elements such as facilities, personnel training, equipment, and standard operating procedures, all of which are crucial for maintaining the integrity of sterile products throughout the compounding process. By focusing on these elements, USP Chapter 797 plays a critical role in protecting patient safety and ensuring that compounded medications meet high standards of quality and sterility.

4. Which factors contribute to the beyond use dating for Category 1?

A. Compounding methods

B. Storage conditions

C. Sterility testing

D. Environmental monitoring

Beyond use dating (BUD) refers to the date or time after which a compounded sterile preparation should not be used. For Category 1 compounds, factors influencing BUD play a crucial role in ensuring the safety and efficacy of the product. Storage conditions are paramount because they directly affect the stability and integrity of the compounded preparation. Proper storage can prevent degradation of active ingredients, inhibit microbial growth, and maintain the product's sterility. Factors such as temperature, humidity, and exposure to light are essential aspects of storage. For instance, some compounds may require refrigeration to remain stable, while others should be stored at room temperature. If the storage conditions are not ideal, it can lead to a shorter BUD due to potential degradation or contamination. While other factors like compounding methods, sterility testing, and environmental monitoring are also important in the overall process of sterile compounding, they do not directly determine the BUD in the same way that storage conditions do. For instance, the type of compounding method can impact the sterility and quality of the product but does not provide specific guidelines for determining a BUD. Similarly, while sterility testing ensures that the preparation is free from contamination and environmental monitoring helps maintain a safe compounding environment, neither directly

SAMPLE

5. Which USP chapter focuses on preventing patient harm from microbial contamination?

A. Chapter 795

B. Chapter 800

C. Chapter 797

D. Chapter 900

Chapter 797 of the USP specifically addresses the practices and requirements for sterile compounding to minimize the risk of microbial contamination, which is critical for ensuring patient safety. This chapter outlines standards for the preparation of compounded sterile products (CSPs), emphasizing the need for appropriate sterility testing, environmental controls, and proper handling techniques to prevent contamination. Chapter 797 sets forth guidelines regarding the use of primary engineering controls such as laminar airflow hoods and cleanrooms designed to maintain air quality, as well as the appropriate use of personal protective equipment (PPE) when compounding sterile products. These measures are essential for reducing the likelihood of microbial contamination, which can lead to serious patient harm if unaddressed. The other chapters mentioned, such as Chapter 795, focus on non-sterile compounding, and Chapter 800 addresses hazardous drugs in healthcare settings. While these chapters are relevant to compounding practices, they do not specifically target the prevention of microbial contamination in sterile products, which is the primary concern of Chapter 797. This is why Chapter 797 is the correct choice in relation to preventing patient harm from microbial contamination.

6. What is the maximum volume for small volume parenterals?

A. 50 mL

B. 100 mL

C. 150 mL

D. 200 mL

The maximum volume for small volume parenterals is 100 mL. This classification is based on the definitions set forth by pharmacological guidelines, which categorize parenteral solutions to help in appropriate clinical management and administration. Small volume parenterals are typically intended for direct administration of medications intravenously, intramuscularly, or subcutaneously, and the volume restrictions help minimize fluid overload risks and promote safety in administration. Higher volumes generally fall into the category of large volume parenterals, which are usually over 100 mL and are used for different therapeutic purposes such as hydration and electrolyte balance. Knowing the distinction between small and large volume parenterals is critical for healthcare professionals to ensure that patients receive medications in the most effective and safe manner.

SAMPLE

7. Which medications must be filtered to prevent complications like crystallization?

A. TPN formulations

B. Heparin solutions

C. Mannitol and TPN

D. Insulin and TPN

The requirement to filter certain medications is based on their potential to crystallize and form particulate matter, which can pose serious risks if administered to a patient. Mannitol, a sugar alcohol used primarily as an osmotic diuretic, is known for its propensity to crystallize, especially at lower temperatures or when concentrated. Filtering mannitol solutions helps to remove any undissolved particles and prevents complications such as embolism or vascular occlusions. TPN (Total Parenteral Nutrition) formulations also benefit from filtration. Variability in the components of TPN can sometimes lead to precipitation of nutrients, which can affect the safety and efficacy of the infusion. By using a filter, healthcare providers can ensure that only clear, particulate-free solutions are administered, thus preventing complications that can arise from crystallization. In contrast, while heparin and insulin are crucial medications, they do not typically require filtering specifically for crystallization purposes. Insulin formulations are generally stable in solution, and heparin solutions do not present the same crystallization risks as mannitol or certain TPN mixtures. Therefore, the combination of mannitol and TPN as a correct choice emphasizes the importance of filtration for medications that are susceptible to crystallization and solid particulate formation.

8. Which date is determined and set by the compounder?

A. Expiration date

B. Beyond use date

C. Manufacturing date

D. Usage date

The correct answer is beyond use date. This date is established by the compounder and refers to the date after which a compounded sterile preparation should not be administered to patients or used. It is based on stability data, the conditions under which the preparation was compounded, and the intended storage conditions. The beyond use date is critical in ensuring patient safety, as it helps in maintaining the efficacy and integrity of the compounded medication. Typically, it is calculated according to established guidelines and may vary based on the type of preparation, the ingredients used, and the storage environment. In this context, the expiration date is usually set by the manufacturer and indicates when a commercially available drug may no longer be guaranteed for safety and effectiveness. The manufacturing date signifies when a drug product was produced and is also designated by the manufacturer. Usage date does not commonly apply to sterile compounding and does not relate to any specific pharmaceutical standards.

SAMPLE

9. What is the key feature of a compounding aseptic isolator (CAI)?

A. It has a negative pressure environment

B. It contains an ante chamber

C. It is used for nonhazardous drug preparation

D. It is often used for high-risk pathogens

The key feature of a compounding aseptic isolator (CAI) is its use for nonhazardous drug preparation. CAIs are specifically designed to create a controlled environment that maintains sterility while compounding sterile preparations. Unlike other devices such as biological safety cabinets, which are designed for hazardous drug preparation, CAIs ensure that the drug compounding process is free from contamination by external agents, thus ensuring a safe and sterile product. The design of a CAI includes airflow systems and HEPA filtration that help maintain this aseptic environment, allowing for the safe handling of nonhazardous compounds. This is particularly important for maintaining the integrity of the preparation and ensuring patient safety.

10. Which type of drugs are compounded in a positive pressure room?

A. Hazardous drugs

B. Nonhazardous drugs

C. High-risk drugs

D. Controlled substances

Compounding nonhazardous drugs in a positive pressure room is based on the need to maintain a sterile environment that minimizes the risk of contamination. Positive pressure rooms are designed to have a higher pressure inside compared to the surrounding areas, which helps prevent outside air (and any contaminants it may carry) from entering the space. This is particularly important when working with nonhazardous drugs, which, while typically considered safer than hazardous drugs, still require careful control of environmental conditions to ensure the final product's safety and efficacy. The sterile environment is essential for nonhazardous compounding, especially when preparing injectable medications or other formulations that must be free from microbial contamination. In contrast, hazardous drugs are compounded in negative pressure rooms to contain any dangerous agents and prevent exposure to personnel and the environment. High-risk drugs might also require specific precautions, and controlled substances are governed by additional regulatory requirements, but those factors do not pertain directly to the use of positive pressure environments for compounding purposes. Therefore, compounding nonhazardous drugs in a positive pressure room is the correct focus for this question.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sterilecompoundingmod1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE