T-6 PROPULSION, INSTRUMENTS, AND TRAINING (PIT) SYSTEMS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://t6pitsystems.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What condition must be met for the landing light to activate?

A. The landing gear is up

B. The landing gear is down and locked

C. The flaps are deployed

D. The auxiliary battery is on

2. What controls battery power in the T-6 cockpit?

A. A battery switch

B. A generator control panel

C. An auxiliary power unit

D. A fuel flow switch

3. What notification appears on the EADI in case of pitch or roll attitude failure?

A. ALERT

B. ATTITUDE FAIL

C. FAILURE

D. ERROR

4. What is the reason for disconnecting from the aircraft oxygen system during an OBOGS inop situation?

A. To conserve oxygen

B. To improve breathing capability and reduce suffocation risk

C. To simplify the emergency landing process

D. To maintain cabin pressure

5. On the EHSI, what does the course deviation bar indicate?

A. Distance to waypoints

B. Aircraft speed

C. Centerline of the selected course relative to the aircraft symbol

D. Heading error

SAMPLE

6. What range of Gs can the accelerometer display in the T-6?

A. -5 to +10 Gs

B. -6 to +6 Gs

C. -6 to +10 Gs

D. -10 to +10 Gs

7. A primary purpose of the TAD system is to assist the pilot in maintaining _____.

A. Speed control

B. Altitude stability

C. Directional trim

D. Fuel efficiency

8. How are heading and course set on the EHSI?

A. Using the EADI knobs

B. Using the HDG and CRS knobs on the EFIS control panel

C. Using the GPS command console

D. Using the autopilot settings

9. After closing the canopy, how can you ensure it is properly locked?

A. Listen for a click sound

B. Feel for resistance

C. Observe the green mechanical canopy lock indicator

D. Check the control panel lights

10. What voltage do the battery and auxiliary battery units provide?

A. 28 VDC

B. 24 VDC

C. 12 VDC

D. 32 VDC

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. B
5. C
6. C
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What condition must be met for the landing light to activate?

A. The landing gear is up

B. The landing gear is down and locked

C. The flaps are deployed

D. The auxiliary battery is on

The landing light in the T-6 aircraft is designed to activate only when the landing gear is down and locked. This requirement ensures that the landing light is used when it is most beneficial, specifically during landing approaches. By activating the landing light only under this condition, it provides better visibility for both the pilots and any outside observers, ensuring safety during the critical phases of flight when landing. The other conditions listed do not lead to the activation of the landing light; for example, having the landing gear up or the flaps deployed does not signify that the aircraft is in a landing configuration, and activating the auxiliary battery does not influence the landing light's operation. This design prevents unnecessary use of the light and focuses its use on moments when landing is imminent, reinforcing safety protocols during flight operations.

2. What controls battery power in the T-6 cockpit?

A. A battery switch

B. A generator control panel

C. An auxiliary power unit

D. A fuel flow switch

The battery switch is the primary control for managing battery power in the T-6 cockpit. When the battery switch is activated, it connects the battery to the electrical system, enabling the aircraft to draw power for essential systems during operations, particularly when external power is not available. This control is crucial during pre-flight checks and start-up procedures, allowing the pilot to ensure that sufficient battery power is available for avionics, instrumentation, and other essential services. Proper management of the battery switch is vital for the safe operation of the aircraft, especially in situations where generator power may not be available, making the understanding of how to operate it essential for pilot training and safety protocols. In contrast, the generator control panel serves a different function, focusing more on managing the output and status of the generators once the aircraft's engines are running. The auxiliary power unit provides additional electrical power but is not the primary control mechanism for battery management. Similarly, a fuel flow switch has no connection to battery power but rather controls fuel supply to the engines.

3. What notification appears on the EADI in case of pitch or roll attitude failure?

A. ALERT

B. ATTITUDE FAIL

C. FAILURE

D. ERROR

The notification that appears on the Electronic Attitude Director Indicator (EADI) in the event of a pitch or roll attitude failure is "ATTITUDE FAIL." This message is critical for pilots as it indicates a malfunction in the attitude reference system, which is essential for maintaining awareness of the aircraft's orientation relative to the horizon. When "ATTITUDE FAIL" is displayed, pilots must take immediate action to confirm the status of the aircraft and may need to rely on alternative instruments or backup systems to ensure safe operation. This message specifically indicates that the normal readings for pitch and roll are no longer valid, prompting the need for heightened situational awareness and potential corrective measures. Understanding this notification's importance helps pilots recognize and respond effectively to issues with the aircraft's navigation and control systems, ensuring safety and operational integrity.

SAMPLE

4. What is the reason for disconnecting from the aircraft oxygen system during an OBOGS inop situation?

A. To conserve oxygen

B. To improve breathing capability and reduce suffocation risk

C. To simplify the emergency landing process

D. To maintain cabin pressure

Disconnecting from the aircraft oxygen system during an On-Board Oxygen Generating System (OBOGS) inoperative situation is primarily done to improve breathing capability and reduce the risk of suffocation. In circumstances where the OBOGS is not functioning properly, the supplied oxygen may not be adequate to sustain life at high altitudes or during emergency situations. By disconnecting from the malfunctioning system, the pilot or crew may have the option to revert to alternative oxygen supplies that are more reliable, ensuring that they can breathe more effectively and maintain situational awareness during critical phases of flight. The emphasis on improving breathing capability highlights the urgent need to ensure that oxygen supply is adequate for survival, especially when flying at altitudes where ambient air is insufficient. Other options speak to considerations like conserving oxygen or maintaining cabin pressure, but the primary and immediate concern in an OBOGS inoperative situation is ensuring a reliable source of breathable air to prevent suffocation.

5. On the EHSI, what does the course deviation bar indicate?

A. Distance to waypoints

B. Aircraft speed

C. Centerline of the selected course relative to the aircraft symbol

D. Heading error

The course deviation bar on the Electronic Horizontal Situation Indicator (EHSI) is a vital feature that provides pilots with critical situational awareness regarding their navigation. It indicates the relationship between the aircraft's current position and the selected course track. When the course deviation bar is centered, it means the aircraft is on the desired course. If the bar deflects to one side, it indicates that the aircraft is either left or right of the intended flight path. This feedback is essential for making timely adjustments to the aircraft's heading to stay aligned with the desired track, which is crucial during instrument flight rules (IFR) operations. Understanding this function is fundamental for effective navigational control. The course deviation bar helps pilots ensure they are on the correct trajectory, which is especially important during approaches and when operating near airspace boundaries. Other choices do not relate to this specific indicator's functionality. Distance to waypoints pertains to navigational information from waypoints rather than course alignment, aircraft speed refers to a measure of how fast the aircraft is moving, and heading error indicates discrepancies between the aircraft's heading and the desired heading rather than course deviation from the selected path.

SAMPLE

6. What range of Gs can the accelerometer display in the T-6?

A. -5 to +10 Gs

B. -6 to +6 Gs

C. -6 to +10 Gs

D. -10 to +10 Gs

The correct answer is that the accelerometer in the T-6 can display a range of -6 to +10 Gs. This range is designed to account for both the positive G forces experienced during maneuvers as well as negative G forces that can occur during certain flight conditions, such as during pulls out of dives or during abrupt changes in direction. The ability to measure up to +10 Gs allows for capturing high-performance maneuvers typical in training scenarios for advanced flight operations. This range is critical for pilots to be aware of their physiological limits and to ensure safety in operations, as exceeding G limits can lead to loss of consciousness or other detrimental effects on the pilot's performance. The lower limit of -6 Gs indicates that the aircraft can handle significant negative G maneuvers, which also plays a crucial role in training scenarios. In contrast, other ranges, such as -5 to +10 Gs, would not fully capture the operational limits required for the diverse maneuvers executed in a training environment, while -6 to +6 Gs and -10 to +10 Gs would extend beyond the practical application needed for safe and effective flight operations. This specific range of -6 to +10 Gs ensures that pilots are

7. A primary purpose of the TAD system is to assist the pilot in maintaining _____.

A. Speed control

B. Altitude stability

C. Directional trim

D. Fuel efficiency

The primary purpose of the TAD (Trim Aid Device) system in the T-6 aircraft is to assist the pilot in maintaining directional trim. This system automatically adjusts the elevator trim to counteract the yaw that occurs when power changes, thereby helping the pilot to maintain coordinated flight. By managing directional trim efficiently, the TAD system reduces pilot workload and allows for smoother flight responses, particularly during power transitions. This is especially important in training scenarios where pilots must focus on learning various flight maneuvers without the added complexity of constantly needing to adjust for yaw induced by power changes. Other elements, such as speed control, altitude stability, and fuel efficiency, are important for flight but are not the direct responsibilities of the TAD system. Instead, these aspects are managed by the pilot in conjunction with other instruments and systems in the cockpit.

SAMPLE

8. How are heading and course set on the EHSI?

A. Using the EADI knobs

B. Using the HDG and CRS knobs on the EFIS control panel

C. Using the GPS command console

D. Using the autopilot settings

The heading and course are set on the Electronic Horizontal Situation Indicator (EHSI) using the HDG (Heading) and CRS (Course) knobs located on the EFIS (Electronic Flight Instrument System) control panel. This interface allows pilots to manually input or adjust their heading for navigation, ensuring they are oriented correctly relative to their desired flight path. The HDG knob adjusts the aircraft's current heading, while the CRS knob sets the desired course to be followed. This functionality is crucial for flight management and helps pilots maintain situational awareness regarding their flight trajectory. The other options focus on different systems or methods not directly designed for adjusting heading and course on the EHSI. The EADI knobs, for instance, are primarily for the Electronic Attitude Direction Indicator and would not be relevant for setting heading and course on the EHSI. The GPS command console typically provides navigational data but does not directly adjust the EHSI settings. Autopilot settings are used for maintaining control of the aircraft during flight, but they do not involve manually setting the heading or course on the EHSI—the task is specifically carried out via the EFIS control panel knobs.

9. After closing the canopy, how can you ensure it is properly locked?

A. Listen for a click sound

B. Feel for resistance

C. Observe the green mechanical canopy lock indicator

D. Check the control panel lights

The correct method to ensure that the canopy is properly locked is to observe the green mechanical canopy lock indicator. This indicator functions as a visual confirmation that the canopy is securely locked. When the canopy is closed completely, the lock mechanism engages, and the green indicator will show that it is in the locked position. This method is reliable because it provides a specific visual confirmation that can be checked quickly and effectively before takeoff or during pre-flight checks. The design of the indicator is meant to eliminate ambiguity, allowing pilots to verify the status of the canopy without uncertainty. While listening for a click sound can be helpful, it is not as definitive as observing the green indicator. Feeling for resistance may lead to misinterpretations, as a tactile response might not always indicate that the lock is fully engaged. Checking the control panel lights could provide some information about various systems' statuses, but it does not specifically confirm the locking status of the canopy itself. Therefore, relying on the green mechanical canopy lock indicator is the most clear and effective way to ensure the canopy is properly locked.

10. What voltage do the battery and auxiliary battery units provide?

A. 28 VDC

B. 24 VDC

C. 12 VDC

D. 32 VDC

The battery and auxiliary battery units in the T-6 aircraft provide a voltage of 24 VDC. This is essential for powering various systems and components in the aircraft, such as avionics, lighting, and other electronic systems that require a stable and reliable power source. A 24 VDC supply is standard in many aircraft applications because it strikes a balance between providing sufficient power while minimizing the weight and complexity associated with higher voltage systems. It's appropriate for the operational needs of the T-6, ensuring proper functionality of essential equipment.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://t6pitsystems.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE