TACTICAL COMBAT CASUALTY CARE (TCCC) – DEPLOYED MEDIC (TIER 1) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://tcccdeployedmedictier1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is not a sign of effective NCD?

A. Return of consciousness

B. SPO2 above 90%

C. Increased respiratory distress

D. Return of radial pulse

2. What is contained in a bag referred to as "low titer O blood"?

A. Type A red blood cells

B. Plasma only

C. Type O red blood cells and plasma with low antibodies

D. Type B red blood cells

3. What is the difference between smooth muscle and skeletal muscle?

A. Smooth muscle is involuntary, skeletal muscle is voluntary

B. Skeletal muscle is involuntary, smooth muscle is voluntary

C. Both are involuntary muscles

D. Both are voluntary muscles

4. What is the recommended position for a casualty who is unconscious but breathing?

A. Supine position flat on their back

B. The recovery position to maintain an open airway

C. Seated upright to facilitate breathing

D. Face down to prevent choking

5. Pelvic fractures typically cause how many pint(s) of blood loss?

A. 1-2

B. 2-3

C. 3-4

D. 4-5

6. How is an oblique fracture defined?

A. A break that occurs straight across the bone

B. A break along the bone with one end twisted

C. A break that is diagonal across the bone

D. A break that shatters the bone into multiple pieces

SAMPLE

7. What is the primary purpose of extraglottic airway devices?

A. To establish an airway for oxygenation and ventilation

B. To provide medication delivery

C. To prevent aspiration

D. To assist in intubation

8. What vital sign is crucial to monitor in suspected tension pneumothorax?

A. Heart rate

B. Blood pressure

C. Oxygen saturation

D. Temperature

9. What is a characteristic feature of a stress fracture?

A. It is clearly visible on X-ray

B. It is also known as a hairline fracture

C. It involves complete bone breakage

D. It occurs due to acute trauma

10. What is a medic's responsibility during tactical combat situations?

A. To engage in combat

B. To provide care while remaining aware of the tactical environment

C. To assess whether to treat based on the soldier's rank

D. To remain passive until higher authority directs action

SAMPLE

Answers

SAMPLE

1. C
2. C
3. A
4. B
5. C
6. C
7. A
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following is not a sign of effective NCD?

A. Return of consciousness

B. SPO2 above 90%

C. Increased respiratory distress

D. Return of radial pulse

The correct response highlights that increased respiratory distress is not a sign of effective needle decompression (NCD). Effective NCD is intended to alleviate life-threatening conditions, particularly tension pneumothorax, which can lead to respiratory distress. When the procedure is successful, one expects improvement in the patient's respiratory status, not a worsening of it. The return of consciousness, a SPO2 level above 90%, and the return of a radial pulse are all signs indicating that the NCD has been effective, as they reflect improved oxygenation and hemodynamic stability. When a patient starts regaining consciousness, shows a satisfactory oxygen saturation level, and presents a palpable radial pulse, these outcomes demonstrate that the interventions taken to relieve thoracic compression have successfully restored normal physiological functioning. Thus, increased respiratory distress contradicts the expected results of an effective NCD.

2. What is contained in a bag referred to as "low titer O blood"?

A. Type A red blood cells

B. Plasma only

C. Type O red blood cells and plasma with low antibodies

D. Type B red blood cells

The term "low titer O blood" refers specifically to a blood product that contains Type O red blood cells along with plasma that has a low concentration of antibodies against other blood types. This composition is particularly important in emergency settings, especially in trauma situations, where it may not be possible to determine a patient's blood type quickly. Type O red blood cells are considered universal donors because they can be transfused to patients of any blood type without a significant risk of transfusion reactions. The low-titer plasma reduces the potential for hemolytic reactions in recipients who may have pre-existing antibodies against other blood types; this is crucial in emergency transfusions when rapid action is needed. In contrast, the other options describe blood components that do not correlate with what is specifically meant by "low titer O blood." For instance, Type A and Type B red blood cells do not match the characteristic of low titer O blood, which is defined by the presence of Type O red cells. Plasma only would lack the red blood cells crucial for oxygen transport in an emergency scenario.

SAMPLE

3. What is the difference between smooth muscle and skeletal muscle?

A. Smooth muscle is involuntary, skeletal muscle is voluntary

B. Skeletal muscle is involuntary, smooth muscle is voluntary

C. Both are involuntary muscles

D. Both are voluntary muscles

Smooth muscle and skeletal muscle serve different functions in the body, which is highlighted by their classification as involuntary and voluntary muscles, respectively. Smooth muscle is characterized by its lack of striations and is found in the walls of hollow organs such as the intestines and blood vessels. These muscles operate automatically without conscious control, regulating processes like digestion and blood flow. This involuntary nature is crucial for maintaining essential bodily functions that need to occur without conscious thought. In contrast, skeletal muscle is striated and attached to the bones, allowing for voluntary movements of the body. These muscles are under direct control of the nervous system, enabling individuals to move intentionally, whether it be walking, running, or lifting objects. The ability to consciously regulate skeletal muscle activity is essential for athletic performance and everyday physical tasks. Understanding that smooth muscle is involuntary while skeletal muscle is voluntary is fundamental in the study of human physiology, as it provides insight into how different muscle types contribute to various bodily functions and activities.

4. What is the recommended position for a casualty who is unconscious but breathing?

A. Supine position flat on their back

B. The recovery position to maintain an open airway

C. Seated upright to facilitate breathing

D. Face down to prevent choking

The recommended position for a casualty who is unconscious but breathing is the recovery position, which is specifically designed to help maintain an open airway. This position allows gravity to assist in keeping the tongue from obstructing the airway and helps to prevent aspiration in case the casualty vomits. Additionally, placing the casualty in the recovery position reduces the risk of suffocation and facilitates better breathing by ensuring that the airway remains unobstructed. In contrast, lying a casualty flat on their back can increase the risk of airway obstruction, especially if they become unconscious and their tongue falls back. Seated upright may be uncomfortable for an unconscious individual and can compromise their airway, especially if they lose muscle tone. Positioning a casualty face down is not advisable, as it can lead to choking or suffocation if the airway becomes blocked. Overall, the recovery position is the safest and most effective choice for an unconscious but breathing casualty.

SAMPLE

5. Pelvic fractures typically cause how many pint(s) of blood loss?

A. 1-2

B. 2-3

C. 3-4

D. 4-5

Pelvic fractures are associated with significant potential for internal bleeding due to the rich vascular supply in the pelvic area and the nature of the injuries typically sustained. A common estimate for blood loss from a pelvic fracture ranges from 3 to 4 pints. This estimation is based on the understanding that the bony structure of the pelvis can fracture in a way that could sever or damage major blood vessels, leading to substantial hemorrhage. Understanding the degree of blood loss is crucial for medical personnel in assessing the severity of the injury and determining the urgency of interventions required. Recognizing that pelvic fractures can lead to such a significant amount of blood loss emphasizes the importance of prompt assessment and management in trauma care. In practice, knowing that pelvic fractures can result in this level of blood loss informs decisions regarding fluid resuscitation, the need for blood products, and potential surgical interventions. Other estimates outside this range do exist, but they typically do not reflect the higher risk factors associated with more severe fractures, particularly in traumatic scenarios. Thus, the estimation of 3 to 4 pints aligns well with clinical expectations and empirical data in trauma care contexts.

6. How is an oblique fracture defined?

A. A break that occurs straight across the bone

B. A break along the bone with one end twisted

C. A break that is diagonal across the bone

D. A break that shatters the bone into multiple pieces

An oblique fracture is characterized by its diagonal pattern across the bone. This type of fracture occurs when a bone is subjected to a force that causes it to crack at an angle other than right angles to its length. The angle of the break typically presents a distinct slant, which differentiates it from other types of fractures, such as transverse fractures, which go straight across the bone, and spiral fractures, which involve a twisting force leading to a break that spirals along the bone. Understanding the mechanics of oblique fractures is crucial in both diagnosis and treatment since the alignment and stabilization of the fracture can influence healing and recovery outcomes. Thus, identifying that oblique fractures are specifically defined by their diagonal orientation enables effective management in a clinical setting.

7. What is the primary purpose of extraglottic airway devices?

A. To establish an airway for oxygenation and ventilation

B. To provide medication delivery

C. To prevent aspiration

D. To assist in intubation

The primary purpose of extraglottic airway devices is to establish an airway for oxygenation and ventilation. These devices are designed to be placed in the pharynx, creating a passage that allows for air to flow into the lungs, thereby facilitating adequate ventilation and oxygenation in patients who are unable to maintain their own airway due to various conditions such as unconsciousness, trauma, or severe illness. While medication delivery, aspiration prevention, and assistance with intubation are important considerations in airway management, they are secondary to the fundamental goal of ensuring that the airway is patent and functional. Extraglottic airway devices are particularly beneficial in emergency settings, as they are often easier and quicker to place than endotracheal tubes, enabling medics to secure the airway effectively and provide necessary support until further interventions can be made or the patient's condition can be stabilized.

EXAMPLE

8. What vital sign is crucial to monitor in suspected tension pneumothorax?

A. Heart rate

B. Blood pressure

C. Oxygen saturation

D. Temperature

Monitoring oxygen saturation is crucial in suspected tension pneumothorax because this condition leads to impaired gas exchange and respiratory function. As air accumulates in the pleural space, it puts pressure on the lung and can collapse it, which significantly reduces oxygen transfer to the bloodstream. Therefore, a drop in oxygen saturation is a key indicator of respiratory distress and hypoxia associated with tension pneumothorax. In this scenario, heart rate, blood pressure, and temperature may offer additional information about a patient's overall condition, but they are not as directly indicative of the respiratory compromise caused by tension pneumothorax. Oxygen saturation specifically assesses the effectiveness of respiration and the adequacy of oxygen delivery to tissues, making it the most pertinent vital sign to monitor in this critical situation.

9. What is a characteristic feature of a stress fracture?

A. It is clearly visible on X-ray

B. It is also known as a hairline fracture

C. It involves complete bone breakage

D. It occurs due to acute trauma

A stress fracture is also known as a hairline fracture, and this term is used to describe the fine cracks that develop in the bone over time due to repetitive stress or overuse, rather than a single traumatic event. Unlike more severe fractures that may result from sudden impact, a stress fracture occurs gradually and often presents without obvious signs on initial imaging. Stress fractures may not always be clearly visible on X-rays, especially in the early stages. Often, these fractures can be more readily detected through magnetic resonance imaging (MRI) or bone scans. They do not involve complete breakage of the bone structure; instead, they manifest as small, partial fractures. Additionally, stress fractures are primarily linked to chronic stress rather than acute trauma, distinguishing their origin from other types of fractures that typically stem from sudden impacts.

10. What is a medic's responsibility during tactical combat situations?

A. To engage in combat

B. To provide care while remaining aware of the tactical environment

C. To assess whether to treat based on the soldier's rank

D. To remain passive until higher authority directs action

In tactical combat situations, a medic's primary responsibility is to provide care while remaining aware of the tactical environment. This is essential because the battlefield is dynamic and poses continuous threats not only to the injured individuals but also to the medic. Being situationally aware allows medics to effectively perform life-saving procedures while also ensuring their own safety and that of the team. The ability to assess and prioritize patient care amidst ongoing combat conditions is critical for a medic. They must be able to quickly determine when and where to provide care, potentially moving to safer locations or finding cover as necessary. Medics are trained to perform their duties under pressure while being aware of other tactical elements, such as enemy presence and the overall operational situation. This proactive approach ensures that medics can treat casualties effectively and efficiently, maximizing the potential for positive outcomes while safeguarding themselves and their fellow soldiers.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://tcccdeployedmedictier1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE