# TEEX HAZARDOUS MATERIALS TECHNICIAN – PRO BOARD CERTIFICATION PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://teexhazmattechproboard.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What describes a Priority 1 (immediate) victim?**

A. Sustained minor injuries

B. Requires no care until emergency team arrives

C. Has life-threatening injuries

D. Can be treated in a lower-priority setting

**2. What is the correct sequence to monitor when identifying an unknown hazardous material?**

A. Flammability, toxicity, radiation, oxygen availability

B. Oxygen availability, radiation, toxicity, flammability

C. Radiation, oxygen availability, flammability, toxicity

D. Toxicity, flammability, oxygen availability, radiation

**3. During an emergency response, what type of information is vital to navigating around bulk storage tanks?**

A. Color coding

B. Container shape

C. Quantity and product type

D. Tank age

**4. What is the capacity range for Intermediate Bulk Containers (IBCs) or Super Sacks?**

A. 100-1000 pounds

B. 500-5000 pounds

C. 250-3000 pounds

D. 1000-4000 pounds

**5. Which type of victim is classified as Priority 1 during triage?**

A. Ambulatory with minor injuries

B. Stable with non-life-threatening injuries

C. Life-threatening conditions needing immediate attention

D. Consultative only and no immediate needs

SAMPLE

**6. The capacity range of a Pressure Vessel for residential use is generally?**

A. 1,000-10,000 gallons

B. 100-1,000 gallons

C. 105,000-1.26 million gallons

D. 1,000-5,000 gallons

**7. What is a critical requirement when collecting evidence at a hazmat scene?**

A. Discretion in evidence handling

B. Following the chain of custody

C. Written consent from the victims

D. Immediate decontamination of evidence

**8. What maximum reading at the container indicates a significant radiation hazard for transport?**

A. 150 mR/hour

B. 200 mR/hour

C. 250 mR/hour

D. 300 mR/hour

**9. What is the maximum capacity for cylinders in pounds of water?**

A. 500 pounds of water

B. 750 pounds of water

C. 1,000 pounds of water

D. 1,500 pounds of water

**10. What are the three primary lamp/bulb energies used in a Photoionization Detector (PID)?**

A. 8.5 eV, 10.0 eV, 12.0 eV

B. 9.0 eV, 11.0 eV, 13.0 eV

C. 9.8 eV, 10.6 eV, 11.7 eV

D. 10.1 eV, 10.5 eV, 11.0 eV

SAMPLE

# Answers

SAMPLE

1. C
2. C
3. C
4. B
5. C
6. B
7. B
8. B
9. C
10. C

SAMPLE

# Explanations

SAMPLE

## 1. What describes a Priority 1 (immediate) victim?

A. Sustained minor injuries

B. Requires no care until emergency team arrives

C. Has life-threatening injuries

D. Can be treated in a lower-priority setting

*A Priority 1 (immediate) victim is defined as someone who has life-threatening injuries that require immediate medical attention to prevent death or further deterioration of their condition. When assessing victims in emergency situations, medical responders prioritize those who are in the most critical need of intervention. This group includes individuals suffering from issues such as severe bleeding, respiratory distress, or unresponsive states. Recognizing that these victims need urgent care allows responders to allocate resources effectively, ensuring that those in the direst circumstances receive assistance as quickly as possible. In contrast, victims with minor injuries, those who do not require immediate care until help arrives, or those who can be treated in a lower-priority setting are categorized differently and do not fall into the Priority 1 classification.*

## 2. What is the correct sequence to monitor when identifying an unknown hazardous material?

A. Flammability, toxicity, radiation, oxygen availability

B. Oxygen availability, radiation, toxicity, flammability

C. Radiation, oxygen availability, flammability, toxicity

D. Toxicity, flammability, oxygen availability, radiation

*The correct sequence for monitoring when identifying an unknown hazardous material centers around safety and the potential risks posed by the material. Starting with radiation is essential because it can present immediate dangers, such as harmful exposure, which need to be assessed before any other evaluations. After addressing the potential for radioactive hazards, the next critical factor to check is oxygen availability. Since many hazardous materials can displace oxygen or pose asphyxiation risks, ensuring that there is an adequate oxygen level is vital for the safety of responders. Following oxygen assessment, evaluating flammability becomes necessary. Identifying flammable materials helps in understanding fire hazards associated with the substance, allowing responders to implement the appropriate firefighting or containment measures. Finally, assessing toxicity is equally important. While all these aspects are critical, toxicity evaluations can often be conducted after confirming that the immediate dangers from radiation, oxygen levels, and fire hazards are addressed. This sequence ensures comprehensive safety checks, prioritizing the most immediate threats to responders and the surrounding environment.*

SAMPLE

## 3. During an emergency response, what type of information is vital to navigating around bulk storage tanks?

A. Color coding

B. Container shape

C. Quantity and product type

D. Tank age

*Navigating around bulk storage tanks during an emergency response necessitates knowing the quantity and type of products contained within those tanks. This information is crucial for several reasons. First, the quantity of a hazardous material determines the potential impact of a leak or spill. Larger quantities can create more significant hazards, including more extensive contamination or increased fire potential. Understanding the product type is also critical due to the varying characteristics of different hazardous materials, such as their flammability, toxicity, and reactivity. This knowledge helps responders assess the required precautions and responses, including the appropriate methods for containment, evacuation distances, and the selection of personal protective equipment (PPE). In contrast, while color coding and container shape might provide some general information about the product type or safety protocols, they do not convey the comprehensive understanding needed to manage a situation effectively. Tank age could offer insights into maintenance or structural integrity but does not directly inform responders about the immediate hazards posed by the stored materials. Thus, having accurate and timely information about the quantity and type of product in the tanks is paramount for effective and safe emergency response.*

## 4. What is the capacity range for Intermediate Bulk Containers (IBCs) or Super Sacks?

A. 100-1000 pounds

B. 500-5000 pounds

C. 250-3000 pounds

D. 1000-4000 pounds

*The capacity range for Intermediate Bulk Containers (IBCs) or Super Sacks is typically between 500 and 5000 pounds. IBCs are designed to safely transport and store large volumes of liquids or granulated substances, making them versatile for various hazardous material applications. The specified capacity allows for the containment of substantial amounts while ensuring ease of handling and transportation. This range is essential for professionals in the hazardous materials field, as it helps them determine the appropriate containment solutions for specific materials, especially when dealing with large quantities. Understanding this capacity is fundamental to maintaining safe practices in the storage and transportation of hazardous substances.*

SAMPLE

## 5. Which type of victim is classified as Priority 1 during triage?

A. Ambulatory with minor injuries

B. Stable with non-life-threatening injuries

C. Life-threatening conditions needing immediate attention

D. Consultative only and no immediate needs

*In triage, victims are prioritized based on the severity of their injuries and the urgency of their need for medical attention. A victim classified as Priority 1 is someone experiencing life-threatening conditions that require immediate medical intervention to survive. This classification is critical during mass casualty incidents or emergency situations, as it helps ensure that those who need urgent care receive it as quickly as possible, ultimately increasing their chances of survival. In contrast, victims classified in other categories, such as those who are ambulatory with minor injuries or stable with non-life-threatening injuries, can wait longer for treatment without significantly increasing their risk of morbidity or mortality. Individuals in consultative roles or those with no immediate needs are the lowest priority, given that they do not require urgent medical care. This triage system is essential for effectively managing resources and ensuring that medical personnel can focus on those in the most critical condition.*

## 6. The capacity range of a Pressure Vessel for residential use is generally?

A. 1,000-10,000 gallons

B. 100-1,000 gallons

C. 105,000-1.26 million gallons

D. 1,000-5,000 gallons

*The correct capacity range of a pressure vessel for residential use typically falls between 100 to 1,000 gallons. This range is suitable for various applications such as water heating, storage, and certain heating systems in residential settings. Pressure vessels used in homes tend not to exceed this range as larger volumes are typically unnecessary for residential needs and could be impractical in terms of maintenance and space. Smaller vessels allow for easier installation and operation while providing ample capacity for typical household requirements. In contrast, ranges outside of this option, such as the capacities listed in the other choices, extend beyond typical residential applications. For example, 1,000 to 10,000 gallons and the even larger capacity of 105,000 to 1.26 million gallons are predominantly used for industrial or commercial applications rather than residential ones. The upper ranges account for larger systems such as municipal water systems or industrial pressure vessels, which underscores the difference in application between residential and larger scale usage.*

## 7. What is a critical requirement when collecting evidence at a hazmat scene?

A. Discretion in evidence handling

B. Following the chain of custody

C. Written consent from the victims

D. Immediate decontamination of evidence

*Following the chain of custody is a critical requirement when collecting evidence at a hazmat scene because it ensures that all evidence can be accounted for from the time it is collected until it is presented in court or used for investigations. The chain of custody documents who collected the evidence, how it was handled, and where it was stored at every stage. This process prevents contamination, tampering, or loss of evidence, which is essential for maintaining the integrity of the investigation. Without a proper chain of custody, evidence may be called into question during legal proceedings, potentially undermining an investigation's credibility. This strict protocol is especially vital in hazardous materials incidents, where the implications may involve legal, regulatory, and environmental consequences.*

SAMPLE

## 8. What maximum reading at the container indicates a significant radiation hazard for transport?

A. 150 mR/hour

B. 200 mR/hour

C. 250 mR/hour

D. 300 mR/hour

*In the context of hazardous materials, particularly regarding radioactive substances, the maximum reading at a container that indicates a significant radiation hazard during transport is critical for ensuring safety. A reading of 200 mR/hour is officially recognized as a threshold that requires caution and could necessitate special handling or containment procedures. This level of radiation is significant enough to warrant immediate attention due to the potential health risks associated with exposure. Assessing the radiation level at a container helps responders understand the associated risks and take appropriate measures to protect both themselves and the public. The choices provided reflect increasing levels of radiation exposure. While readings above 200 mR/hour indicate heightened risks, the choice of 200 mR/hour is particularly notable in regulatory guidelines and safety information provided for hazardous materials transport, making it the correct response in this scenario.*

## 9. What is the maximum capacity for cylinders in pounds of water?

A. 500 pounds of water

B. 750 pounds of water

C. 1,000 pounds of water

D. 1,500 pounds of water

*The maximum capacity for cylinders in terms of water weight is determined by industry standards and regulations regarding the design and construction of gas cylinders. The correct answer of 1,000 pounds of water aligns with the guidelines set forth for large-capacity cylinders. A cylinder's capacity is often expressed in pounds of water because it allows for a standardized method of determining how much gas it can hold based on its volumetric displacement. This measure is critically important for ensuring the safe storage and transportation of gases, as it provides a clear understanding of the cylinder's ability to handle different substances and pressures. While cylinders can have varying capacities depending on their intended use and design, the upper limit for typical gas cylinders is often established around 1,000 pounds of water volume. This limit helps to mitigate the risks associated with transportation and handling, ensuring that the weight does not exceed certain safety thresholds that could lead to hazardous situations.*

SAMPLE

**10. What are the three primary lamp/bulb energies used in a Photoionization Detector (PID)?**

A. 8.5 eV, 10.0 eV, 12.0 eV

B. 9.0 eV, 11.0 eV, 13.0 eV

C. 9.8 eV, 10.6 eV, 11.7 eV

D. 10.1 eV, 10.5 eV, 11.0 eV

*A Photoionization Detector (PID) is an instrument used to detect and measure volatile organic compounds (VOCs) and other gases by utilizing ultraviolet light. The primary function of the PID is to ionize gas molecules, which allows for their detection based on the resulting electrical current. The three primary lamp/bulb energies are crucial because they determine the types of compounds that can be effectively ionized and detected. Each energy level has a specific ionization potential, meaning that the energy must be sufficient to ionize target molecules but not so high that it causes unnecessary ionization of background gases. The chosen answer presents the typical energies that align with the sensitivity and effectiveness needed to ionize a wide range of organic compounds. Energies of 9.8 eV, 10.6 eV, and 11.7 eV cover a significant threshold for various VOCs, making the PID highly effective for detecting these substances at low concentrations. Choosing this set of energy levels allows for a balance of sensitivity and specificity in readings, allowing the PID to differentiate between various gases effectively. This selection is commonly found in the specifications for many PIDs used in environmental monitoring and hazardous material response scenarios.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://teexhazmattechproboard.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE