TENNESSEE RESIDENTIAL CONTRACTOR PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://tnresidentialcontractor.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **How many hinges are typically used to strengthen an interior door and help prevent warping?**

   A. 2

   B. 3

   C. 4

   D. 5

2. **Group I moderate lightweight concrete uses what type of aggregates?**

   A. Coarse aggregates

   B. Expanded aggregates

   C. Natural sand

   D. Granite gravel

3. **Which type of joint compound can be stored at any temperature?**

   A. Ready-mixed compound

   B. Powder compound

   C. Latex compound

   D. All-purpose compound

4. **What is the key characteristic of a gambrel roof compared to other roof types?**

   A. It has a flat top

   B. It features two slopes on each side

   C. It is entirely covered with shingles

   D. It supports heavy snow loads

5. **A roof that measures 100' x 100' will have how many roofing squares?**

   A. 50

   B. 75

   C. 100

   D. 150

SAMPLE

6. Which of the following aggregates is used in Group I moderate lightweight concrete?

A. Natural river sand

B. Expanded aggregates such as perlite

C. Cement and gravel mixtures

D. Fine crushed stone

7. Which protective clothing item is NOT recommended when installing insulation?

A. Long shirt

B. High top work boots

C. Mold proof clothing

D. Gloves

8. What is the primary purpose of using slip forms in construction?

A. To reduce labor costs

B. For rapid construction of vertical structures

C. To ensure the forms do not become structural

D. For creating unique architectural forms

9. If you have a bedroom that is 15' x 20', what is the total net area of window glass needed?

A. 20

B. 22

C. 24

D. 26

10. How many shingles are typically found in one square of asphalt shingles?

A. 60

B. 70

C. 80

D. 90

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. C
6. B
7. C
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. How many hinges are typically used to strengthen an interior door and help prevent warping?

A. 2

B. 3

C. 4

D. 5

Using three hinges for an interior door is a widely accepted practice. This configuration helps to evenly distribute the weight of the door, providing better support and stability. Having three hinges counteracts the gravitational pull that can cause the door to sag or warp over time, particularly in heavier doors or those that see frequent use. Additionally, the third hinge adds an extra point of support, which is particularly beneficial in preventing warping that can result from changes in humidity or temperature, as well as from general wear and tear. It's essential to maintain door alignment and functionality, which three hinges efficiently help achieve. While two hinges might suffice for lighter doors, they may not provide the same level of stability. Four or five hinges could be considered excessive and are generally unnecessary unless dealing with extremely heavy or unusually large doors. Therefore, the standard practice of using three hinges effectively balances support and functionality for most interior doors.

2. Group I moderate lightweight concrete uses what type of aggregates?

A. Coarse aggregates

B. Expanded aggregates

C. Natural sand

D. Granite gravel

Group I moderate lightweight concrete is specifically designed to provide a lower density while still maintaining sufficient strength for various construction applications. The key to achieving this lightweight nature lies in the use of expanded aggregates. Expanded aggregates are made from materials that have been processed to create a porous structure. These materials, such as expanded clay, shale, or slate, have a significantly lower density compared to traditional aggregates. When incorporated into concrete, these expanded aggregates reduce the overall weight of the mixture while also offering good thermal and acoustic insulation properties. Additionally, they help to improve the workability of the concrete mix. Natural sand, coarse aggregates, and granite gravel, while all commonly used in concrete applications, do not provide the lightweight characteristics that are essential for Group I moderate lightweight concrete. These traditional materials tend to have higher densities, which contradicts the objective of creating a lightweight concrete mix. Thus, the correct answer highlights the unique characteristic of expanded aggregates in lightweight concrete production.

SAMPLE

3. Which type of joint compound can be stored at any temperature?

A. Ready-mixed compound

B. Powder compound

C. Latex compound

D. All-purpose compound

The correct type of joint compound that can be stored at any temperature is the powder compound. This is because powder compounds are typically composed of dry materials that are mixed with water just before use, allowing them to remain stable regardless of temperature fluctuations during storage. As a result, powder compounds have a longer shelf life and are less susceptible to issues like freezing or separation, which can occur with ready-mixed or all-purpose compounds that are made with liquid materials. Ready-mixed compounds, on the other hand, contain water and are more sensitive to temperature, needing to be kept within a controlled range to maintain their quality. Latex compounds also have similar limitations due to their formulation. All-purpose compounds may combine multiple formulations but still require careful storage to avoid spoilage or degradation. Thus, the ability of powder compound storage flexibility makes it the most suitable choice for variable temperature conditions.

4. What is the key characteristic of a gambrel roof compared to other roof types?

A. It has a flat top

B. It features two slopes on each side

C. It is entirely covered with shingles

D. It supports heavy snow loads

A gambrel roof is distinctive due to its architectural design that features two slopes on each side. This design creates a steep angle on the lower section of the roof and a shallower angle on the upper section. The dual slopes not only allow for increased headroom and usable attic space but also provide a unique aesthetic appeal often associated with barns and colonial homes. The benefit of having two distinct slopes is that it allows the roof to efficiently shed rain and snow while maximizing space within the structure. This characteristic is in contrast to other roof types like gable or flat roofs, which do not share this specific two-slope configuration. The design's effectiveness in managing weight distribution also plays a role in its overall durability and structural integrity, especially in regions with heavy snowfall.

5. A roof that measures 100' x 100' will have how many roofing squares?

A. 50

B. 75

C. 100

D. 150

To determine the number of roofing squares for a roof that measures 100' x 100', you first need to understand what a "roofing square" is. One roofing square is defined as an area of 100 square feet. To calculate the total area of the roof, you would multiply the length by the width. In this case, the calculation is 100 feet by 100 feet, which equals 10,000 square feet. Next, to find out how many roofing squares this area represents, you divide the total square footage by the size of one roofing square. Taking the total area of 10,000 square feet and dividing it by 100 square feet per square results in 100 roofing squares. This aligns perfectly with the definitions and calculations for roofing materials, which are typically sold by the square, allowing contractors to accurately estimate their needs for roofing projects.

EXAMPLE

6. Which of the following aggregates is used in Group I moderate lightweight concrete?

A. Natural river sand

B. Expanded aggregates such as perlite

C. Cement and gravel mixtures

D. Fine crushed stone

Expanded aggregates such as perlite are indeed used in Group I moderate lightweight concrete. The use of lightweight aggregates like perlite helps to achieve a reduced density in concrete while maintaining adequate strength and durability. These aggregates are typically characterized by their lower specific gravity compared to normal aggregates, allowing for significant weight reduction in the final concrete product. In the context of moderate lightweight concrete, perlite provides enhanced insulation properties and can improve the overall workability of the concrete mix. This makes it suitable for applications where lower weight and better thermal performance are desired. The other options do not align with the characteristics and purposes of Group I moderate lightweight concrete. For instance, natural river sand and fine crushed stone would contribute to a higher density concrete mix rather than a lightweight one. Cement and gravel mixtures, while used in standard concrete applications, do not fall under lightweight aggregates and would generally pertain to conventional concrete formulations.

7. Which protective clothing item is NOT recommended when installing insulation?

A. Long shirt

B. High top work boots

C. Mold proof clothing

D. Gloves

When considering the type of protective clothing recommended during insulation installation, mold-proof clothing may not be suitable or necessary for this specific task. While it might seem beneficial to wear clothing that resists mold, the key protective measures focus primarily on other aspects of safety, such as preventing skin irritation and protecting against physical hazards. Long shirts help protect the skin from irritation caused by the insulation material itself, which can be irritating to the skin. High-top work boots are advised to provide ankle support and protect the feet from falling debris or sharp objects that may be encountered during the installation process. Gloves are essential to protect the hands from sharp edges and to minimize any tactile irritation from the insulation materials. Therefore, the most effective protective clothing in this context emphasizes physical protection rather than specifically addressing mold resistance.

SAMPLE

8. What is the primary purpose of using slip forms in construction?

A. To reduce labor costs

B. For rapid construction of vertical structures

C. To ensure the forms do not become structural

D. For creating unique architectural forms

The primary purpose of using slip forms in construction is for the rapid construction of vertical structures. Slip forming is a technique where concrete is poured continuously into a mold that is moved upward as the concrete sets. This method allows for the quick and efficient construction of tall structures such as silos, towers, and high-rise buildings, as it eliminates the need for labor-intensive formwork assembly and disassembly between pours. This process not only speeds up construction timelines but also improves the overall structural integrity and finish of the concrete, as it minimizes the likelihood of cold joints and ensures a seamless monolithic structure. By allowing for constant progress, slip forms can significantly enhance the productivity of a construction project, leading to faster completion times while maintaining high quality in the construction work.

9. If you have a bedroom that is 15' x 20', what is the total net area of window glass needed?

A. 20

B. 22

C. 24

D. 26

To determine the total net area of window glass needed for a bedroom measuring 15 feet by 20 feet, you typically start by calculating the area of the room and then apply common window-to-room area ratios used in residential design. In general practice, a common guideline suggests that the area of windows should make up about 10% of the total floor area of a room. 1. First, calculate the area of the bedroom: - Area = Length x Width - Area = 15 feet x 20 feet = 300 square feet. 2. Next, apply the window-to-room area ratio: - Recommended window area = 10% of the room area = 0.10 x 300 square feet = 30 square feet. However, if focusing just on "net area of window glass needed" in specific scenarios, whether for particular building codes, energy efficiency needs, or design standards, adjustments may define typical window calculations differently, sometimes suggesting a more moderate ratio. In the absence of additional specifics or modifications, estimating a lower area while remaining practical to design would derive close to the figure noted for consideration in your calculations. Thus, if the value presented aligns closely with standard ratios leading to a total net glass area of

10. How many shingles are typically found in one square of asphalt shingles?

A. 60

B. 70

C. 80

D. 90

In roofing terminology, a "square" is a unit that refers to an area of 100 square feet. For asphalt shingles, the typical number of shingles that fit into one square is approximately 80. This number can vary slightly based on the specific brand or type of shingle, but 80 is a standard estimate used in the industry. Each bundle of shingles usually covers about one-third of a square, which means three bundles are needed to cover one square. Given that asphalt shingles are designed to be installed in overlapping rows, having around 80 shingles per square allows for proper coverage while accounting for the overlap necessary to ensure a waterproof seal. This understanding is crucial for contractors and builders when estimating materials needed for roofing projects, allowing for accurate calculations to minimize waste and ensure adequate coverage of the roofing area. Knowing that there are typically 80 shingles per square is essential for budgeting and project planning, making this figure a foundational piece of knowledge in residential contracting.

EXAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://tnresidentialcontractor.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE