

TEXAS A&M UNIVERSITY (TAMU) EMERGENCY MEDICAL SERVICES (EMS) BAG PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://tamu-emsbag.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which item is stored on the Right flap and is a nasal airway adjunct?**
 - A. Oropharyngeal Airways (OPAs)
 - B. Hand sanitizer
 - C. Nasopharyngeal Airways (NPAs)
 - D. CAT Tourniquet

- 2. What is the correct way to store spare batteries and power sources within the bag?**
 - A. Store loose in any pocket
 - B. Place near the bottom of bag with metal objects
 - C. Keep in dedicated compartments, check for expiration, replace as needed, keep them with devices.
 - D. Mix with medical gloves

- 3. Where is Adaptic Dressing stored in the EMS bag?**
 - A. Small pouch in top pouch
 - B. Exterior pocket
 - C. Large pouch in top pouch
 - D. Main pocket

- 4. Which cervical immobilization equipment is typically found in the TAMU bag and when is it used?**
 - A. A rigid cervical collar; used to immobilize the head and neck in suspected cervical spine injuries during transport.
 - B. A soft cervical collar used to immobilize the head and neck in suspected cervical spine injuries during transport.
 - C. A helmet for head protection only.
 - D. A neck brace that excludes immobilization.

- 5. Which condition would contraindicate the use of a nasopharyngeal airway?**
 - A. Suspected basal skull fracture
 - B. Unresponsive without gag reflex
 - C. Unconscious with gag reflex
 - D. Facial trauma with nasal obstruction

- 6. What is the purpose of using a backboard and straps during transport?**
- A. To decorate the patient during transfer.
 - B. To prevent any immobilization during transport.
 - C. To immobilize and secure the spine during transport.
 - D. To speed up transporting by restricting movement.
- 7. Why is labeling or noting the use of medications or devices drawn from the bag important during a scenario?**
- A. Continuity of care, inventory control, and legal documentation
 - B. To ensure the bag is returned in order
 - C. To speed up the transport time
 - D. To train new responders on item naming
- 8. Which item is stored in the main pouch underneath the glucometer?**
- A. Glucometer Kit
 - B. Medications
 - C. Sharps container
 - D. BVM Masks
- 9. What does FAST stand for in suspected stroke in the field?**
- A. Feet numbness, Arm tremor, Speech changes; Time to call EMS.
 - B. Facial droop, Arm weakness, Speech slurring; Time to call EMS.
 - C. Face droop, Arm weakness, Speech difficulties; Time to call EMS.
 - D. Face warmth, Arm stiffness, Speech clarity; Time to call EMS.
- 10. Which device sequence is used to immobilize the spine in a trauma patient during transport?**
- A. Use a halo vest immediately.
 - B. Apply a rigid back brace only.
 - C. Seat patient upright and observe.
 - D. Manual in-line stabilization, cervical collar, long spine board or scoop stretcher as indicated.

Answers

SAMPLE

1. C
2. C
3. C
4. A
5. D
6. C
7. A
8. B
9. C
10. D

SAMPLE

Explanations

SAMPLE

1. Which item is stored on the Right flap and is a nasal airway adjunct?

- A. Oropharyngeal Airways (OPAs)
- B. Hand sanitizer
- C. Nasopharyngeal Airways (NPAs)**
- D. CAT Tourniquet

The item stored on the right flap that serves as a nasal airway adjunct is the nasopharyngeal airway. This device is inserted through the nostril into the nasopharynx to keep the airway open by bypassing the tongue and soft palate. It's particularly useful when the patient is semi-conscious or unconscious and may have a gag reflex, or when mouth-opening is limited. Remember to avoid using a nasopharyngeal airway in patients with facial trauma or suspected skull fracture, and ensure proper lubrication and sizing (measure from the nostril to the earlobe) for correct placement. This differs from an oropharyngeal airway, which is placed in the mouth rather than the nose.

2. What is the correct way to store spare batteries and power sources within the bag?

- A. Store loose in any pocket
- B. Place near the bottom of bag with metal objects
- C. Keep in dedicated compartments, check for expiration, replace as needed, keep them with devices.**
- D. Mix with medical gloves

Keep spare batteries and power sources in dedicated compartments inside the bag, and routinely check expiration dates and replace as needed, keeping them with the devices they power. This organized setup reduces the risk of battery leaks, short circuits, or damage from loose batteries moving around in pockets or against other gear. Storing them loose, near metal objects, or mixed with gloves increases the chances of accidental discharge, corrosion, or confusion about which battery goes with which device. By isolating batteries in labeled compartments, you can inspect for swelling or leakage, ensure freshness, and quickly grab a power source that is paired with its device when responsiveness matters.

3. Where is Adaptic Dressing stored in the EMS bag?

- A. Small pouch in top pouch
- B. Exterior pocket
- C. Large pouch in top pouch**
- D. Main pocket

Adaptic Dressing is placed in the large pouch inside the top section of the EMS bag because this location is designed for quick access to essential dressings during initial wound care. The top area is where you expect to grab wound supplies fast, and the large pouch fits a standard Adaptic Dressing neatly without crowding, allowing you to retrieve it quickly. Smaller pockets in the top pouch are often too small for this dressing and would slow you down. Exterior pockets are typically for items you grab less urgently or on the move, while the main pocket holds bulkier or less-accessed gear. So the large pouch in the top section is the right, fastest-to-access spot for Adaptic Dressing.

4. Which cervical immobilization equipment is typically found in the TAMU bag and when is it used?

- A. A rigid cervical collar; used to immobilize the head and neck in suspected cervical spine injuries during transport.**
- B. A soft cervical collar used to immobilize the head and neck in suspected cervical spine injuries during transport.
- C. A helmet for head protection only.
- D. A neck brace that excludes immobilization.

Immobilizing the cervical spine during transport is about preventing movement of the head and neck to avoid worsening an injury. A rigid cervical collar provides firm, non-elastic support that holds the head and neck in proper alignment, effectively limiting motion in all directions as you move the patient. This is why it's the standard tool you'd expect to find in the TAMU EMS bag and use whenever there is a suspected cervical spine injury during transport. A soft cervical collar, while it can offer some support, does not provide the same level of immobilization and is not the best choice when a cervical spine injury is suspected. A helmet protects the head but does not immobilize the neck. A neck brace that excludes immobilization would fail to protect the cervical spine during movement.

5. Which condition would contraindicate the use of a nasopharyngeal airway?

- A. Suspected basal skull fracture
- B. Unresponsive without gag reflex
- C. Unconscious with gag reflex
- D. Facial trauma with nasal obstruction**

A nasopharyngeal airway should not be used when the nasal passage itself is damaged or blocked. In facial trauma with nasal obstruction, placing an NPA is unsafe and impractical because the route is obstructed and the nasal anatomy may be fractured or compromised. Attempting placement could worsen bleeding, injure fractured structures, or fail to seat correctly, leaving the airway unsecured. In that situation you'd opt for an oropharyngeal airway (if gag reflex is absent) or pursue another airway method as needed. While suspected basal skull fracture is also a contraindication to NPA in general, the direct, scenario-based contraindication here is nasal obstruction from facial trauma.

6. What is the purpose of using a backboard and straps during transport?

- A. To decorate the patient during transfer.
- B. To prevent any immobilization during transport.
- C. To immobilize and secure the spine during transport.**
- D. To speed up transporting by restricting movement.

The main idea is to keep the spine from moving during transport. When there's a possible spinal injury, any movement can worsen damage to the spinal cord, so using a backboard and straps helps prevent that. The rigid backboard keeps the body in a straight, aligned position, while the straps across the chest, abdomen or pelvis, and legs hold the patient steady so they won't slide or shift. Head control with a cervical collar and immobilizers keeps the head and neck in line with the spine, preventing rotation, flexion, or extension. This combination makes transport safer by maintaining spinal alignment throughout moving from scene to ambulance to hospital. It's not about decoration or speeding things up; it's about preventing injury during handling.

7. Why is labeling or noting the use of medications or devices drawn from the bag important during a scenario?

A. Continuity of care, inventory control, and legal documentation

B. To ensure the bag is returned in order

C. To speed up the transport time

D. To train new responders on item naming

Labeling or noting the use of medications or devices drawn from the bag is essential because it creates a clear, traceable record of what was given and what remains. This supports continuity of care by ensuring every provider who takes over the patient knows exactly which interventions were performed, what was administered, and what equipment was used, enabling accurate handoffs. It also aids inventory control—staff can see what was used, what needs replenishment, and what items may be near expiration. Finally, it provides legal documentation of the care provided, supporting accountability, quality improvement, and potential medicolegal review. While organization and training have value, the primary reason on-scene is to protect patient safety through accurate documentation and smooth transitions of care.

8. Which item is stored in the main pouch underneath the glucometer?

A. Glucometer Kit

B. Medications

C. Sharps container

D. BVM Masks

Organizing the bag by function is being tested here. The main pouch under the glucometer is designed for medications so you can quickly reach what you need during patient care. Keeping meds in that larger, readily accessible compartment streamlines treatment, especially when time is critical. The glucometer kit stays with the device itself to ensure you have both the device and its consumables together when you need to measure a patient's blood glucose. Sharps containers have their own dedicated, safety-focused spot to prevent injury, and BVM masks are placed in an airway/ventilation area for quick access during respiratory support. That layout makes medications the correct choice for the main pouch.

9. What does FAST stand for in suspected stroke in the field?

A. Feet numbness, Arm tremor, Speech changes; Time to call EMS.

B. Facial droop, Arm weakness, Speech slurring; Time to call EMS.

C. Face droop, Arm weakness, Speech difficulties; Time to call EMS.

D. Face warmth, Arm stiffness, Speech clarity; Time to call EMS.

In suspected stroke, you use a quick screen to spot the main deficits and act fast. FAST stands for Face droop, Arm weakness, Speech difficulties, Time to call EMS. The best option reflects this wording: face shows a droop, one arm is weak or drifts, speech is difficult to understand or speak, and you immediately call emergency services because time matters in stroke treatment. Face droop over facial droop is the common field phrasing, and speech difficulties is a broad, accurate descriptor (covering slurred speech and trouble finding words). The inclusion of time to call EMS emphasizes acting quickly, which is critical to get potential treatment within the therapeutic window. The other choices mix in signs not typical of the FAST mnemonic or use narrower wording like speech slurring, which doesn't fully capture the range of speech disturbances seen in stroke.

10. Which device sequence is used to immobilize the spine in a trauma patient during transport?

- A. Use a halo vest immediately.
- B. Apply a rigid back brace only.
- C. Seat patient upright and observe.
- D. Manual in-line stabilization, cervical collar, long spine board or scoop stretcher as indicated.**

In trauma care, the priority is to minimize movement of the spine to prevent secondary injury during transport. Start with manual in-line stabilization to hold the head and neck in a neutral position while you assess airway and breathing and prepare equipment. Then apply a rigid cervical collar to maintain cervical immobilization. Next, immobilize the spine by placing the patient onto a long spine board or scoop stretcher as indicated, securing the torso, pelvis, and legs with straps and stabilizing the head with padding or blocks to keep alignment. This sequence provides continuous immobilization of the spine during movement and transport. Halo vests are not used for initial transport because they're specialized devices for long-term immobilization and require careful positioning and monitoring; a rigid back brace alone doesn't secure the neck or entire spine, leaving movement possible; seating the patient upright is contraindicated when a spinal injury is suspected, as it can worsen injury and compromise airway or breathing.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://tamu-emsbag.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE