

TEXAS A&M UNIVERSITY (TAMU) NUTR 301 NUTRITION THROUGH LIFE EXAM 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://tamu-nutr301exam1.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What structure is a rounded or oblong cavity in the breast that houses secretory cells and is the site of milk production?**
 - A. Alveoli
 - B. Ducts
 - C. Secretory cells
 - D. Lobules

- 2. Which statement accurately describes macronutrient changes during pregnancy?**
 - A. Fat synthesis increases in the last half; protein decreases
 - B. Protein increases continuously; fat synthesis decreases
 - C. Fat synthesis decreases in the last half; protein increases continuously
 - D. Fat synthesis remains the same; protein remains the same

- 3. Which nutrient should exclusively breastfed infants receive supplementation for at two months?**
 - A. Vitamin D
 - B. Vitamin C
 - C. Vitamin A
 - D. Vitamin K

- 4. In the female athletic triad, what hormonal pattern accompanies energy deficit?**
 - A. Increase LH and FSH and estrogen.
 - B. Decrease LH and FSH and lack of estrogen.
 - C. No change in hormones.
 - D. Increase estrogen with energy deficit.

- 5. In males, what is the primary function of FSH?**
 - A. makes sperm in a process called spermatogenesis
 - B. stimulates secretion of LH
 - C. stimulates testosterone production
 - D. triggers ovulation

- 6. Hydrogenation can convert cis fatty acids to which form?**
- A. Converts trans to cis
 - B. Increases double bonds
 - C. Saturates fatty acids completely
 - D. Converts cis fatty acids to trans form
- 7. Stomach emptying after a feeding occurs in about how long?**
- A. About 30 minutes
 - B. About one and a half hours
 - C. About six hours
 - D. About three hours
- 8. Which statement best describes pathological newborn jaundice?**
- A. Bilirubin >12 mg/dL in the first day
 - B. It is identical to physiological jaundice
 - C. Begins within the first day after birth and lasts longer
 - D. It resolves without any medical intervention
- 9. Before conception, women should ensure adequate intake of which nutrients?**
- A. Folate
 - B. Iron
 - C. DHA
 - D. All of the above
- 10. Which phase of maternal metabolism is associated with mobilization of fat stores and increased levels of catabolic hormones?**
- A. Catabolic phase
 - B. Anabolic phase
 - C. Postpartum phase
 - D. Fetal development phase

Answers

SAMPLE

1. A
2. C
3. A
4. B
5. A
6. D
7. B
8. C
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. What structure is a rounded or oblong cavity in the breast that houses secretory cells and is the site of milk production?

- A. Alveoli**
- B. Ducts
- C. Secretory cells
- D. Lobules

Milk production happens in the tiny hollow sacs in the breast called alveoli. Each alveolus is lined with secretory cells that synthesize and secrete milk, making it the direct site where milk is produced and stored before it's moved toward the ducts. The alveoli cluster into lobules and then into larger lobes, but the actual production happens inside the alveolus itself. Milk then travels through ducts to reach the nipple. The other terms refer to the pathways or groupings: ducts carry milk away from the alveoli, lobules are assemblies of multiple alveoli, and the secretory cells are the milk-producing cells, which reside inside the alveoli rather than being the hollow structure itself.

2. Which statement accurately describes macronutrient changes during pregnancy?

- A. Fat synthesis increases in the last half; protein decreases
- B. Protein increases continuously; fat synthesis decreases
- C. Fat synthesis decreases in the last half; protein increases continuously**
- D. Fat synthesis remains the same; protein remains the same

During pregnancy, metabolism shifts from building stores to supporting fetal growth. In the early stages, fat and protein synthesis increase to supply energy and new tissues. As pregnancy progresses into the second half, hormones promote fat breakdown to provide energy for both mother and fetus, so fat synthesis declines. At the same time, protein needs stay high because fetal tissues, the placenta, and expanding maternal tissues require amino acids, so protein synthesis continues to rise. This combination—decreasing fat synthesis in the latter half and continuous, rising protein synthesis—best describes the macronutrient changes during pregnancy.

3. Which nutrient should exclusively breastfed infants receive supplementation for at two months?

- A. Vitamin D**
- B. Vitamin C
- C. Vitamin A
- D. Vitamin K

Breastfed infants need vitamin D supplementation because breast milk provides very little vitamin D, which is needed for healthy bone development. Without this supplement, they're at risk for vitamin D deficiency and rickets. The standard recommendation is 400 IU of vitamin D daily starting soon after birth and continuing through at least the first year of life, regardless of sun exposure. By two months, an exclusively breastfed baby should already be receiving this daily vitamin D. Other vitamins aren't routinely added to all healthy breastfed infants: vitamin K is given at birth to prevent bleeding problems but isn't continued as a daily supplement, and vitamins A and C aren't routinely supplemented unless specific risk factors or deficiencies exist.

4. In the female athletic triad, what hormonal pattern accompanies energy deficit?

- A. Increase LH and FSH and estrogen.
- B. Decrease LH and FSH and lack of estrogen.**
- C. No change in hormones.
- D. Increase estrogen with energy deficit.

When energy availability is low, the body conserves energy by downregulating reproductive function. The hypothalamus reduces the pulsatile release of GnRH, which lowers the amount of LH and FSH the pituitary releases. With less LH and FSH, the ovaries produce less estrogen, leading to hypoestrogenism and often menstrual disturbances. Signals like low leptin from reduced energy stores contribute to this suppression. So the hormonal pattern with energy deficit is decreased LH and FSH and a lack of estrogen.

5. In males, what is the primary function of FSH?

- A. makes sperm in a process called spermatogenesis**
- B. stimulates secretion of LH
- C. stimulates testosterone production
- D. triggers ovulation

In males, FSH primarily acts on Sertoli cells in the seminiferous tubules to promote spermatogenesis. By binding to receptors on Sertoli cells, FSH supports germ cell development, nourishment, and maturation, enabling ongoing production of sperm. Testosterone, produced by Leydig cells under LH stimulation, is essential for this process, but FSH itself does not directly make testosterone. It also helps regulate the process through inhibin B production by Sertoli cells, providing negative feedback to the pituitary. Since ovulation is a female function, FSH does not trigger that. Therefore, the main role is to promote sperm production.

6. Hydrogenation can convert cis fatty acids to which form?

- A. Converts trans to cis
- B. Increases double bonds
- C. Saturates fatty acids completely
- D. Converts cis fatty acids to trans form**

Hydrogenation adds hydrogen across the carbon-carbon double bonds in unsaturated fats, reducing the level of unsaturation. Under partial hydrogenation with a catalyst, the cis configuration around remaining double bonds can rearrange to the trans configuration. So cis fatty acids can be converted into trans fatty acids. Fully saturating would remove all double bonds, producing saturated fats, but the conversion in question refers specifically to cis turning into trans.

7. Stomach emptying after a feeding occurs in about how long?

- A. About 30 minutes
- B. About one and a half hours**
- C. About six hours
- D. About three hours

Gastric emptying occurs as the stomach moves its contents into the small intestine at a rate that supports digestion. For a typical mixed meal, the stomach empties in about one and a half hours. This timing reflects a balance: enough time to mix and break down food in the stomach, but not so long that digestion in the intestine is delayed. In reality, the rate can vary—liquids empty faster than solids, and meals high in fat slow emptying—so some meals may finish emptying a bit earlier or later. Among the options, about one and a half hours is the best general estimate for a standard meal.

8. Which statement best describes pathological newborn jaundice?

- A. Bilirubin >12 mg/dL in the first day
- B. It is identical to physiological jaundice
- C. Begins within the first day after birth and lasts longer**
- D. It resolves without any medical intervention

Pathologic newborn jaundice is defined by its early onset and prolonged course. Jaundice that appears within the first day after birth and persists longer than what's expected for physiologic jaundice signals an abnormal process that needs assessment and, if needed, treatment. Physiologic jaundice typically appears after 2–3 days and resolves within a short time, so its timing and duration are the opposite of pathologic. The other statements mischaracterize the condition: while very high bilirubin levels can occur, simply stating a numeric threshold in the first day isn't the defining feature, and pathologic jaundice is not something that would automatically resolve without intervention.

9. Before conception, women should ensure adequate intake of which nutrients?

- A. Folate
- B. Iron
- C. DHA
- D. All of the above**

Starting before conception matters because the foundations for both maternal health and early fetal development are being set even before pregnancy is known. Folate is crucial for DNA synthesis and rapid cell division, and neural tube closure occurs very early in development. Ensuring sufficient folate before conception helps prevent neural tube defects, which is why a folic acid supplement is commonly recommended for those planning pregnancy. Iron is needed to support the growth of the placenta and the increased red blood cell mass during pregnancy. Good iron status before conception reduces the risk of anemia and helps meet the higher demands once pregnancy begins. DHA, a long-chain omega-3 fatty acid, supports fetal brain and eye development, so maintaining adequate DHA intake right before and during early pregnancy supports neural development. Because all three of these nutrients play important roles from the very start of pregnancy, ensuring adequate intake of folate, iron, and DHA is the best approach. All of the above.

10. Which phase of maternal metabolism is associated with mobilization of fat stores and increased levels of catabolic hormones?

A. Catabolic phase

B. Anabolic phase

C. Postpartum phase

D. Fetal development phase

In late gestation, maternal metabolism shifts to a catabolic state to supply energy for the growing fetus and upcoming lactation. This phase involves mobilizing fat stores through lipolysis, releasing free fatty acids for use as fuel, and rising levels of catabolic hormones such as cortisol and other hormones that promote breakdown of body stores. This energy-sparing and mobilization supports both fetal needs and the energy demands after birth. An anabolic phase would emphasize storing energy and building tissues, which isn't the pattern here, and postpartum or fetal-development phases don't specifically describe the same fuel-mobilization emphasis.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://tamu-nutr301exam1.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE