TEXAS COMPRESSED NATURAL GAS (CNG) CATEGORY 3 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://txcngcat3.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is an acceptable location for fuel supply cylinders on mass transit vehicles?

A. Only below the driver seat

B. In the cargo area

C. In front of the rear bumper mounting face

D. Any location accessible for refueling

2. How often should CNG fuel systems be inspected?

A. Once a year

B. Regularly

C. Every five years

D. Only when there's a problem

3. What is the benefit of using a non-ammonia soap solution during installation checks?

A. It is a cheaper alternative

B. It effectively detects leaks without damaging components

C. It provides lubrication for connection points

D. It extends the life of rubber components

4. What is a characteristic of a CNG compressor?

A. It cools the gas

B. It increases gas pressure

C. It separates gas particles

D. It burns excess gas

5. What role does public awareness play in promoting safe CNG practices?

A. It eliminates all risks associated with CNG

B. It encourages safe and informed usage

C. It reduces the number of CNG vehicles

D. It increases costs for users

SAMPLE

6. Where should devices for emergency shutdown be located?

A. Within the dispensing area

B. In a secure location

C. A remote location from the dispensing area

D. At the entrance of the facility

7. What type of joints should not be used for uncoated threaded socket welded joints?

A. Where crevice corrosion can occur

B. In high-pressure systems

C. Above ground applications

D. With flexible tubing

8. What guidelines should be followed during CNG refueling?

A. Ensure proper ventilation

B. Monitor fuel prices

C. Use public transport during refueling

D. Ignore posted instructions

9. What type of connectors must all tubing connectors utilize?

A. Standard plastic connectors

B. Type 304 stainless steel industrial type connectors

C. Aluminum adjustable connectors

D. Bronze connectors

10. Piping components must withstand what level of hydrostatic test?

A. Two times the rated working pressure

B. Four times the rated working pressure without structural failure

C. Three times the rated working pressure

D. Fifteen times the working pressure

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. B
6. C
7. A
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following is an acceptable location for fuel supply cylinders on mass transit vehicles?

A. Only below the driver seat

B. In the cargo area

C. In front of the rear bumper mounting face

D. Any location accessible for refueling

The correct answer indicates that fuel supply cylinders on mass transit vehicles can be located in front of the rear bumper mounting face. This specific area is often chosen due to safety considerations and structural integrity. Positioning the cylinders here allows for effective weight distribution and minimizes the risk of damage during impact, as this area is designed to absorb force during collisions. Proper installation in this location also ensures that refueling and maintenance procedures remain convenient for vehicle operators. In mass transit vehicles, safety regulations are critical in determining where fuel systems can be placed. Locations that are shielded or protected from damage are preferred to maintain the integrity of the fuel supply cylinders. The front position, relative to the rear bumper, usually complies with safety standards and guidelines that govern the placement of compressed natural gas (CNG) cylinders. Other options may suggest places that do not meet clean safety standards or could hinder access for maintenance or refueling, which is why they are not considered acceptable. For instance, placing cylinders only below the driver's seat may compromise passenger safety and comfort, while situating them in the cargo area could restrict cargo space and affect vehicle balance. Selecting an optimal location for fuel supply cylinders is crucial in ensuring both operational efficiency and safety in mass transit systems.

2. How often should CNG fuel systems be inspected?

A. Once a year

B. Regularly

C. Every five years

D. Only when there's a problem

CNG fuel systems should be inspected regularly to ensure safety and optimal performance. This regular inspection is crucial due to various factors, including wear and tear, potential leaks, and the buildup of contaminants that can occur over time. Regular inspections help to identify any issues before they become major problems, ensuring that the fuel system remains operational and adheres to safety standards. While yearly inspections or inspections every five years may be seen as sufficient intervals, they do not account for the ongoing conditions and operational factors that could affect the fuel system throughout the year. Additionally, only inspecting systems when problems arise can pose significant risks, as it might lead to failures during operation. Therefore, establishing a routine of regular inspections is the most responsible approach to maintaining CNG fuel systems.

SAMPLE

3. What is the benefit of using a non-ammonia soap solution during installation checks?

A. It is a cheaper alternative

B. It effectively detects leaks without damaging components

C. It provides lubrication for connection points

D. It extends the life of rubber components

Utilizing a non-ammonia soap solution during installation checks offers the significant advantage of effectively detecting leaks without causing damage to components. Unlike ammonia-based soaps, which can corrode certain materials including rubber and metals, non-ammonia solutions are formulated to be safer for sensitive components often found in gas systems. This characteristic is crucial because leak detection is paramount in ensuring safety and functionality, especially in compressed natural gas applications. By using a non-ammonia soap solution, technicians can bubble test connections and fittings, revealing any leaks without risking the integrity of the components being checked. This practicality not only enhances the safety of the installation but also ensures longer-lasting performance of the assembly, contributing to overall system reliability.

4. What is a characteristic of a CNG compressor?

A. It cools the gas

B. It increases gas pressure

C. It separates gas particles

D. It burns excess gas

A CNG compressor is primarily designed to increase the pressure of compressed natural gas. As natural gas is compressed, its volume decreases, enabling it to be stored or transported more efficiently. The process of compression raises the pressure of the gas, making it denser and allowing larger quantities to be stored in smaller volumes, which is critical for applications such as fueling vehicles. While cooling the gas may occur as a secondary effect due to the compression process, and various filters may separate impurities in the gas before it reaches the compressor, those functions are not the primary purpose of a CNG compressor. Additionally, a CNG compressor does not burn excess gas; instead, it focuses on compressing and increasing the pressure of the gas for storage or distribution. This emphasis on pressure enhancement makes it essential for the safe and efficient utilization of natural gas as a fuel source.

5. What role does public awareness play in promoting safe CNG practices?

A. It eliminates all risks associated with CNG

B. It encourages safe and informed usage

C. It reduces the number of CNG vehicles

D. It increases costs for users

Public awareness serves a critical function in promoting safe practices related to compressed natural gas (CNG) usage. When the public is informed about the properties, benefits, and safety protocols associated with CNG, individuals are more likely to engage in responsible behaviors. Educating the community about CNG helps to dispel misconceptions, build confidence in its safety, and highlight best practices for handling, storage, and operation. This knowledge empowers personnel in various sectors—from transportation to industry—to make well-informed decisions that prioritize safety. Furthermore, increased awareness can lead to the implementation of recommended safety measures and operational guidelines, reducing accidents or incidents associated with CNG use. This proactive approach also fosters a culture of safety and accountability within organizations and the wider community. By promoting safe and informed usage through education, public awareness ultimately contributes to a safer environment for all stakeholders involved in CNG operations.

SAMPLE

6. Where should devices for emergency shutdown be located?

A. Within the dispensing area

B. In a secure location

C. A remote location from the dispensing area

D. At the entrance of the facility

Emergency shutdown devices are critical for ensuring the safety of personnel and the environment in the event of a natural gas emergency. These devices should be placed in a remote location from the dispensing area to ensure that they are accessible and can be activated without putting the user in a hazardous situation. By locating these shutdown devices away from the dispensing area, responders can effectively mitigate potential dangers, such as fires, explosions, or leaks that may be occurring in that vicinity. This strategy maximizes safety by allowing individuals to activate the shutdown mechanism without risking their safety in a potentially dangerous environment. In contrast, placing emergency shutdown devices within the dispensing area, in a secure location, or at the entrance of the facility does not achieve the same level of safety. These locations could expose personnel to immediate danger, particularly if a hazardous condition is being experienced. Hence, the preferred method is to have these devices in a remote location, significantly enhancing the safety protocols associated with CNG operations.

7. What type of joints should not be used for uncoated threaded socket welded joints?

A. Where crevice corrosion can occur

B. In high-pressure systems

C. Above ground applications

D. With flexible tubing

The use of uncoated threaded socket welded joints should be avoided in situations where crevice corrosion can occur. Crevice corrosion is localized corrosion that happens in confined spaces or crevices where water and other corrosive chemicals can become trapped. When using uncoated metals, particularly in environments where moisture or corrosive substances may be present, the risk of corrosion increases significantly. If these types of joints are utilized in areas prone to creating crevices, the integrity of the joint could be compromised, leading to potential leaks or failures. In contrast, while high-pressure systems, above-ground applications, and flexible tubing may present their own challenges, the primary concern regarding crevice corrosion specifically highlights the vulnerabilities associated with uncoated threaded socket welded joints. Thus, preventing crevice corrosion is critical for maintaining the longevity and safety of the joint and the overall system.

8. What guidelines should be followed during CNG refueling?

A. Ensure proper ventilation

B. Monitor fuel prices

C. Use public transport during refueling

D. Ignore posted instructions

Proper ventilation is a critical guideline to follow during CNG refueling. Compressed natural gas is flammable, and while it is lighter than air and dissipates quickly in the atmosphere, ensuring adequate ventilation helps mitigate the risks associated with any potential leaks or the buildup of gas in an enclosed space. Proper airflow can prevent hazardous situations that could arise from gas accumulation, enhancing the safety of both the refueling process and the surrounding environment. On the other hand, monitoring fuel prices, although relevant to cost management, does not impact safety or operational procedures during the actual refueling process. Using public transport during refueling is unrelated to the actual CNG refueling guidelines and does not provide any safety benefits. Ignoring posted instructions can lead to dangerous situations and should never be done, as these instructions are typically established to ensure safe and efficient refueling practices.

SAMPLE

9. What type of connectors must all tubing connectors utilize?

A. Standard plastic connectors

B. Type 304 stainless steel industrial type connectors

C. Aluminum adjustable connectors

D. Bronze connectors

The requirement for all tubing connectors to utilize Type 304 stainless steel industrial type connectors is based on the need for durability, corrosion resistance, and compatibility with compressed natural gas (CNG) applications. Type 304 stainless steel is known for its excellent resistance to oxidation and corrosion, which is crucial when handling CNG, as it can react adversely with certain materials over time. Using Type 304 stainless steel also ensures that the connectors can withstand the high pressures commonly associated with CNG systems. Its strength and stability under pressure make it a reliable choice for maintaining the integrity of tubing systems designed to transport gas safely and effectively. Other materials, such as standard plastic connectors or aluminum adjustable connectors, may not provide the necessary structural integrity and resistance needed in high-pressure gas systems and could lead to potential failures or leaks. Similarly, while bronze connectors have certain advantages in other applications, they do not match the performance characteristics of Type 304 stainless steel when it comes to CNG. Thus, Type 304 stainless steel industrial type connectors are the standard and recommended choice for ensuring safety and reliability in CNG systems.

10. Piping components must withstand what level of hydrostatic test?

A. Two times the rated working pressure

B. Four times the rated working pressure without structural failure

C. Three times the rated working pressure

D. Fifteen times the working pressure

The correct option indicates that piping components must withstand a hydrostatic test of four times the rated working pressure without experiencing structural failure. This is a critical safety standard in the design and testing of gas piping systems. Hydrostatic testing is performed to ensure the integrity and safety of piping systems, especially in applications involving high-pressure gases like compressed natural gas (CNG). By requiring the components to endure a pressure that is four times their rated working pressure, regulators aim to confirm that the materials can handle extreme conditions and operate safely under normal circumstances. This adds an essential margin of safety, accounting for potential fluctuations in pressure during operation and ensuring that even the worst-case scenarios do not lead to catastrophic failures. This rigorous testing requirement helps to prevent leaks and failures that could pose serious safety risks, including potential explosions or the release of hazardous gas into the environment. Overall, the standard ensures compliance with rigorous safety protocols in the industry, protecting both personnel and the surrounding community.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://txcngcat3.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE