TEXAS COMPRESSED NATURAL GAS (CNG) DELIVERY TRUCK DRIVER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://txcngdeliverytruckdriver.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the main delivery method for compressed natural gas?

A. Pipelines

B. Tankers

C. Delivery trucks

D. Compressed storage units

2. What pressure limit should CNG cylinders not exceed during operation?

A. 125 percent of marked service pressure

B. 150 percent of test pressure

C. Normal service pressure

D. Over 2000 psi

3. What is a condition during testing that requires immediate removal of the transport container unit from CNG service?

A. Illuminated warning

B. Regular maintenance

C. Unsafe condition

D. Minor repairs needed

4. What does AFS do upon receiving the annual renewal and late filing fees?

A. Immediately renew the certificate

B. Verify applicable requirements have been met

C. Notify the individual of payment status

D. Update their records for future renewals

5. What type of incidents do NOT change CNG activity protocols?

A. Significant incidents

B. Minor incidents with no injuries

C. Events attracting media attention

D. All incidents involving public interest

SAMPLE

6. What requirement is specified for the communication of Pressure Relief Devices?

A. Must be directly connected to the engine

B. Must be vented to the atmosphere

C. Must operate independently of the fuel supply

D. Must be fixed in one position

7. What type of hose does not require static protection if certain conditions are met?

A. Hose made of rubber

B. Conductive or non-conductive hose

C. PVC hose

D. Silicone hose

8. Hose, flexible metal hose, and tubing must be designed for what conditions?

A. Their most severe pressures and temperatures

B. Only static pressures

C. High humidity environments

D. Cold weather operations

9. What type of regulation is essential for safety in gas pressure vessels?

A. Dynamic Regulation

B. Statistical Regulation

C. Controlled Regulation

D. Regulatory Compliance

10. What information must be included on the label at the fueling connection receptacle?

A. Identification as a CNG vehicle and service pressure

B. Vehicle model and year of production

C. Color of the vehicle and owner's name

D. Only system service pressure

SAMPLE

Answers

SAMPLE

1. C
2. A
3. C
4. B
5. B
6. B
7. B
8. A
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. What is the main delivery method for compressed natural gas?

A. Pipelines

B. Tankers

C. Delivery trucks

D. Compressed storage units

The primary delivery method for compressed natural gas is through delivery trucks. This method allows for flexibility and accessibility to a wide range of locations, including those that are not directly connected to a natural gas pipeline network. Delivery trucks specifically designed for carrying compressed natural gas can transport it in pressurized tanks, making it convenient for businesses, fleets, and other users who require natural gas on-site. While pipelines are widely used for the long-distance transmission of natural gas, they are not a delivery method in the same context as trucks because they require extensive infrastructure and are typically not used for the final delivery step. Tankers are generally associated with transporting liquids, such as crude oil or liquefied natural gas (LNG), rather than compressed natural gas. Compressed storage units are used for storing gas but do not refer to the delivery process itself. Therefore, delivery trucks are the most effective and appropriate method for delivering compressed natural gas to various customers in a timely manner.

2. What pressure limit should CNG cylinders not exceed during operation?

A. 125 percent of marked service pressure

B. 150 percent of test pressure

C. Normal service pressure

D. Over 2000 psi

CNG cylinders have specific pressure limits to ensure safety and integrity during operation. The correct answer indicates that the pressure within CNG cylinders should not exceed 125 percent of the marked service pressure. This guideline is crucial because operating above this threshold could compromise the structural integrity of the cylinder, making it susceptible to failure or rupture under high-pressure conditions. Marked service pressure is the maximum pressure that the cylinder is designed to handle safely during normal operations, and exceeding this amount could lead to catastrophic results, including leaks or explosions. Adhering to the 125 percent limit provides an additional safety buffer, ensuring that the cylinder operates well below the threshold at which damage or failure might occur. In contrast, the other options suggest pressure levels that either exceed safe operational limits or do not provide a sufficient margin of safety. Understanding and adhering to these pressure limits is essential for the safe handling and delivery of CNG.

3. What is a condition during testing that requires immediate removal of the transport container unit from CNG service?

A. Illuminated warning

B. Regular maintenance

C. Unsafe condition

D. Minor repairs needed

The condition that necessitates the immediate removal of the transport container unit from CNG service is the presence of an unsafe condition. When a transport container unit exhibits any signs of being unsafe, such as leaks, severe damage, or failure to function properly, it poses a significant risk to the driver, public safety, and the environment. Addressing unsafe conditions promptly is crucial to ensure that the CNG unit operates within safety regulations and standards. While illuminated warnings and minor repairs needed may indicate issues requiring attention, they do not necessarily mandate immediate removal of the unit from service unless they signify a deeper, unsafe condition. Regular maintenance is important for ensuring the ongoing safety and efficiency of the transport unit, but it is not an immediate cause for removal. Understanding the distinction between these conditions is vital for maintaining safe operations in the transport of compressed natural gas.

SAMPLE

4. What does AFS do upon receiving the annual renewal and late filing fees?

A. Immediately renew the certificate

B. Verify applicable requirements have been met

C. Notify the individual of payment status

D. Update their records for future renewals

The correct selection is indicated by the need for verification before any action is taken regarding the annual renewal and late filing fees. When AFS receives these fees, it does not simply process the renewal automatically; instead, it conducts a thorough verification to ensure that all applicable requirements have been met. This can include confirming that the necessary documentation is in order and that the individual complies with relevant regulations or standards. This verification process is crucial as it ensures that only those who meet all necessary conditions are allowed to continue operating under the certificate. Such a step helps maintain compliance and safety within the industry. In contrast, options such as immediately renewing the certificate or notifying the individual of payment status suggest actions that could take place without confirming the prerequisite requirements. Furthermore, while updating records for future renewals is an important administrative task, it would not happen prior to the verification of the current requirements being satisfied.

5. What type of incidents do NOT change CNG activity protocols?

A. Significant incidents

B. Minor incidents with no injuries

C. Events attracting media attention

D. All incidents involving public interest

Minor incidents with no injuries do not typically change CNG activity protocols because such incidents are generally considered manageable and do not pose a significant risk to safety or operational integrity. These minor occurrences can often be addressed with existing procedures without necessitating any alteration to standard operating protocols, as there is no immediate threat to personnel or the surrounding environment. In contrast, significant incidents or events that attract media attention usually involve more serious implications and require a review of safety practices to ensure compliance and mitigate future risks. Additionally, incidents that involve public interest often call for increased scrutiny and may necessitate adjustments to protocols to address public concerns more effectively. Thus, only situations that impact safety significantly or draw the attention of the media or public would prompt a reassessment of activity protocols.

SAMPLE

6. What requirement is specified for the communication of Pressure Relief Devices?

A. Must be directly connected to the engine

B. Must be vented to the atmosphere

C. Must operate independently of the fuel supply

D. Must be fixed in one position

The requirement for the communication of Pressure Relief Devices (PRDs) being vented to the atmosphere is crucial for safety. PRDs are safety devices designed to prevent the potential buildup of pressure within a system, such as those used in compressed natural gas (CNG) transport. When pressure exceeds a certain threshold, these devices release gas to the atmosphere in a controlled manner, thereby preventing explosions or other hazardous conditions that could arise from excessive pressure. Venting to the atmosphere ensures that any released gas disperses safely, minimizing the risk of accumulation in enclosed spaces where it could ignite or pose a health risk. This approach aligns with industry safety standards aimed at protecting both personnel and property. Other options present scenarios that do not align with the established safety practices for PRDs. For instance, connecting a PRD directly to the engine could create a dangerous situation where pressure release is not adequately managed. Similarly, operating independently of the fuel supply or being fixed in one position may impede the effectiveness of the relief mechanism, potentially leading to unsafe conditions during operation.

7. What type of hose does not require static protection if certain conditions are met?

A. Hose made of rubber

B. Conductive or non-conductive hose

C. PVC hose

D. Silicone hose

The correct choice highlights that a conductive or non-conductive hose does not require static protection under specific conditions. This is primarily due to the material properties of the hose. Conductive hoses are designed to dissipate static electricity safely, thereby preventing the buildup of static charges that can lead to sparks or potential ignition sources in hazardous environments, especially when working with flammable gases or liquids. In contrast, non-conductive hoses are typically made from materials that do not allow the flow of electricity. However, if certain operational or environmental conditions are met—such as ensuring that the hose is not experiencing friction that could generate static—static protection may not be necessary. Understanding the implications of using different types of hoses in terms of their ability to conduct or insulate against electricity is crucial for ensuring safety, especially in industries dealing with compressed natural gas or other volatile substances. This knowledge allows the driver to make informed decisions about the equipment used during operations.

SAMPLE

8. Hose, flexible metal hose, and tubing must be designed for what conditions?

A. Their most severe pressures and temperatures

B. Only static pressures

C. High humidity environments

D. Cold weather operations

The correct answer emphasizes that hose, flexible metal hose, and tubing must be designed to withstand their most severe pressures and temperatures. This requirement is critical because these components are used to transport compressed natural gas (CNG) under varying operational conditions. They must be capable of handling extreme pressure and temperature fluctuations to ensure safety and reliability during use. Designing these components for the highest expected pressures and temperatures ensures that they will not fail or leak, which could lead to dangerous situations such as gas escapes, potential explosions, or fires. This safety margin is a fundamental aspect of engineering standards for materials handling gas under pressure. Static pressures and specific environmental conditions, such as high humidity or cold weather, are important considerations, but they do not cover the full spectrum of operating conditions these components may encounter. By focusing on the extremes, you ensure that the integrity of the system is maintained consistently in various operational scenarios.

9. What type of regulation is essential for safety in gas pressure vessels?

A. Dynamic Regulation

B. Statistical Regulation

C. Controlled Regulation

D. Regulatory Compliance

The safety of gas pressure vessels is fundamentally dependent on regulatory compliance, which involves adhering to established laws, guidelines, and standards designed specifically for the safe design, construction, operation, maintenance, and inspection of these vessels. Regulatory compliance ensures that all safety measures and protocols are followed to minimize risks associated with high-pressure systems, including potential leaks, explosions, and other hazards. This type of regulation encompasses a wide range of requirements, such as material specifications, pressure limits, testing procedures, and regular inspections, all aimed at safeguarding individuals, property, and the environment from the dangers posed by compressed gas. By being compliant with regulations set forth by organizations such as the American Society of Mechanical Engineers (ASME) or the U.S. Department of Transportation (DOT), operators can ensure that their pressure vessels meet safety standards. In contrast, the other options do not specifically encapsulate the broad and formal nature of regulatory compliance essential for ensuring safety in gas pressure vessels. For instance, dynamic regulation could imply a more flexible approach to safety that might not adequately address the static and rigorous standards required for gas pressure vessels, while statistical and controlled regulations may not cover the comprehensive requirements mandated by regulatory authorities.

SAMPLE

10. What information must be included on the label at the fueling connection receptacle?

A. Identification as a CNG vehicle and service pressure

B. Vehicle model and year of production

C. Color of the vehicle and owner's name

D. Only system service pressure

The label at the fueling connection receptacle must include identification as a CNG vehicle and the service pressure because this information is essential for safety and operational efficiency. Identifying the vehicle as a CNG vehicle ensures that personnel are aware of the type of fuel being used, which is crucial for handling and for any emergency situations that may arise. The service pressure is necessary to ensure that the fueling system operates within safe limits, preventing potential leaks or failures during the fueling process. This information helps in maintaining safety standards and prevents accidents that can occur if the equipment is mismatched or if personnel are unsure of which type of fuel they are dealing with. Hence, the inclusion of both the vehicle identification and the service pressure on the label is mandated for regulatory compliance and safety protocols in handling compressed natural gas.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://txcngdeliverytruckdriver.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE