TEXAS COMPRESSED NATURAL GAS (CNG) DELIVERY TRUCK DRIVER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://txcngdeliverytruckdriver.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the function of an Automatic Emergency Shutoff Valve?

A. To enhance gas flow

B. To shut off the flow of gases or liquids automatically

C. To regulate pressure in pipelines

D. To measure the temperature of gases

2. During a transfer operation, venting activities must follow which guideline?

A. Must occur spontaneously

B. Can be performed by anyone present

C. Shall not occur within close proximity to flammable materials

D. Can be done without supervision

3. What permission can AFS grant for delays in reporting incidents?

A. Authorization for immediate reporting

B. Authorization for a longer reporting period

C. Exemption from reporting

D. Temporary leave for investigation

4. What type of valves should not have removable stems without disassembly of the valve?

A. Manual valves

B. High-pressure safety valves

C. Those designed for CNG applications

D. Ball valves

5. Where should an emergency manual shutdown device be located in relation to the dispensing area?

A. Within 5 ft of the area

B. Within 10 ft and greater than 25 ft from the area

C. Within 15 ft of the area

D. Within 20 ft of the area

SAMPLE

6. Cylinders for CNG must comply with which standards?

A. ISO 9001

B. DOT regulations

C. EPA regulations

D. OSHA standards

7. What is the key factor in the design of CNG fuel supply systems?

A. Cost-effectiveness

B. Environmental impact

C. Safety and functionality for vehicular engines

D. Aesthetic appeal

8. What type of regulations should CNG Delivery Truck Drivers be familiar with?

A. Local and international regulations

B. Federal, state, and local regulations

C. Only state regulations

D. Only federal regulations

9. Which of the following represents a container designed according to the ASME code?

A. Portable Tank

B. Pressure Vessel

C. Storage Drum

D. Flexible Bag

10. What entity is responsible for enforcing compliance related to CNG transport according to the Texas Natural Resources Code?

A. The Texas Department of Transportation

B. The Texas Natural Resource Conservation Commission

C. The Attorney General's Office

D. The State Fire Marshal

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. C
5. B
6. B
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is the function of an Automatic Emergency Shutoff Valve?

A. To enhance gas flow

B. To shut off the flow of gases or liquids automatically

C. To regulate pressure in pipelines

D. To measure the temperature of gases

The function of an Automatic Emergency Shutoff Valve is to shut off the flow of gases or liquids automatically. This valve is a critical safety feature designed to protect both the delivery truck and the surrounding environment from hazardous situations, such as leaks or ruptures in the system. In emergency situations, when there is an unusual increase in pressure or a detection of gas leakage, the automatic shutoff valve acts quickly to prevent any further flow, minimizing the risk of fire, explosion, or environmental contamination. This safety mechanism is crucial for handling compressed natural gas, as it helps to ensure that any potential emergency is addressed promptly and effectively. By doing so, it contributes to the overall safety protocols in place for CNG delivery operations. Other functions, such as enhancing gas flow, regulating pressure, or measuring temperature, do not align with the primary purpose of an automatic emergency shutoff valve.

2. During a transfer operation, venting activities must follow which guideline?

A. Must occur spontaneously

B. Can be performed by anyone present

C. Shall not occur within close proximity to flammable materials

D. Can be done without supervision

During a transfer operation involving compressed natural gas (CNG), it is essential that venting activities shall not occur within close proximity to flammable materials. This guideline is crucial for maintaining safety, as CNG is flammable and poses a risk of fire or explosion if it comes into contact with ignition sources. By ensuring that venting occurs away from flammable materials, the risk of hazardous incidents is significantly reduced, promoting a safer working environment. The other options present unsafe practices or lack of required protocols. Venting spontaneously or without supervision is inherently risky, as it does not employ the necessary safety checks or procedures. Allowing anyone present to perform venting activities disregards the need for trained personnel who understand the associated risks and safety measures. Each of these alternative options lacks the essential emphasis on safety required during such operations.

SAMPLE

3. What permission can AFS grant for delays in reporting incidents?

A. Authorization for immediate reporting

B. Authorization for a longer reporting period

C. Exemption from reporting

D. Temporary leave for investigation

The answer is B, which indicates that AFS can grant authorization for a longer reporting period regarding delays in reporting incidents. This provision is significant as it allows drivers and operators additional time to gather necessary details and submit a comprehensive report after an incident occurs. In the context of responding to incidents, the importance of timely and accurate reporting cannot be overstated, yet circumstances may arise that hinder immediate reporting. Permission for a longer reporting period is particularly relevant in situations where drivers may need to collect more information, coordinate with other parties involved, or assess the situation fully before filing a report. This flexibility helps ensure that the reports reflect a complete and accurate account of the incident, which is essential for safety evaluations, liability assessments, and any necessary follow-up actions. While other options like immediate reporting, exemption from reporting, or temporary leave for investigation may have their own contexts in safety protocols, they do not align with the established regulations regarding delayed reporting. Immediate reporting is often required to ensure prompt action, while exemptions typically do not apply, as reporting is generally a mandatory requirement. Temporary leave may be allowed in some cases, but it does not directly address the issue of delays in submitting reports. Therefore, the focus on a longer reporting period is the most appropriate response in this

4. What type of valves should not have removable stems without disassembly of the valve?

A. Manual valves

B. High-pressure safety valves

C. Those designed for CNG applications

D. Ball valves

The correct answer pertains to valves designed for Compressed Natural Gas (CNG) applications. In CNG systems, safety and reliability are critical due to the high pressures involved. Valves specifically designed for CNG applications are constructed to prevent leaks and are equipped with features that ensure they can effectively handle the operational demands without compromising safety. Removable stems in valves can introduce points of failure or leaks if not properly sealed. In high-pressure applications like those in CNG systems, it is essential that any components that could be disassembled do not create risks. Therefore, valves in CNG applications are typically designed to be integral, without removable stems that could be disassembled without the entire valve being taken apart. This design choice enhances the durability and safety of the system by minimizing the potential for human error during maintenance and reducing the likelihood of pressure-related failures. On the other hand, manual valves, high-pressure safety valves, and ball valves may have designs that accommodate removable stems, depending on their intended use and application requirements. Each of these types of valves can be engineered for different functionalities, which may allow for maintenance or replacement of parts without requiring full disassembly in less critical applications where safety margins are different.

SAMPLE

5. Where should an emergency manual shutdown device be located in relation to the dispensing area?

A. Within 5 ft of the area

B. Within 10 ft and greater than 25 ft from the area

C. Within 15 ft of the area

D. Within 20 ft of the area

The correct choice indicates that the emergency manual shutdown device should be located within 10 feet and greater than 25 feet from the dispensing area. This is significant because having the emergency shutoff device placed within this range ensures that it is accessible to personnel in case of an emergency, yet far enough away to minimize the risk of accidental activation during normal operations. The specific distance requirements are established to enhance safety. The close proximity allows for quick access, which is critical in emergency situations where swift action is needed to mitigate hazards. Conversely, ensuring the device is not too close helps prevent accidental activation that could occur as a result of routine dispensing activities. When analyzing the other distances provided, they do not effectively balance accessibility with safety. Being within 5 feet does not provide a sufficient buffer, increasing the risk of accidental triggering. Distances that are either too close or too far from the dispensing point can hinder the operator's ability to respond promptly and effectively. Thus, the specified range of more than 10 but less than 25 feet strikes the right balance to maximize safety in the dispensing area.

6. Cylinders for CNG must comply with which standards?

A. ISO 9001

B. DOT regulations

C. EPA regulations

D. OSHA standards

Cylinders for Compressed Natural Gas (CNG) must comply with DOT regulations. The Department of Transportation establishes specific standards and requirements for the manufacture, testing, and labeling of CNG cylinders to ensure safety and performance. These regulations are crucial because CNG is stored at high pressure, and proper adherence to DOT guidelines helps prevent accidents and ensures that the cylinders can safely withstand the pressures involved. While other regulatory standards, like EPA regulations, focus on environmental concerns or OSHA standards focus on workplace safety, they do not specifically address the structural and safety requirements for transportation cylinders. ISO 9001 pertains to quality management systems but does not specifically cover the requirements for CNG cylinders either. Therefore, only DOT regulations directly govern the technical specifications and safety measures required for CNG cylinder design and usage.

SAMPLE

7. What is the key factor in the design of CNG fuel supply systems?

A. Cost-effectiveness

B. Environmental impact

C. Safety and functionality for vehicular engines

D. Aesthetic appeal

The key factor in the design of CNG fuel supply systems is safety and functionality for vehicular engines. When it comes to compressed natural gas (CNG), the design must prioritize safety due to the high pressures involved in storing and transporting the gas. CNG systems need to ensure that fuel is delivered efficiently to the engine while also preventing leaks and potential hazards. Moreover, the functionality of the system is crucial for optimal engine performance. The design must accommodate the specific fuel injection and combustion characteristics of CNG in order to maximize efficiency and power output in vehicles that run on this alternative fuel. A well-designed system will enhance the overall operational reliability and performance of the vehicle. In contrast, while cost-effectiveness and environmental impact are important considerations, they are secondary to the paramount concerns of safety and ensuring the system works properly with the engine. Aesthetic appeal is not a critical factor in technical design when it comes to CNG systems; instead, practical engineering concerns take precedence.

8. What type of regulations should CNG Delivery Truck Drivers be familiar with?

A. Local and international regulations

B. Federal, state, and local regulations

C. Only state regulations

D. Only federal regulations

CNG Delivery Truck Drivers must be well-versed in a comprehensive framework of regulations that encompass federal, state, and local levels. This is essential because each level of regulation addresses distinct aspects of safety, environmental standards, and operating protocols that are crucial for safe and efficient transportation of compressed natural gas. Federal regulations, such as those established by the Department of Transportation (DOT) and the Pipeline and Hazardous Materials Safety Administration (PHMSA), set baseline safety and operational standards that all CNG delivery operations must follow. These regulations often focus on vehicle specifications, safety protocols, and handling procedures for hazardous materials, which are central to the role of a delivery truck driver. State regulations can introduce additional requirements tailored to specific local conditions. These can include vehicle registration, licensing for hazardous materials transportation, and local road use regulations that vary significantly between states. Local regulations are equally important as they may involve city or county ordinances regarding emissions standards, transportation routes, and zoning laws which can affect CNG operations in urban areas. Overall, being knowledgeable about regulations at all three levels equips drivers to ensure compliance, promote safety on the roads, and respond appropriately to any regulatory changes that may impact their work. Expertise in this area helps drivers mitigate risks associated with the transportation

SAMPLE

9. Which of the following represents a container designed according to the ASME code?

A. Portable Tank

B. Pressure Vessel

C. Storage Drum

D. Flexible Bag

A pressure vessel is specifically designed and constructed according to the ASME (American Society of Mechanical Engineers) code. This code sets the standards for the design, fabrication, inspection, and testing of pressure vessels, ensuring safety and reliability while handling high-pressure gases or liquids. The ASME code outlines the materials and design parameters necessary to withstand internal pressures, thereby ensuring that pressure vessels can operate safely under their intended conditions. By adhering to these standards, manufacturers can ensure that their pressure vessels are capable of meeting regulatory requirements and safeguarding operational integrity. Other container types, such as portable tanks, storage drums, and flexible bags, do not necessarily have to follow ASME codes. While they may be designed for specific applications, they do not have the same rigorous standards required for pressure vessels that deal with high-pressure scenarios as specified by ASME regulations.

10. What entity is responsible for enforcing compliance related to CNG transport according to the Texas Natural Resources Code?

A. The Texas Department of Transportation

B. The Texas Natural Resource Conservation Commission

C. The Attorney General's Office

D. The State Fire Marshal

The entity responsible for enforcing compliance related to CNG transport according to the Texas Natural Resources Code is the Attorney General's Office. This office not only represents the state in legal matters but also plays a crucial role in enforcing environmental regulations and compliance related to natural resources, including the transport of compressed natural gas. The Attorney General's Office can initiate legal actions against any violations of the Texas Natural Resources Code, thereby ensuring that entities involved in CNG transportation are adhering to the established laws and regulations aimed at protecting public safety and environmental integrity. In this context, other entities mentioned have different roles. The Texas Department of Transportation primarily focuses on transportation infrastructure and safety regulations, while the Texas Natural Resource Conservation Commission (now the Texas Commission on Environmental Quality) is more concerned with environmental protection, including the regulation of pollutants and environmental quality, rather than specifically enforcing transport compliance. The State Fire Marshal oversees fire safety regulations but does not specifically manage compliance related to the transport of compressed natural gas.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://txcngdeliverytruckdriver.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE