TEXAS REGISTERED PROFESSIONAL LAND SURVEYOR (RPLS) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://texasregisteredprolandsurveyor.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Describe the role of "liens" in relation to surveying.

A. Liens are used to measure land area

B. Liens can affect property rights and ownership

C. Liens are records of property sales

D. Liens have no impact on surveying

2. How do horizontal curves differ from vertical curves in surveying?

A. Horizontal curves are used for vertical transitions

B. Vertical curves are arcs used to transition between different grades

C. They are both used for measuring land area

D. They refer to different types of land features

3. How many labors are there in one league?

A. 10 labors

B. 25 labors

C. 50 labors

D. 100 labors

4. What is a "geodetic survey"?

A. A survey that includes both natural and artificial features

B. A survey that considers the Earth's curvature

C. A survey limited to small parcels of land

D. A survey conducted primarily for construction purposes

5. What is the least squares method used for in surveying?

A. To maximize errors in measurements

B. To minimize the errors in measurements during the adjustment process

C. To compare different land analysis techniques

D. To calculate land value estimates

6. What is a necessity for settlers under the Pre-emption Act?

A. They must have a legal title to the land

B. They must improve the land

C. They must purchase the land at market value

D. They must provide a survey of the land

SAMPLE

7. In what way does an easement appurtenant benefit a property?

A. It restricts future development

B. It allows access to a dominant estate

C. It establishes a monetary value

D. It modifies property boundaries

8. What does the term "True North" refer to in surveying?

A. Astronomic - established by celestial observations

B. Magnetic - based on the Earth's magnetic field

C. Geographic - aligned with the Earth's rotational axis

D. Adjusted - altered based on local variations

9. What is the relationship between easting and northing?

A. They are coordinates used to determine position on a grid

B. They are measurements that describe land use

C. They are legal terms for property ownership

D. They answer land survey disputes

10. The primary objective of a boundary survey is to:

A. Measure elevation changes

B. Identify property lines and corners

C. Calculate land fill volume

D. Determine agricultural suitability

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. B
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Describe the role of "liens" in relation to surveying.

A. Liens are used to measure land area

B. Liens can affect property rights and ownership

C. Liens are records of property sales

D. Liens have no impact on surveying

Liens play a significant role in relation to surveying because they can directly affect property rights and ownership. When a lien is placed on a property, it indicates that there's a legal claim against it, usually as a result of unpaid debts such as mortgages, unpaid property taxes, or other financial obligations related to the property. This claim can restrict the owner's ability to sell, transfer, or otherwise utilize the property until the debt is settled. In the context of surveying, understanding the existence of liens is crucial when conducting a survey for various reasons. Surveyors need to be aware of any liens as they may impact property boundaries, access rights, and the overall value of the land being surveyed. A survey may uncover discrepancies or disputes regarding property lines or the presence of encroachments linked to properties that have a lien against them. Thus, anyone involved in property transactions or development needs to assess these financial encumbrances to ensure all legal aspects are clear and accounted for in their surveying work.

2. How do horizontal curves differ from vertical curves in surveying?

A. Horizontal curves are used for vertical transitions

B. Vertical curves are arcs used to transition between different grades

C. They are both used for measuring land area

D. They refer to different types of land features

Horizontal curves and vertical curves serve distinct purposes in surveying, particularly in the design of roadways and other linear infrastructure. The correct choice highlights that vertical curves specifically facilitate transitions between different slopes or grades in a vertical plane. These arcs help to smooth the changes in elevation, providing a gradual shift from one grade to another, which is crucial for maintaining safe and comfortable driving conditions. In contrast, horizontal curves pertain to the alignment of a road or pathway in a horizontal plane. While horizontal curves manage lateral changes in direction, vertical curves focus solely on adjustments in elevation. The significance of vertical curves lies in their ability to enhance safety and comfort by preventing abrupt changes in steepness, which could lead to issues like reduced visibility or vehicle control difficulties. The other options do not accurately encapsulate the distinctions between these types of curves. For example, option A misidentifies horizontal curves by suggesting they address vertical transitions, while option C incorrectly implies that both curves measure land area, which is not their primary function. Option D inaccurately states that they refer to different land features, when in fact they are specific elements of roadway design and geometry. Thus, acknowledging that vertical curves are arcs used to transition between grades clearly demonstrates the functional differentiation between horizontal and vertical curves in the

SAMPLE

3. How many labors are there in one league?

A. 10 labors

B. 25 labors

C. 50 labors

D. 100 labors

To understand how many labors are in one league, it's important to first know the conversions involved in land measurement. A league is defined as a measure of distance that varies by jurisdiction, but in the context of Texas land surveying, one league is typically considered to be equivalent to 4,428.4 meters or about 3 miles. In Texas, a labor is a smaller unit of area commonly used in land surveying, which is defined as being approximately 177.1 acres. Converting a league into labors requires recognizing the relationship between these units. One league covers approximately 4,428.4 acres, and by dividing the total area of a league by the size of one labor, you find that there are roughly 25 labors in a league. This relationship reflects historical land measurements rooted in Spanish and Mexican land grants, where using labors and leagues was common. Thus, the choice stating 25 labors aligns with the historical context and current understanding of these measurements in surveying practice.

4. What is a "geodetic survey"?

A. A survey that includes both natural and artificial features

B. A survey that considers the Earth's curvature

C. A survey limited to small parcels of land

D. A survey conducted primarily for construction purposes

A geodetic survey is primarily focused on taking into account the Earth's curvature, which is essential for accurately determining large-scale positions and measurements on the Earth's surface. This methodology is vital when surveying areas that span large distances, as the Earth's curvature significantly affects the precision of measurements. In contrast, surveys that do not consider the Earth's curvature typically focus on smaller areas and are based on a flat Earth assumption. Therefore, they may not provide accurate data for broader applications. Geodetic surveys utilize advanced techniques such as satellite positioning and triangulation, which are designed to account for the spherical nature of the Earth, ensuring that the results are precise even over extensive distances. This is important for applications ranging from mapping and navigation to the establishment of property boundaries and geological studies. By incorporating the curvature of the Earth into the survey process, geodetic surveys ensure data accuracy and reliability in a variety of fields.

5. What is the least squares method used for in surveying?

A. To maximize errors in measurements

B. To minimize the errors in measurements during the adjustment process

C. To compare different land analysis techniques

D. To calculate land value estimates

The least squares method is a statistical technique used in surveying to minimize the sum of the squares of the differences (residuals) between observed values and the values predicted by a model. In the context of surveying, it is particularly utilized during the adjustment process of measurements to ensure that the final position of survey points is as accurate as possible. By applying the least squares method, surveyors can effectively distribute and minimize errors across all measurements, leading to a more reliable and precise result. This overall reduction in error improves the integrity of the data collected and allows for more accurate representations of the surveyed area. Utilizing this method means that any adjustments made during the surveying process are based on statistical principles that seek an optimal solution, rather than simply averaging or selecting arbitrary values from the data set. This is crucial in applications where precise measurements are necessary, such as when establishing property boundaries or designing infrastructure.

SAMPLE

6. What is a necessity for settlers under the Pre-emption Act?

A. They must have a legal title to the land

B. They must improve the land

C. They must purchase the land at market value

D. They must provide a survey of the land

The correct necessity for settlers under the Pre-emption Act is that they must improve the land. This requirement was central to the intention of the Act, which aimed to encourage settlement and cultivation of public lands in the United States. By mandating that settlers make improvements, such as building a dwelling or cultivating crops, the government sought to ensure that the land would be put to productive use rather than simply held speculatively. This improvement requirement not only provided a tangible commitment from the settlers but also helped to establish a form of legal claim to the land. Once the settlers demonstrated that they had improved the land, they could secure a right to purchase it from the government at a predetermined price, which was typically less than the market value. This process thus facilitated the settling of frontier areas by ensuring that those who actively worked the land had a pathway to ownership.

7. In what way does an easement appurtenant benefit a property?

A. It restricts future development

B. It allows access to a dominant estate

C. It establishes a monetary value

D. It modifies property boundaries

An easement appurtenant primarily benefits a property by allowing access to a dominant estate, which is the property that receives the benefit of the easement. This type of easement creates a legal right that enables the owner of the dominant estate to use a portion of another property, known as the servient estate, for a specific purpose, such as accessing a road or water source. This legal right enhances the usability and value of the dominant estate since the owner can legally cross or use the servient property as necessary. In contrast, the other choices do not accurately describe the primary functional advantages provided by an easement appurtenant. For instance, while an easement can influence future development, its main intent is to ensure access rather than to impose restrictions. Establishing a monetary value is not a direct benefit of an easement, as the main focus is on property rights and access rather than financial consideration. Finally, an easement does not modify property boundaries; it exists as a legal right within the established boundaries of the properties involved. Therefore, the correct understanding of an easement appurtenant is its role in providing access and benefits to the dominant estate.

SAMPLE

8. What does the term "True North" refer to in surveying?

A. Astronomic - established by celestial observations

B. Magnetic - based on the Earth's magnetic field

C. Geographic - aligned with the Earth's rotational axis

D. Adjusted - altered based on local variations

The term "True North" in surveying refers to the direction towards the North Pole, which is aligned with the Earth's rotational axis. This is consistent with the geographic definition, which is why the correct categorization aligns with the idea of geographic north. True North is critical for accurate surveying and mapping as it establishes a consistent reference point that does not change over time, unlike magnetic north, which can vary due to magnetic declination influenced by geological factors. Astronomic north specifically involves measurements taken through celestial observations, although it ultimately serves to establish a similar reference of direction. While magnetic north pertains to the compass direction dictated by the Earth's magnetic field, and adjusted north refers to local magnetic variations, these concepts are not synonymous with True North. True North, as defined here, remains strictly tied to the Earth's geometric structure rather than other directional influences.

9. What is the relationship between easting and northing?

A. They are coordinates used to determine position on a grid

B. They are measurements that describe land use

C. They are legal terms for property ownership

D. They answer land survey disputes

Easting and northing are indeed coordinates used to determine position on a grid system, typically in a geographic coordinate system or a projected coordinate system such as the Universal Transverse Mercator (UTM). In this system, "easting" refers to the value that indicates how far east a point is from a specified reference meridian, while "northing" indicates how far north a point is from a designated equator or baseline. Together, these coordinates provide a precise way to locate points on a map, allowing surveyors, cartographers, and geographers to convey specific geographical locations accurately. The other choices do not accurately represent the definitions and uses of easting and northing. They are not associated with land use measurements, legal property ownership terms, or directly resolving land survey disputes. Thus, the relationship between easting and northing is most accurately captured through their role as coordinates defining a position on a grid.

10. The primary objective of a boundary survey is to:

A. Measure elevation changes

B. Identify property lines and corners

C. Calculate land fill volume

D. Determine agricultural suitability

The primary objective of a boundary survey is to identify property lines and corners. This type of survey is specifically designed to accurately locate and delineate the legal boundaries of a parcel of land. It involves measuring distances, angles, and angles in relation to established reference points, such as monuments or markers. Boundary surveys are essential for resolving disputes, establishing property ownership, and ensuring that development or construction projects are conducted within the legal limits of a property's boundaries. While measuring elevation changes, calculating land fill volume, and determining agricultural suitability are important aspects of surveying and land management, they do not define the primary purpose of a boundary survey. Rather, they pertain to different types of surveys focused on specific aspects of land analysis and development rather than delineating property lines.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://texasregisteredprolandsurveyor.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE