TEXAS VEHICLE SAFETY INSPECTION CERTIFICATION (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://txvehiclesafetyinspec.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How much does a moped inspection cost?

A. $1.50

B. $0.50

C. $0.25

D. $2.00

2. What happens if the parking brake is missing key components?

A. It may hold the vehicle too tightly

B. It will not function properly

C. It may engage too easily

D. It will operate at higher efficiency

3. Which document can serve as proof of a vehicle's compliance for tinting medical exemptions?

A. A certificate of insurance

B. A registration document

C. A Physicians Written Medical Statement

D. A vehicle title

4. How many and what color must a trailer's tail lamps be?

A. 1 tail lamp ; Red

B. 2 tail lamps ; Red

C. 2 tail lamps ; Yellow

D. 3 tail lamps ; Red

5. What is the height requirement for a motorcycle's tail lamp?

A. 10" to 30"

B. 15" to 25"

C. 20" to 72"

D. 30" to 60"

SAMPLE

6. What conditions must exhaust emissions system hoses meet during inspection?

A. They can be slightly loose

B. They should be new and shiny

C. They cannot be loose, broken, or leaking

D. They must all be black in color

7. What should be done if brakes do not meet the required stopping distances?

A. Repair the brakes and retest

B. Send the vehicle for a consultation only

C. Mark as a temporary pass

D. Notify the owner but not test again

8. Which of the following would be a reason for rejecting a parking brake during an inspection?

A. The brake engages smoothly

B. The presence of oil or grease on the cables

C. The cables are firmly attached

D. Brakes function under normal temperature

9. Before conducting an inspection, what should an inspector ensure about the customer when a CNG tank is involved?

A. The customer must provide proof of purchase

B. The customer's vehicle needs to be clean

C. The customer must be present during inspection

D. The customer needs to show previous inspection results

10. How many license plate lamps are required by law?

A. Two

B. One

C. Three

D. None

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. C
6. C
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. How much does a moped inspection cost?

A. $1.50

B. $0.50

C. $0.25

D. $2.00

The correct answer reflects the established fee for a moped inspection in Texas, which is set at $0.25. This fee is part of the state regulations governing vehicle safety inspections and is specifically designated for mopeds, which have distinct inspection requirements compared to other types of vehicles. This nominal cost is designed to ensure that safety inspections remain accessible to moped owners while still allowing for necessary checks on vehicle safety and compliance with state laws. Since mopeds are lighter and have different usage patterns than cars or trucks, their inspection fees are correspondingly lower. In contrast, other options represent higher amounts that would not align with the regulated fee structure set by Texas law for moped inspections. Thus, it is imperative to recognize the specific regulations that apply to mopeds and why they afford a lower inspection cost.

2. What happens if the parking brake is missing key components?

A. It may hold the vehicle too tightly

B. It will not function properly

C. It may engage too easily

D. It will operate at higher efficiency

The correct answer highlights that if the parking brake is missing key components, it will not function properly. The parking brake, also known as the emergency brake or handbrake, is designed to secure a vehicle when it is parked, preventing it from rolling. If vital components are absent, this system cannot perform its intended function effectively. An improper or malfunctioning parking brake can lead to dangerous situations, such as the vehicle rolling unexpectedly, which is particularly critical on inclines. The integrity of all parts is essential for the safe and reliable operation of the system. Hence, ensuring that the parking brake is complete and functional is paramount for vehicle safety during inspections. Other options, while they may seem plausible, do not accurately reflect the inherent issues caused by missing components. For example, the idea of the parking brake holding the vehicle too tightly or engaging too easily is more related to function rather than the outright malfunction due to key components being missing. The reference to operating at higher efficiency contradicts the primary issue of functionality since efficiency cannot be achieved without full operability.

3. Which document can serve as proof of a vehicle's compliance for tinting medical exemptions?

A. A certificate of insurance

B. A registration document

C. A Physicians Written Medical Statement

D. A vehicle title

The document that serves as proof of a vehicle's compliance for tinting medical exemptions is the Physician's Written Medical Statement. This statement confirms that the individual has a medical condition that necessitates the need for darker window tinting beyond the legal limits. It serves as an official medical justification, making it valid for use when applying for a medical exemption for window tint restrictions under Texas law. The other documents, such as a certificate of insurance, a registration document, or a vehicle title, do not provide the necessary medical justification. A certificate of insurance primarily serves to prove that a vehicle is insured. A registration document indicates that a vehicle is properly registered with the state, while a title shows ownership of the vehicle. None of these documents contain the specific medical information required to support an exemption request based on a physician's recommendation.

SAMPLE

4. How many and what color must a trailer's tail lamps be?

A. 1 tail lamp ; Red

B. 2 tail lamps ; Red

C. 2 tail lamps ; Yellow

D. 3 tail lamps ; Red

A trailer must have two tail lamps that are red in color. This requirement is established to ensure visibility and safety on the road. Red lamps are universally recognized as signaling the rear of a vehicle, helping other drivers to identify the presence of the trailer, especially at night or in low visibility conditions. Two tail lamps provide additional safety by offering redundancy; if one lamp fails, the second one remains operational, enhancing the visibility of the trailer. This is critical in preventing accidents and ensuring that other drivers maintain a safe distance when overtaking or following the trailer. In contrast, having only one tail lamp, having either yellow tail lamps or an incorrect number fails to meet the safety standards set forth for trailers, as yellow is typically used for turn signals, not for tail lamps. This reinforces the importance of having two red tail lamps for proper identification and safety on the roads.

5. What is the height requirement for a motorcycle's tail lamp?

A. 10" to 30"

B. 15" to 25"

C. 20" to 72"

D. 30" to 60"

The correct choice outlines that the height requirement for a motorcycle's tail lamp is between 20 inches to 72 inches from the ground. This specification is part of the regulations ensuring that tail lamps are adequately visible to other motorists, which is crucial for safety on the road. A tail lamp positioned within this height range ensures that it can be seen from a sufficient distance under various conditions, contributing to the overall visibility and safety of the motorcycle. Proper height placement is particularly important because motorcycles are smaller than most vehicles, and their lighting needs to be effectively utilized to signal the rider's presence to other drivers. Having a tail lamp within the designated height helps prevent accidents and enhances the safety of the rider.

6. What conditions must exhaust emissions system hoses meet during inspection?

A. They can be slightly loose

B. They should be new and shiny

C. They cannot be loose, broken, or leaking

D. They must all be black in color

During a vehicle safety inspection, it is crucial that exhaust emissions system hoses are in proper condition to ensure they effectively contain exhaust gases and prevent leaks. The correct answer emphasizes that these hoses should not be loose, broken, or leaking. This is essential for both vehicle performance and environmental protection, as any issues with the hoses can lead to harmful emissions escaping into the atmosphere. Properly functioning hoses help maintain the integrity of the exhaust system, which is designed to control emissions and ensure safety on the road. The other options do not address the key requirements for exhaust emissions system hoses. For instance, it is not sufficient if they are merely slightly loose, as this can compromise their function and lead to leaks. The idea that they must be new and shiny is also misleading because the material and function of the hoses matter more than their appearance. Lastly, requiring that all hoses be black in color overlooks the fact that hoses can come in various colors and still be fully functional, as long as they meet the standards of integrity outlined in the inspection criteria.

SAMPLE

7. What should be done if brakes do not meet the required stopping distances?

A. Repair the brakes and retest

B. Send the vehicle for a consultation only

C. Mark as a temporary pass

D. Notify the owner but not test again

When brakes do not meet the required stopping distances during a Texas Vehicle Safety Inspection, the appropriate action is to repair the brakes and then retest the vehicle. This process is essential because ensuring that the brakes are in proper working condition is critical for vehicle safety. Brakes that do not function effectively can lead to accidents, as they are a primary safety feature that enables a driver to stop the vehicle safely and in time. After repairing or servicing the brakes, a retest allows for the confirmation that the issue has been adequately addressed and that the vehicle now complies with the safety standards required for operation on public roads. This approach emphasizes the importance of maintaining high safety standards to protect not only the driver but also other road users. Options that suggest a consultation only, marking as a temporary pass, or notifying the owner without a retest do not provide a satisfactory resolution to the safety concerns raised by inadequate brakes. These alternatives either leave the vehicle potentially unsafe to drive or fail to take the necessary steps to ensure compliance with safety regulations. Therefore, the best course of action is to repair the brakes and retest the vehicle.

8. Which of the following would be a reason for rejecting a parking brake during an inspection?

A. The brake engages smoothly

B. The presence of oil or grease on the cables

C. The cables are firmly attached

D. Brakes function under normal temperature

A reason for rejecting a parking brake during an inspection would indeed be the presence of oil or grease on the cables. This contamination can severely impact the performance and reliability of the parking brake system. When oil or grease is present, it can prevent the cables from functioning properly, leading to inadequate braking force when the parking brake is engaged. This raises safety concerns, as the vehicle may not remain stationary when parked, creating risks for both the vehicle and surrounding pedestrians or property. Proper operation of the parking brake relies on the cables being clean and free from any substances that could inhibit their movement. Clean cables ensure that the mechanism can engage and disengage effectively. In contrast, factors like the brake engaging smoothly, having well-attached cables, or the brakes functioning under normal temperature do not directly indicate a failure or issue with the parking brake system. These points actually demonstrate that the system is functioning as intended, which would not warrant a rejection. Thus, the presence of lubricant contaminating the parking brake cables is a clear reason for rejection during an inspection.

SAMPLE

9. Before conducting an inspection, what should an inspector ensure about the customer when a CNG tank is involved?

A. The customer must provide proof of purchase

B. The customer's vehicle needs to be clean

C. The customer must be present during inspection

D. The customer needs to show previous inspection results

When conducting an inspection of a vehicle that has a Compressed Natural Gas (CNG) tank, it is crucial for the inspector to ensure that the customer is present during the inspection. This presence facilitates communication about the specific requirements and procedures involved in inspecting CNG systems, which can differ from those of conventional fuel systems. Furthermore, having the customer on-site allows the inspector to address any questions or concerns related to the CNG tank and ensures that the customer is informed about any findings or issues that may arise during the inspection process. This practice helps maintain transparency and trust between the inspector and the customer, which is essential for successful vehicle inspections, particularly with specialized systems like CNG tanks. Other options, such as requiring proof of purchase, ensuring the vehicle is clean, or asking for previous inspection results, do not address the unique safety and procedural elements involved specifically with CNG systems, and therefore are not as critical for the inspection process.

10. How many license plate lamps are required by law?

A. Two

B. One

C. Three

D. None

The law requires that at least one license plate lamp be installed on a vehicle to ensure that the license plate is adequately illuminated at night and under low visibility conditions. This requirement is in place to promote visibility and identification of vehicles, which is essential for law enforcement and traffic safety. While having more than one lamp may enhance visibility, the legal requirement is satisfied with just one functioning lamp. This regulation ensures that all vehicles remain identifiable at all times while on the road, which is crucial for maintaining accurate records and upholding traffic laws. The focus here is on providing a minimal standard of compliance necessary for safe vehicle operation regarding identification, which is why one lamp is the legal requirement.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://txvehiclesafetyinspec.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE