
TEXES MATHEMATICS 4-8 (115) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://texesmath4to8.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What range of angles does a reflexive angle cover?

A. Less than 90 degrees

B. 90 degrees

C. More than 90 less than 180

D. More than 180 less than 360

2. What is the result of applying the identity property of addition to the number 5?

A. 5

B. 0

C. 1

D. 10

3. What is the slope-intercept form of the equation for a line with a slope of 3 and a y-intercept of -1?

A. $y = 3x + 1$

B. $y = 3x - 1$

C. $y = -3x + 1$

D. $y = -3x - 1$

4. If a graph has a positive slope, what can be said about the relationship between the two variables?

A. They are inversely proportional

B. They are directly proportional

C. There is no relationship

D. They are unrelated

5. What is an acute angle defined as?

A. Less than 90 degrees

B. 90 degrees

C. More than 90 less than 180

D. More than 180 less than 360

SAMPLE

6. How do you calculate the circumference of a circle?

A. 2(pi)radius

B. pi x diameter

C. pi x r^2

D. radius + pi

7. In the context of compound interest, what does 'n' in the formula A(t)=A0(1+(i/n))^(nt) represent?

A. The principal amount

B. The rate of interest

C. The number of times interest is compounded per unit time

D. The total number of time periods

8. In geometry, what is a line segment?

A. A straight line extending infinitely in both directions.

B. A part of a line that is bounded by two distinct endpoints.

C. A curve that connects two points.

D. A line that has a constant width.

9. What is required for a set of ordered pairs to be considered a function?

A. All y-coordinates must be unique.

B. All x-coordinates must be unique.

C. Each x-coordinate must correspond to exactly one y-coordinate.

D. The total number of pairs must be odd.

10. What is the x-intercept of a graph?

A. The y-coordinate of a point where a graph crosses the y-axis.

B. The x-coordinate of the point where a graph crosses the x-axis.

C. The point where the slope is zero.

D. The location where the function is undefined.

SAMPLE

Answers

SAMPLE

1. D
2. A
3. B
4. B
5. A
6. A
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What range of angles does a reflexive angle cover?

A. Less than 90 degrees

B. 90 degrees

C. More than 90 less than 180

D. More than 180 less than 360

A reflex angle is defined as an angle that measures more than 180 degrees but less than 360 degrees. This means that a reflex angle goes beyond a straight angle (which measures exactly 180 degrees) and continues to open further until it approaches a full circle (360 degrees). This understanding is crucial in distinguishing reflex angles from other types of angles. For example, an angle less than 90 degrees is classified as an acute angle, and an angle measuring exactly 90 degrees is a right angle. Similarly, angles that are between 90 and 180 degrees fall into the category of obtuse angles. Reflex angles specifically occupy the range that exceeds 180 degrees and stops short of completing a full circle at 360 degrees, making them unique compared to the other types. Thus, defining the range for reflex angles as more than 180 degrees and less than 360 degrees is essential for accurately identifying and understanding angular measurements in geometry.

2. What is the result of applying the identity property of addition to the number 5?

A. 5

B. 0

C. 1

D. 10

The identity property of addition states that when you add zero to any number, the result is that same number. In this case, when applying the identity property to the number 5, it means that adding 0 to 5 will not change its value. Thus, 5 + 0 equals 5. Therefore, the correct result is that the number remains unchanged, which is 5. This property is fundamental in arithmetic and serves as a foundational concept in understanding how addition operates with respect to different entities in mathematics.

3. What is the slope-intercept form of the equation for a line with a slope of 3 and a y-intercept of -1?

A. y = 3x + 1

B. y = 3x - 1

C. y = -3x + 1

D. y = -3x - 1

To derive the slope-intercept form of a line's equation, you need to utilize the formula $y = mx + b$, where m represents the slope of the line and b signifies the y-intercept. In this case, you are given a slope of 3 and a y-intercept of -1. Substituting these values into the formula, you replace m with 3 and b with -1. This results in the equation: $$y = 3x - 1$$ This formulation confirms that for every increase of 1 unit in x, y increases by 3 units, hence capturing the slope accurately. Additionally, it indicates that the line crosses the y-axis at -1, aligning with the given y-intercept. These specific values distinctly lead to the final equation, ensuring that the slope and y-intercept match the conditions of the problem accurately.

SAMPLE

4. If a graph has a positive slope, what can be said about the relationship between the two variables?

A. They are inversely proportional

B. They are directly proportional

C. There is no relationship

D. They are unrelated

When a graph has a positive slope, it indicates that as one variable increases, the other variable also increases. This direct relationship between the two variables signifies that they move in the same direction. Therefore, it can be said that they are directly proportional. In a directly proportional relationship, a change in one variable results in a corresponding change in the other variable at a constant rate. For example, if you were to plot a line where the x-axis represents time and the y-axis represents distance, a positive slope would show that as time increases, the distance traveled also increases. This is a clear indicator of a relationship where both variables increase together, highlighting the fundamental concept of direct proportionality in mathematics.

5. What is an acute angle defined as?

A. Less than 90 degrees

B. 90 degrees

C. More than 90 less than 180

D. More than 180 less than 360

An acute angle is defined as an angle that measures less than 90 degrees. This means that when you visualize an acute angle, it appears sharper and more pointed compared to other types of angles. In the context of angle measurement, anything below 90 degrees fits the criteria for being classified as acute. This definition distinguishes acute angles from right angles, which measure exactly 90 degrees, and obtuse angles, which measure between 90 and 180 degrees. Similarly, angles that exceed 180 degrees are categorized as reflex angles. Understanding these definitions helps in identifying and categorizing angles based on their measurements, which is a fundamental concept in geometry.

6. How do you calculate the circumference of a circle?

A. 2(pi)radius

B. pi x diameter

C. pi x r^2

D. radius + pi

The calculation of the circumference of a circle is based on the relationship between the radius or diameter of the circle and the mathematical constant pi (π). The correct formula for calculating circumference can be expressed in two ways depending on whether you use the radius or the diameter. Using the radius, the circumference is calculated by multiplying 2 by π and by the radius (2πr). This is because the radius is half of the diameter, and when you double the radius, you essentially calculate the perimeter of the circle based on its circular nature. Alternatively, if you are using the diameter, the circumference can also be calculated by multiplying π by the diameter (πd), since the diameter is twice the radius. As to the other options, while π times the diameter is also a correct method to find circumference, the option that directly uses the radius in the form of 2πr is specifically suitable for situations where the radius is known, which solidifies its correctness in the context of this question. The formula πr^2, on the other hand, is used to calculate the area of a circle, not its circumference. The expression "radius + π" does not relate to the concept of circumference at all, making it irrelevant in this context. Thus

SAMPLE

7. In the context of compound interest, what does 'n' in the formula A(t)=A0(1+(i/n))^(nt) represent?

A. The principal amount

B. The rate of interest

C. The number of times interest is compounded per unit time

D. The total number of time periods

In the compound interest formula A(t) = A0(1 + (i/n))^(nt), the variable 'n' specifically represents the number of times that interest is compounded per unit time, which plays a crucial role in determining how much interest is earned on an investment or how much is owed on a loan over time. To elaborate, when interest is compounded, it is not just applied once over the entire time period; instead, it is calculated periodically. For example, if interest is compounded annually, n would equal 1; if it is compounded quarterly, n would equal 4; and if it is compounded monthly, n would equal 12. This periodic compounding affects the total amount of interest earned or paid, demonstrating the power of compounding and the importance of 'n' in maximizing returns or understanding the cost of borrowing. Thus, recognizing that 'n' quantifies the frequency of compounding intervals helps individuals make informed financial decisions, whether they are saving or taking a loan.

8. In geometry, what is a line segment?

A. A straight line extending infinitely in both directions.

B. A part of a line that is bounded by two distinct endpoints.

C. A curve that connects two points.

D. A line that has a constant width.

A line segment is defined as a part of a line that has two distinct endpoints. This means that it is finite in length, unlike a line, which continues infinitely in both directions. Since it is bounded, it can be measured, and you can determine the distance between its endpoints. In contrast, the other choices describe different geometric concepts. For example, a straight line extending infinitely in both directions refers to a complete line without endpoints. A curve that connects two points does not conform to the straightness criterion of a line segment, and a line with a constant width describes a different shape, such as a rectangle or a parallelogram, rather than a line segment itself. The attributes of a line segment make it a fundamental concept in geometry, particularly in understanding properties of shapes and figures.

9. What is required for a set of ordered pairs to be considered a function?

A. All y-coordinates must be unique.

B. All x-coordinates must be unique.

C. Each x-coordinate must correspond to exactly one y-coordinate.

D. The total number of pairs must be odd.

For a set of ordered pairs to be classified as a function, it is essential that each x-coordinate is associated with exactly one y-coordinate. This condition ensures that for any input value (represented by the x-coordinate), there is a unique output value (represented by the y-coordinate). This concept is fundamental in understanding functions, as it establishes a clear and predictable relationship between the variables. In practical terms, if you were to have any x-coordinate that corresponds to more than one y-coordinate, that would violate the definition of a function. For instance, if for an x-value of 2, the y-values were both 3 and 4, it would not fulfill the requirement of a function, since that x-value does not yield a unique y-value. This uniqueness is what allows functions to be predictable and ensures that they can be graphed as straight vertical lines, which do not intersect the curve at more than one point for a given x-value. Understanding this requirement is crucial for identifying functions in various mathematical contexts, from algebra to advanced calculus, as it serves as the foundation for more complex analyses of relationships between variables.

SAMPLE

10. What is the x-intercept of a graph?

A. The y-coordinate of a point where a graph crosses the y-axis.

B. The x-coordinate of the point where a graph crosses the x-axis.

C. The point where the slope is zero.

D. The location where the function is undefined.

The x-intercept of a graph is defined as the x-coordinate of the point where the graph crosses the x-axis. At this intersection, the value of y is zero, which is the defining characteristic of an x-intercept. When finding the x-intercept, one typically sets the equation of the graph equal to zero and solves for the value of x. This is a fundamental concept in graph interpretation and function analysis, as the x-intercept helps to reveal important information about the function's behavior and root locations. In contrast, the y-intercept corresponds to the y-coordinate at which the graph crosses the y-axis, addressing a different component of the graph. A point where the slope is zero refers to a horizontal tangent, which may indicate a local maximum or minimum, but not specifically to an intercept. Lastly, a location where the function is undefined does not directly relate to intercepts but rather to points where the function cannot take on a value. Thus, identifying the x-intercept as the x-coordinate at the point of intersection with the x-axis is crucial for understanding graph characteristics and behavior.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://texesmath4to8.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE