THE AMERICAN RED CROSS CARDIOPULMONARY RESUSCITATION (CPR) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://americanredcross-cpr.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **While waiting for a tourniquet, what is the best action for someone with life-threatening bleeding from their arm?**

   A. Apply direct pressure

   B. Elevate the arm

   C. Apply ice to the wound

   D. Use a dressing to cover the wound

2. **What is important to determine before giving sugar by mouth to a person experiencing a diabetic emergency? Select 3 answers.**

   A. Make sure the person is awake.

   B. Make sure the person can follow simple commands.

   C. Make sure the person can chew and swallow.

   D. Make sure the person has eaten recently.

3. **What should be the first action taken in case of a severe allergic reaction?**

   A. Administer CPR

   B. Call 9-1-1

   C. Use the person's epinephrine auto-injector if available

   D. Provide oral antihistamines

4. **What is the first step you should take when arriving at the scene of an emergency?**

   A. Check the scene for safety

   B. Call 9-1-1

   C. Assess the patient

   D. Begin providing care

5. **What can back blows help achieve when assisting someone who is choking?**

   A. They can always dislodge the object

   B. They may help move the obstruction towards the throat

   C. They can help create enough pressure to expel the obstruction

   D. They should replace abdominal thrusts

SAMPLE

6. How often should CPR training be renewed for optimal effectiveness?

A. Every month
B. Every year
C. Every two years
D. Every five years

7. What is the primary purpose of abdominal thrusts in choking emergencies?

A. To provide comfort
B. To remove the obstruction from the airway
C. To stimulate breathing
D. To slow down the heart rate

8. What should a rescuer do after calling for emergency assistance?

A. Stop CPR until help arrives
B. Continue CPR until the AED arrives or help takes over
C. Leave the scene
D. Check the phone for further instructions

9. How should Brianna position Sarita when giving back blows?

A. Standing upright
B. On the ground
C. Bent forward at the waist with her upper body parallel to the ground
D. Sitting relaxed in a chair

10. What is the technique for performing CPR on an infant?

A. Use one hand for compressions
B. Use the heel of one hand
C. Use two fingers in the center of the chest
D. Use a fist in the center of the chest

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. A
5. C
6. C
7. B
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. While waiting for a tourniquet, what is the best action for someone with life-threatening bleeding from their arm?

A. Apply direct pressure

B. Elevate the arm

C. Apply ice to the wound

D. Use a dressing to cover the wound

Applying direct pressure is the best action for someone experiencing life-threatening bleeding from their arm. This technique is effective because it helps to reduce blood flow from the wound by compressing the blood vessels and promoting clot formation. Direct pressure should be applied firmly and steadily to the site of the bleeding. It is crucial to maintain this pressure until a tourniquet can be applied, or until emergency medical services arrive and can take over. In contrast, elevating the arm may assist in reducing blood flow to some extent, but it is less effective than direct pressure alone, especially in a severe bleeding situation. Applying ice can help with swelling and pain during other types of injuries, but it does not effectively control active bleeding. Using a dressing to cover the wound might be a component of care, but if it is not accompanied by direct pressure, it won't be sufficient to stop the bleeding. Therefore, direct pressure remains the priority action in managing life-threatening bleeding.

2. What is important to determine before giving sugar by mouth to a person experiencing a diabetic emergency? Select 3 answers.

A. Make sure the person is awake.

B. Make sure the person can follow simple commands.

C. Make sure the person can chew and swallow.

D. Make sure the person has eaten recently.

It is essential to ensure the person is awake before administering sugar by mouth during a diabetic emergency. If the individual is not fully conscious or alert, there is a risk they could choke or aspirate the sugar, leading to further complications. The ability to respond and maintain awareness is crucial in safely providing oral glucose or sugary substances. In these situations, it's also important to consider whether the person can follow simple commands and whether they can chew and swallow effectively, as these factors also contribute to the safe administration of oral glucose. Additionally, knowing whether the person has eaten recently can provide context on their blood sugar levels and the urgency of the situation, but it is less directly related to the immediate safety of giving sugar. Overall, ensuring the person is awake is the primary factor in determining if they can safely receive oral glucose.

SAMPLE

3. What should be the first action taken in case of a severe allergic reaction?

A. Administer CPR

B. Call 9-1-1

C. Use the person's epinephrine auto-injector if available

D. Provide oral antihistamines

In the event of a severe allergic reaction, commonly known as anaphylaxis, the most critical and immediate action is to use the person's epinephrine auto-injector if one is available. Epinephrine is a life-saving medication that rapidly counteracts the severe symptoms of anaphylaxis, including swelling, difficulty breathing, and a drop in blood pressure. By administering the auto-injector as soon as possible, you help stabilize the individual's condition and prevent further progression of the allergy attack. Using the auto-injector quickly is essential, as the effects of anaphylaxis can develop rapidly and become life-threatening within minutes. While calling emergency services is also an important step that follows the administration of epinephrine, immediate treatment with an auto-injector is crucial for reversing the severe symptoms. Other options, such as providing oral antihistamines, are not effective in treating anaphylaxis and should not be the first response. CPR is not relevant unless there is no breathing or pulse after the allergic reaction has progressed, which would indicate a different emergency situation.

4. What is the first step you should take when arriving at the scene of an emergency?

A. Check the scene for safety

B. Call 9-1-1

C. Assess the patient

D. Begin providing care

Checking the scene for safety is the crucial first step when arriving at the scene of an emergency. This action ensures that you and any bystanders are not in danger before you attempt to assist the victim. Hazards could include moving traffic, fire, electrical dangers, or aggressive individuals, all of which could jeopardize your safety and the safety of others. By prioritizing safety, you create a secure environment where you can effectively provide care without becoming another victim. Once the scene is assessed for safety and deemed secure, you can then proceed to call for emergency services, assess the patient, or provide care as necessary. Maintaining personal and bystander safety is fundamental to effective emergency response and helps ensure a successful outcome for the victim.

5. What can back blows help achieve when assisting someone who is choking?

A. They can always dislodge the object

B. They may help move the obstruction towards the throat

C. They can help create enough pressure to expel the obstruction

D. They should replace abdominal thrusts

Back blows can help create enough pressure to expel the obstruction lodged in the airway of someone who is choking. When delivering back blows, a series of firm strikes are applied between the shoulder blades, which can increase the pressure in the thoracic cavity and may help dislodge the object blocking the airway. This technique utilizes the force of the blows to encourage expulsion of the obstruction through a sudden surge of air and pressure, aiding in clearing the airway and restoring normal breathing. While back blows can be effective, they do not guarantee the dislodging of the object, and their purpose is not to move the obstruction towards the throat but rather to forcefully push it out of the airway. Additionally, back blows should complement, not replace, abdominal thrusts, which are another critical technique used in choking emergencies.

SAMPLE

6. How often should CPR training be renewed for optimal effectiveness?

A. Every month

B. Every year

C. Every two years

D. Every five years

CPR training should ideally be renewed every two years to ensure that individuals remain proficient in the skills and techniques necessary for effective CPR. This two-year renewal period allows for the retention of critical knowledge, as well as the ability to stay updated on any changes in guidelines or procedures that may arise. The regular refreshment of skills is vital, as it helps maintain confidence and effectiveness in performing CPR during an emergency. Training more frequently, such as monthly or annually, may not be necessary for most individuals, as it could lead to diminishing returns in skill retention. Similarly, longer intervals, such as five years, may result in skill degradation and decreased readiness to respond to cardiac emergencies effectively. Thus, engaging in training every two years strikes a balance between maintaining competence and minimizing the frequency of retraining.

7. What is the primary purpose of abdominal thrusts in choking emergencies?

A. To provide comfort

B. To remove the obstruction from the airway

C. To stimulate breathing

D. To slow down the heart rate

The primary purpose of abdominal thrusts, often referred to as the Heimlich maneuver, is to remove the obstruction from the airway. When someone is choking, their airway is blocked by an object, usually food or a foreign item. Abdominal thrusts create an increase in intra-abdominal pressure that forces air from the lungs upward, which can dislodge the object and allow the person to breathe again. This method is specifically designed to generate a quick, powerful burst of air that can expel the blockage, making it a critical intervention during choking emergencies. Other options, while they address different aspects of health or well-being, do not focus specifically on the immediate lifesaving goal of resolving an airway obstruction. For instance, providing comfort is important but is secondary to the primary goal of clearing the airway. Similarly, stimulating breathing and slowing down the heart rate do not directly address the urgent need to clear an obstructed airway to restore normal breathing.

8. What should a rescuer do after calling for emergency assistance?

A. Stop CPR until help arrives

B. Continue CPR until the AED arrives or help takes over

C. Leave the scene

D. Check the phone for further instructions

Continuing CPR until an Automated External Defibrillator (AED) arrives or until emergency personnel take over is essential because it maximizes the chances of survival for the victim. CPR helps maintain blood flow to vital organs, especially the brain and heart, during cardiac arrest. Stopping CPR can significantly decrease the likelihood of recovery and can lead to irreversible damage due to lack of oxygen. While medical assistance is on the way, it is crucial to remain engaged in the life-saving process. The use of an AED is a critical step in most cases of cardiac arrest, as it can restore normal heart rhythm. Therefore, continuing CPR until an AED is available or until help arrives is the appropriate action to support the victim effectively.

SAMPLE

9. How should Brianna position Sarita when giving back blows?

A. Standing upright

B. On the ground

C. Bent forward at the waist with her upper body parallel to the ground

D. Sitting relaxed in a chair

Brianna should position Sarita bent forward at the waist with her upper body parallel to the ground when delivering back blows. This posture is essential because it allows gravity to assist in dislodging an obstruction from Sarita's airway. When the person is bent forward, any force applied, such as the back blows, has a greater chance of effectively displacing the object blocking the airway. In this position, the back blows should be delivered between the shoulder blades, which targets the area where the obstruction might be dislodged. This technique is specifically designed to help expel foreign objects and can be crucial in emergencies involving choking. The other positions do not facilitate the same effectiveness for this life-saving technique. For example, standing upright may not utilize gravity beneficially in the same way as bending forward does, and being on the ground or positioned in a chair does not provide the necessary tilt for effective back blows.

10. What is the technique for performing CPR on an infant?

A. Use one hand for compressions

B. Use the heel of one hand

C. Use two fingers in the center of the chest

D. Use a fist in the center of the chest

The correct technique for performing CPR on an infant involves using two fingers in the center of the chest. This method is essential because it allows for a more precise and gentle application of compressions on a fragile chest, ensuring that the compressions are effective without causing injury. When performing CPR on an infant, it's important to target the lower half of the breastbone, applying gentle, rhythmic compressions at a rate of about 100 to 120 compressions per minute. The use of two fingers provides the necessary control and minimizes the risk of excessive force, which could potentially harm an infant who has a smaller and more delicate chest compared to older children or adults. Therefore, this technique is specifically designed to be safe and effective for infants, ensuring that care providers can deliver the correct depth and rate of compressions needed to circulate blood and oxygen effectively during a cardiac emergency.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://americanredcross-cpr.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE