TMC RESPIRATORY CARE BOARDS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://tmcrespiratorycareboards.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What characterizes a resonant percussion note?

A. A dull thudding sound

B. A hollow sound, normal

C. A flat sound over atelectasis

D. A booming sound over emphysema

2. What condition is associated with respiratory distress and an increased respiratory rate?

A. Hyperventilation

B. Tachypnea

C. Eupnea

D. Apnea

3. Where should a chest tube be placed on a chest x-ray?

A. In the abdominal cavity

B. Within the thoracic cavity

C. In the pleural space surrounding the lung

D. In the trachea

4. What does a PetCO2 value help to assess in relation to PaCO2?

A. Breath sound clarity

B. Cardiac output

C. Exhaled CO2 detection

D. Oxygen saturation

5. What does a reticulonodular pattern on a chest x-ray indicate?

A. Normal lung function

B. ARDS/IRDS

C. Cancer

D. Pneumonia

6. What is the primary use of an echocardiogram?

A. To evaluate lung function

B. To measure blood flow in vessels

C. To assess cardiac abnormalities

D. To detect pulmonary infections

SAMPLE

7. What does a wide QRS complex on an ECG indicate?

A. Atrial arrhythmia
B. Ventricular arrhythmia
C. Normal cardiac rhythm
D. Sinus bradycardia

8. Which type of ventilator is used during MRI procedures?

A. Electric ventilator
B. Fluidic ventilator
C. Pressure ventilator
D. Portable ventilator

9. What is typically the target range of COHb for non-smokers?

A. 0-2%
B. 2-5%
C. 5-10%
D. 10-15%

10. Which of the following is NOT a cause of tachypnea?

A. Hypoxia
B. Fever
C. Calmness
D. CNS problems

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. B
6. C
7. B
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What characterizes a resonant percussion note?

A. A dull thudding sound

B. A hollow sound, normal

C. A flat sound over atelectasis

D. A booming sound over emphysema

A resonant percussion note is characterized by a hollow sound that is considered normal in healthy lung tissue. This quality reflects the presence of air in the thoracic cavity and indicates that the underlying lung is well-aerated. When percussing the chest, a resonant note indicates that the lung tissue beneath is healthy and functioning properly, as it allows for the sound waves to resonate rather than being muffled or dampened. In contrast, the other options illustrate different pathological conditions. A dull thudding sound suggests fluid or solid masses, indicating potential issues like pleural effusion or consolidation. A flat sound over atelectasis signifies that the lung has collapsed or is filled with fluid, which disrupts normal air-filled lung resonance. A booming sound over emphysema may suggest hyperinflation of the lungs, which can also affect the normal resonance of the percussion note. Thus, the descriptor of a hollow sound aligns well with the characteristics of normal lung tissue, reinforcing that choice as the accurate representation of a resonant percussion note.

2. What condition is associated with respiratory distress and an increased respiratory rate?

A. Hyperventilation

B. Tachypnea

C. Eupnea

D. Apnea

Tachypnea is characterized by an increased respiratory rate, typically defined as a rate greater than 20 breaths per minute in adults. This condition often occurs in response to various physiological demands or pathologies, such as hypoxemia, acidosis, or respiratory distress. In clinical practice, tachypnea is a common vital sign that can indicate the body is attempting to compensate for a lack of adequate oxygenation or the need to remove carbon dioxide efficiently. In contrast, hyperventilation is an increase in both the rate and depth of breathing, which can occur due to anxiety or metabolic disturbances but is not strictly defined by the respiratory rate alone. Eupnea refers to normal, unlabored breathing, which would not indicate distress or an increased rate. Apnea, on the other hand, is the absence of breathing altogether and would suggest a severe respiratory issue rather than an increased respiratory rate. Understanding these distinctions helps in identifying the underlying conditions causing respiratory distress and effectively managing patient care.

SAMPLE

3. Where should a chest tube be placed on a chest x-ray?

A. In the abdominal cavity

B. Within the thoracic cavity

C. In the pleural space surrounding the lung

D. In the trachea

The placement of a chest tube is specifically intended for the pleural space surrounding the lung, making this the most appropriate answer. Chest tubes are used to drain air (in cases of pneumothorax) or fluid (in cases of pleural effusion or hemothorax) from the pleural space, which can alleviate pressure on the lungs and allow for proper ventilation. To visualize the correct placement on a chest x-ray, the chest tube should be positioned between the ribs with the tip ideally terminating in the pleural cavity. This ensures effective drainage and minimizes the risk of further complications. Placement in the abdominal cavity, thoracic cavity without specific mention of the pleural space, or in the trachea would not address the clinical indications for using a chest tube. The abdominal cavity is unrelated to lung issues, and placing a tube in the trachea would not assist in draining the pleural space where problems like fluid accumulation or air need to be addressed. Therefore, the pleural space is the correct location for the effective function of a chest tube as indicated in the question.

4. What does a PetCO2 value help to assess in relation to PaCO2?

A. Breath sound clarity

B. Cardiac output

C. Exhaled CO2 detection

D. Oxygen saturation

The PetCO2 value, which represents the partial pressure of carbon dioxide in exhaled air, is a valuable tool for assessing the effectiveness of ventilation in patients. It provides insight into how well carbon dioxide is being removed from the body during exhalation. By comparing PetCO2 with PaCO2, which is the partial pressure of carbon dioxide in arterial blood, clinicians can evaluate the adequacy of ventilation. When PetCO2 is measured, it reflects the level of carbon dioxide that is actually being exhaled, which can be influenced by factors such as lung function, blood flow, and the patient's overall respiratory status. A consistent relationship is expected between the two values under normal conditions, allowing clinicians to infer the arterial CO2 levels based on the exhaled CO2 measurements. In clinical practice, discrepancies between PetCO2 and PaCO2 can indicate issues such as poor perfusion, airway obstructions, or changes in lung mechanics. This makes the assessment of exhaled CO2 crucial for monitoring ventilation and ensuring that carbon dioxide is being effectively eliminated from the body. Thus, the correct answer highlights the significance of PetCO2 in detecting exhaled CO2 as a means to adapt patient management based on respiratory function.

SAMPLE

5. What does a reticulonodular pattern on a chest x-ray indicate?

A. Normal lung function

B. ARDS/IRDS

C. Cancer

D. Pneumonia

A reticulonodular pattern on a chest X-ray indicates the presence of both reticular (or line-like) and nodular (or rounded) opacities in the lung fields. This pattern is often associated with conditions that affect the interstitial lung tissue. In the context of Acute Respiratory Distress Syndrome (ARDS) or Infant Respiratory Distress Syndrome (IRDS), this pattern reflects the diffuse alveolar damage and interstitial edema that occur in these conditions. Both ARDS and IRDS lead to inflammation and fluid accumulation in the alveoli and interstitium, which can manifest on an X-ray as a reticulonodular pattern. This finding is significant for clinicians, as it helps differentiate ARDS/IRDS from other pathologies. In contrast, a normal lung function would not present any abnormal patterns on a chest X-ray, and cancer typically produces mass-like lesions or other distinctive patterns that differ from reticulonodular changes. Pneumonia can show consolidation or infiltrative patterns rather than the reticular and nodular pattern seen with interstitial lung diseases. Thus, the association of a reticulonodular pattern with ARDS or IRDS makes this answer the most appropriate.

6. What is the primary use of an echocardiogram?

A. To evaluate lung function

B. To measure blood flow in vessels

C. To assess cardiac abnormalities

D. To detect pulmonary infections

The primary use of an echocardiogram is to assess cardiac abnormalities. This non-invasive diagnostic imaging technique utilizes ultrasound waves to create images of the heart's structure and function. By doing so, it allows healthcare providers to evaluate the size, shape, and motion of the heart, identify any abnormal heart valves, measure the heart's chamber volumes, and observe blood flow through the heart. This information is critical for diagnosing various cardiac conditions, such as heart valve disease, cardiomyopathy, heart defects, and other structural abnormalities. Other options, while related to different areas of health care, do not pertain to the specific capabilities of echocardiograms. For example, evaluating lung function typically involves pulmonary function tests rather than echocardiography. Measuring blood flow in vessels is usually assessed through other techniques like Doppler ultrasound. Detecting pulmonary infections would involve chest imaging or other specific tests directed at the lungs, not echocardiography, which focuses solely on cardiac structures.

7. What does a wide QRS complex on an ECG indicate?

A. Atrial arrhythmia

B. Ventricular arrhythmia

C. Normal cardiac rhythm

D. Sinus bradycardia

A wide QRS complex on an ECG indicates that there is a delay in the ventricular conduction system, which can often point to a ventricular arrhythmia. The QRS complex represents the electrical activity as it spreads through the ventricles and, when it is wider than normal (typically greater than 0.12 seconds), it suggests that the ventricles are depolarizing in a slower manner than usual. This phenomenon can be seen in various conditions, such as bundle branch block, ventricular ectopic beats, or in the presence of a ventricular tachycardia. Identifying a wide QRS complex is crucial, as it can significantly affect the management of a patient's arrhythmia and overall cardiac status. Understanding this characteristic helps healthcare professionals make appropriate clinical decisions regarding further evaluations and interventions.

SAMPLE

8. Which type of ventilator is used during MRI procedures?

A. Electric ventilator

B. Fluidic ventilator

C. Pressure ventilator

D. Portable ventilator

During MRI procedures, a fluidic ventilator is utilized primarily because it does not contain any metal components, which makes it safe for the magnetic environment inside an MRI machine. MRI machines operate with very strong magnetic fields and radio waves, and conventional electric ventilators often contain metal elements or electromagnetic parts that could interfere with the MRI's operation or be damaged by the magnetic fields. Fluidic ventilators work on the principles of fluid dynamics, using air flow and pressure changes to deliver breaths without the need for electrical components that might pose safety risks or operational issues in an MRI suite. This makes them particularly suitable for maintaining patient ventilation during imaging procedures, ensuring patient safety and comfort without compromising the function of the MRI equipment. Other types of ventilators, like electric or pressure ventilators, may not be designed for the MRI environment, making them unsuitable choices for use during such procedures.

9. What is typically the target range of COHb for non-smokers?

A. 0-2%

B. 2-5%

C. 5-10%

D. 10-15%

The target range of carboxyhemoglobin (COHb) for non-smokers is typically 0-2%. This low level reflects the fact that non-smokers are not exposed to carbon monoxide (CO) from cigarette smoke or other sources, thus their COHb levels are maintained at a minimal baseline. In clinical practice, monitoring COHb levels is essential, especially in distinguishing between smokers and non-smokers and assessing potential CO exposure. A COHb level within the range of 0-2% indicates a healthy baseline with no significant exposure to carbon monoxide, which is important for evaluating respiratory and cardiovascular health. Higher COHb levels seen in other ranges, such as 2-5%, 5-10%, or 10-15%, would indicate either low-level exposure to carbon monoxide, concerns of smoke inhalation, or more serious carbon monoxide poisoning situations, which are not characteristic of the general population of non-smokers. Therefore, understanding the normal baseline level of COHb helps in assessing health status and potential risks related to carbon monoxide exposure.

10. Which of the following is NOT a cause of tachypnea?

A. Hypoxia

B. Fever

C. Calmness

D. CNS problems

Tachypnea, defined as an increased respiratory rate, can be influenced by a variety of physiological and pathological factors. In this case, the option indicating "calmness" is the correct choice because calmness is generally associated with a lower respiratory rate rather than an increased one. An individual who is calm tends to have a relaxed state, leading to a more stable and slower breathing pattern. In contrast, hypoxia typically results in an increased respiratory rate as the body attempts to bring in more oxygen to compensate for lower oxygen levels in the blood. Fever raises the metabolic rate and can lead to tachypnea as the body tries to cool itself down and manage increased demands for oxygen. CNS (central nervous system) problems can also lead to alterations in breathing patterns, including hyperventilation and increased respiratory rates due to various conditions affecting the brain. Therefore, calmness stands out as the only option that does not contribute to the increase in respiratory rate, making it the correct choice for this question regarding causes of tachypnea.

EXAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://tmcrespiratorycareboards.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE