TRANSPORT CANADA COMMERCIAL HELICOPTER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
transportcanadacommercialhelicopter.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the result of reduced rotor efficiency at high density altitudes?

A. Higher fuel efficiency

B. Increased maneuverability

C. Longer takeoff distances

D. Lower engine temperature

2. What type of navigation aids do helicopters primarily use?

A. GPS and radar systems

B. GPS and VOR (VHF Omnidirectional Range) navigation aids

C. Inertial navigation systems (INS) only

D. Satellite communication systems

3. What does "ATC" stand for?

A. Aeronautical Takeoff Control

B. Air Transport Command

C. Air Traffic Control

D. Aviation Training Center

4. You are on the 265 degree radial. To intercept the 330 degree radial at a 90 degree angle, what should you set the OBS to?

A. 330 obs, 060 magnetic heading

B. 150 obs, 060 magnetic heading

C. 090 obs, 260 magnetic heading

D. 270 obs, 180 magnetic heading

5. What is the standard lapse rate?

A. Inversion

B. Adiabatic change

C. Decrease in temperature with altitude

D. Increase in temperature with altitude

SAMPLE

6. What is the consequence of ignoring the risks identified in a risk assessment?

A. Increased likelihood of accidents

B. Improved flight efficiency

C. Enhanced pilot confidence

D. Reduced fuel costs

7. In the standard pressure region, what should you set your altimeter to?

A. Airport elevation

B. 29.92" Hg

C. The nearest FSS

D. The nearest airport en route

8. What should crew members be aware of during a flight?

A. Passenger preferences

B. Changes in aircraft weight

C. Flying conditions and safety

D. Flight routine and schedules

9. Which scenario is most likely to cause the onset of Vortex Ring State?

A. Zero airspeed and power on, descent rate of 200 FPM

B. Low airspeed during autorotation, descent rate lower than 30 FPM

C. Zero airspeed and power on, descent rate of greater than 400 FPM

D. Low airspeed and power on descent rate of 300 FPM

10. When must a pilot transition from VFR to IFR conditions?

A. When below VFR minimums.

B. When above cloud layers.

C. When night falls.

D. When flying over water.

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. C
6. A
7. B
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What is the result of reduced rotor efficiency at high density altitudes?

A. Higher fuel efficiency

B. Increased maneuverability

C. Longer takeoff distances

D. Lower engine temperature

Reduced rotor efficiency at high density altitudes results in longer takeoff distances due to the decreased lift generated by the rotor system. At higher elevations, the air density is lower, which directly impacts the rotor blades' ability to generate sufficient lift. As a result, helicopters require a longer distance to reach the speed necessary for effective lifting off the ground. In addition to this, the overall performance of the aircraft is affected, leading to potential limitations in weight carrying capacity and an increase in power requirements, which all contribute to the extended distances needed for takeoff. The other options do not accurately represent the consequences of reduced rotor efficiency; for example, higher fuel efficiency or increased maneuverability are often not achievable under conditions of decreased rotor performance, and lower engine temperature is not a direct result of this aerodynamic change.

2. What type of navigation aids do helicopters primarily use?

A. GPS and radar systems

B. GPS and VOR (VHF Omnidirectional Range) navigation aids

C. Inertial navigation systems (INS) only

D. Satellite communication systems

The correct answer is GPS and VOR (VHF Omnidirectional Range) navigation aids, which are essential for helicopter navigation. GPS provides precise positioning, allowing pilots to determine their exact location anywhere on Earth. It is especially important in navigation, as it enables route planning and real-time updates on the helicopter's position, crucial for safe operations, particularly in low visibility conditions. VOR, on the other hand, is a type of radio navigation system that helps pilots determine their position relative to the navigation aid. VOR stations transmit signals that allow pilots to use their aircraft's navigation equipment to navigate along specific radial courses leading to or from the station. This reliability makes VOR a practical tool for helicopters, especially when flying within controlled airspace or near airports. In contrast, while GPS and radar systems can be utilized together for enhanced navigation and situational awareness, radar is typically more relevant in air traffic control and surveillance than for helicopter navigation itself. Inertial navigation systems (INS) are sophisticated technologies that can be used, but they are less common in helicopters compared to GPS and VOR due to complexity and cost. Satellite communication systems are vital for maintaining contact and relaying information but do not directly assist in navigation. Thus, the combination of GPS

SAMPLE

3. What does "ATC" stand for?

A. Aeronautical Takeoff Control

B. Air Transport Command

C. Air Traffic Control

D. Aviation Training Center

"ATC" stands for Air Traffic Control, which is a crucial component of the aviation system responsible for the safe and efficient movement of aircraft both in the air and on the ground. ATC provides instructions, information, and safety coordination for pilots, ensuring that aircraft maintain safe separation distances and adhere to flight paths and procedures. This service is essential for managing the complexities of air traffic, particularly in busy airspace and around airports. While the other options may refer to various aspects of aviation, such as commands or training centers, none relate directly to the function that ATC provides in facilitating flight safety and efficiency. Therefore, understanding the role of Air Traffic Control is fundamental for anyone involved in aviation, especially for commercial helicopter operations, where communication with ATC is vital for navigating through controlled airspace and during flight operations.

4. You are on the 265 degree radial. To intercept the 330 degree radial at a 90 degree angle, what should you set the OBS to?

A. 330 obs, 060 magnetic heading

B. 150 obs, 060 magnetic heading

C. 090 obs, 260 magnetic heading

D. 270 obs, 180 magnetic heading

When tasked with intercepting a radial at a right angle, it's essential to consider your current position relative to the navigation aid from which the radial emanates. In this situation, you are currently on the 265-degree radial and are aiming to intercept the 330-degree radial at a 90-degree angle. To accomplish this, you first need to calculate the appropriate course to set on the Omnibearing Selector (OBS). The desired radial is 330 degrees. To intercept this radial at a right angle, you will need to establish a heading that is perpendicular to it. When you are currently on the 265-degree radial and want to move to the 330-degree radial, the difference between them is 65 degrees. To intercept at a right angle, you would turn to a heading that is 90 degrees to your current position. In this case, turning toward 150 degrees (which is essentially 90 degrees to the left of the 240 degrees heading towards the VOR) allows for a proper intercept. Setting your OBS to 150 ensures that you are set to receive signals that lead you toward 330 when you make your turn. Thus, by selecting 150 degrees on the OBS, you are aligning your navigation approach correctly to achieve

5. What is the standard lapse rate?

A. Inversion

B. Adiabatic change

C. Decrease in temperature with altitude

D. Increase in temperature with altitude

The standard lapse rate is defined as the rate at which temperature decreases with an increase in altitude in the atmosphere. Under typical conditions, as one ascends through the atmosphere, the temperature generally drops at an average rate of about 6.5 degrees Celsius for every 1,000 meters gained in elevation. This cooling with altitude is crucial for understanding various meteorological and aviation phenomena, as well as planning flight operations and routes. In contrast, inversion refers to a situation where the temperature increases with altitude, which is the opposite of the lapse rate. Adiabatic change relates to temperature changes in a moving air parcel without heat exchange, which while related to altitude, does not define the standard lapse rate itself. Finally, an increase in temperature with altitude, as mentioned, contradicts the definition of the standard lapse rate. Therefore, the correct interpretation of the standard lapse rate is the decrease in temperature with altitude.

SAMPLE

6. What is the consequence of ignoring the risks identified in a risk assessment?

A. Increased likelihood of accidents

B. Improved flight efficiency

C. Enhanced pilot confidence

D. Reduced fuel costs

Ignoring the risks identified in a risk assessment leads to an increased likelihood of accidents. A risk assessment is a crucial step in ensuring safety during helicopter operations, as it identifies potential hazards that could affect the safety of the flight. When these risks are not addressed, they remain unmitigated, allowing for the possibility of incidents occurring due to unforeseen or unmanaged factors. Failure to acknowledge and act on the risks can result in critical situations that jeopardize the safety of both the crew and the passengers. This aspect underscores the importance of implementing risk management strategies, which include developing procedures to minimize or eliminate identified risks. By proactively addressing concerns, operators can significantly enhance safety and reduce the occurrence of accidents.

7. In the standard pressure region, what should you set your altimeter to?

A. Airport elevation

B. 29.92" Hg

C. The nearest FSS

D. The nearest airport en route

In the standard pressure region, the correct procedure is to set your altimeter to 29.92 inches of mercury (Hg). This value represents the standard atmospheric pressure at sea level, which allows pilots to ensure consistent altimeter readings across different aircraft and locations. When all aircraft in the standard pressure region set their altimeters to this value, it creates a uniform reference, which is critical for maintaining safe vertical separation between aircraft. Setting the altimeter to 29.92 inches of mercury is particularly important when flying at higher altitudes or transitioning from a lower pressure area, as it helps pilots navigate safely through the airspace without the discrepancies that might arise from local altimeter settings based on varying atmospheric conditions. In contrast, setting the altimeter to airport elevation would not be appropriate in the standard pressure region since airport elevations are specific to individual locations and can differ significantly from one area to another, leading to potential altitude misinterpretations. Similarly, referencing the nearest Flight Service Station (FSS) or the nearest airport en route would not provide the standardization needed for setting altimeters in this context. These options may be relevant in specific situations but do not apply when standard pressure is in effect.

SAMPLE

8. What should crew members be aware of during a flight?

A. Passenger preferences

B. Changes in aircraft weight

C. Flying conditions and safety

D. Flight routine and schedules

During a flight, crew members must be acutely aware of flying conditions and safety due to the critical role these factors play in ensuring the safety of the aircraft, passengers, and crew. Flying conditions encompass a variety of elements such as weather, turbulence, and air traffic, all of which can significantly impact the aircraft's performance and flight safety. For example, adverse weather conditions like storms or low visibility can necessitate changes in flight plans or procedures to maintain safety. Additionally, the safety protocols that must be adhered to are paramount. This includes being vigilant about any potential hazards and having the ability to respond promptly should circumstances change unexpectedly. Together, an understanding of these flying conditions and adherence to safety measures not only enhance operational efficacy but also ensure compliance with regulatory requirements and best practices in aviation safety. This focus on safety and situational awareness is a fundamental component of flight operations, which ultimately contributes to successful mission outcomes and the well-being of all on board.

9. Which scenario is most likely to cause the onset of Vortex Ring State?

A. Zero airspeed and power on, descent rate of 200 FPM

B. Low airspeed during autorotation, descent rate lower than 30 FPM

C. Zero airspeed and power on, descent rate of greater than 400 FPM

D. Low airspeed and power on descent rate of 300 FPM

Vortex Ring State, also known as "settling with power," occurs when a helicopter descends into its own rotor wash, leading to an unstable flight condition. The correct scenario that most likely causes the onset of Vortex Ring State involves a combination of zero forward airspeed, significant descent rate, and the application of power. In the chosen scenario, the helicopter experiences zero airspeed with power applied and is descending at a rate greater than 400 feet per minute. This scenario is particularly prone to Vortex Ring State because the helicopter is not moving forward, which means the rotor system is not generating effective lift relative to the airflow, but rather descending rapidly. The high descent rate induces the rotor blades into their own downwash, creating vortices that can further disrupt the airflow over the rotor system. When these conditions occur, the helicopter can quickly lose lift, leading to a potential loss of control. In contrast, the other scenarios present either lower descent rates or insufficient descent conditions that do not facilitate the same buildup of vortices in the rotor wash, thus reducing the likelihood of entering Vortex Ring State. Scenarios with lower descent rates or slight forward speed are less likely to produce the same critical conditions necessary for the onset of this dangerous state.

SAMPLE

10. When must a pilot transition from VFR to IFR conditions?

A. When below VFR minimums.

B. When above cloud layers.

C. When night falls.

D. When flying over water.

The requirement for a pilot to transition from Visual Flight Rules (VFR) to Instrument Flight Rules (IFR) conditions is fundamentally connected to the ability to maintain visual reference for navigation and control. When a pilot is operating below VFR minimums, they no longer have sufficient visual references to safely navigate and control the aircraft. VFR minimums are established minimum visibility and cloud clearance criteria that allow pilots to fly based on visual cues. When a pilot is unable to maintain these minimums, the safe transition to IFR is necessary to ensure the aircraft's safety. IFR relies on instruments and air traffic control guidance, which is crucial when visibility is poor or when flying through cloud layers where visual references are obscured. The other scenarios, such as being above cloud layers, flying at night, or flying over water, do not inherently activate a requirement to transition to IFR conditions since it depends on specific visibility and cloud conditions rather than the time of day or geographical location. Therefore, operating below VFR minimums is the clear trigger for requiring that transition to ensure safety in navigation and operation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://transportcanadacommercialhelicopter.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE