TSA PHARMACY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://tsapharmacy.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What type of personal protective equipment is a NAS respirator classified as?

A. Hearing protection

B. Breathing protection

C. Eye protection

D. Body protection

2. A drug has a dosage of 5 mg/kg body weight. What would be the dose for a man weighing 234 lb?

A. 532 mg

B. 450 mg

C. 600 mg

D. 350 mg

3. What does the suffix -itis signify in medical terminology?

A. Pain

B. Infection

C. Inflammation

D. Growth

4. What does the abbreviation "STAT" mean on a prescription?

A. To wait until the next scheduled dose

B. To administer at a specific time

C. To dispense and administer immediately

D. To give the medication with food

5. What is the proper technique for cleaning a laminar flow hood?

A. Side-to-side, away from the HEPA filter

B. Back to front, away from the HEPA filter

C. Top to bottom, toward the HEPA filter

D. Circular motion around the HEPA filter

SAMPLE

6. Cortisporin drops are indicated for which type of administration?

A. Otic administration
B. Ophthalmic administration
C. Nasal administration
D. Intravenous administration

7. What is the name of the government plan that covers military patients?

A. Medicaid
B. Tricare
C. Medicare
D. CHIP

8. What does a 'black box warning' on a medication indicate?

A. Availability only in specialty pharmacies
B. Indicates the medication has gold standard efficacy
C. Highlights serious or life-threatening risks associated with the medication
D. Specific instructions for storage of the medication

9. What does the abbreviation 'PC' stand for in relation to medication administration?

A. After meals
B. Before meals
C. As needed
D. By mouth

10. What is one role of a pharmacy technician during clinical trials?

A. Dispensing prescribed medications to patients
B. Data collection and medication preparation
C. Conducting patient interviews
D. Coordinating with insurance companies

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. C
5. B
6. A
7. B
8. C
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What type of personal protective equipment is a NAS respirator classified as?

A. Hearing protection

B. Breathing protection

C. Eye protection

D. Body protection

A NAS respirator is classified as breathing protection because its primary function is to filter the air that the wearer breathes. This type of personal protective equipment is designed to safeguard against inhaling harmful airborne substances, such as dust, fumes, chemicals, or infectious agents. By providing a secure fit and an effective filtration system, the respirator protects the respiratory system, ensuring that the air reaching the lungs is safe to breathe. This classification is distinct from other types of personal protective equipment, such as hearing protection, which focuses on preventing damage to the auditory system, eye protection, which shields the eyes from hazardous materials or impacts, and body protection, which encompasses protective clothing to shield against cuts, chemicals, or other physical hazards. Understanding the specific function of each type of personal protective equipment helps ensure proper selection and use in various healthcare and industrial environments.

2. A drug has a dosage of 5 mg/kg body weight. What would be the dose for a man weighing 234 lb?

A. 532 mg

B. 450 mg

C. 600 mg

D. 350 mg

To calculate the appropriate dosage of a drug based on a patient's weight, first, it is necessary to convert the patient's weight from pounds to kilograms since the dosage is given in mg/kg. The conversion factor is that 1 kilogram equals approximately 2.20462 pounds. For a man weighing 234 pounds, the conversion to kilograms can be done using the formula: Weight in kg = Weight in lb / 2.20462 Calculating this gives: Weight in kg = 234 lb / 2.20462 ≈ 106.5 kg Next, to determine the dosage, multiply the weight in kilograms by the drug dosage (5 mg/kg): Dosage (mg) = Weight in kg × Dosage rate Dosage (mg) = 106.5 kg × 5 mg/kg = 532.5 mg Therefore, when rounding to a whole number, the dose would be approximately 532 mg. This aligns with the answer provided, confirming that 532 mg is the correct calculated dose for a man weighing 234 lb. This calculation ensures that the drug is administered safely and effectively according to the guidelines specified in the dosing regimen.

3. What does the suffix -itis signify in medical terminology?

A. Pain

B. Infection

C. Inflammation

D. Growth

The suffix -itis is derived from Greek, where it specifically indicates inflammation in a particular tissue or organ. This is a crucial term in medical terminology as it helps categorize various diseases and conditions related to inflammatory processes. For example, conditions such as arthritis (inflammation of joints), dermatitis (inflammation of the skin), and sinusitis (inflammation of the sinus cavities) all utilize this suffix to denote inflammation as a key component of the disease. Thus, recognizing -itis as signifying inflammation allows healthcare professionals to communicate effectively about conditions that involve this response in the body.

SAMPLE

4. What does the abbreviation “STAT” mean on a prescription?

A. To wait until the next scheduled dose

B. To administer at a specific time

C. To dispense and administer immediately

D. To give the medication with food

The abbreviation "STAT" on a prescription signifies that the medication should be dispensed and administered immediately. This term is derived from the Latin word "statim," meaning "immediately" or "at once." In clinical settings, when a healthcare provider uses "STAT," it indicates urgency and the need for prompt action to address a patient's condition, making it essential for the pharmacy and medical team to prioritize that medication over others that may not be as time-sensitive. This is particularly critical in emergency situations where timely administration of medication can significantly impact the patient's outcome. Other interpretations of the abbreviation do not convey the same level of urgency or immediacy, which is why they do not accurately reflect the intent behind "STAT."

5. What is the proper technique for cleaning a laminar flow hood?

A. Side-to-side, away from the HEPA filter

B. Back to front, away from the HEPA filter

C. Top to bottom, toward the HEPA filter

D. Circular motion around the HEPA filter

Cleaning a laminar flow hood is crucial for maintaining a sterile environment in a pharmacy setting. The correct technique involves working from back to front while directing any contaminants away from the HEPA filter. This method helps ensure that any particles or debris are pushed away from the critical area where compounding occurs, minimizing the risk of contamination. When cleaning from back to front, the airflow created by the laminar flow hood's HEPA filter is utilized effectively. The HEPA filter generates a unidirectional air flow meant to sweep potential contaminants away from the work surface and towards the filter, thus maintaining the sterility of the workspace. By cleaning in this direction, an effective barrier is created against contamination that could compromise sterile preparations. The other techniques listed would not achieve this level of safety and efficiency. For example, cleaning side-to-side could disturb the airflow pattern, potentially drawing contaminants across the work surface rather than maintaining the intended airflow. Cleaning top to bottom toward the HEPA filter might push debris towards the filter, which is undesirable. Similarly, using a circular motion around the HEPA filter could also disrupt the laminar airflow and lead to contamination. Understanding the importance of the proper cleaning technique promotes safe and effective practices in pharmacy compounding, reinforcing the role of the

6. Cortisporin drops are indicated for which type of administration?

A. Otic administration

B. Ophthalmic administration

C. Nasal administration

D. Intravenous administration

Cortisporin drops are specifically formulated for otic administration, which means they are intended for use in the ear. This formulation is utilized to treat ear infections, particularly those caused by bacteria or fungi. Otic preparations, like Cortisporin, typically contain a combination of an antibiotic and a corticosteroid to help alleviate pain and reduce inflammation in the ear canal. The composition and pH of these drops are tailored to be effective and safe for the sensitive tissues in the ear. Other routes of administration mentioned, such as ophthalmic, nasal, or intravenous, involve different preparations and formulations that are not suitable or effective for treating ear conditions. Therefore, understanding the specific use and preparation of Cortisporin is crucial for its effectiveness in treating infections of the ear.

SAMPLE

7. What is the name of the government plan that covers military patients?

A. Medicaid

B. Tricare

C. Medicare

D. CHIP

The government plan that specifically covers military patients is Tricare. This health care program is designed to provide comprehensive medical coverage for active duty service members, retirees, and their families in the United States military. Tricare offers various plans and options tailored to meet the unique needs of military personnel, including coverage for hospital visits, medications, preventive services, and more. Medicaid, Medicare, and CHIP are other health coverage programs, but each serves different populations. Medicaid is aimed at low-income individuals and families, Medicare is primarily for seniors aged 65 and older or for individuals with certain disabilities, and CHIP is designed for families with children who need health insurance but earn too much to qualify for Medicaid. Understanding the specific patient populations and services provided by each program clarifies the distinction and highlights why Tricare is the correct answer for military patients.

8. What does a 'black box warning' on a medication indicate?

A. Availability only in specialty pharmacies

B. Indicates the medication has gold standard efficacy

C. Highlights serious or life-threatening risks associated with the medication

D. Specific instructions for storage of the medication

A 'black box warning' on a medication signifies that the drug carries serious or life-threatening risks that patients and healthcare providers need to be aware of before use. This warning is the most stringent type of warning issued by the FDA and is presented prominently in a black box on the medication's label or package insert. It serves to alert practitioners to the potential dangers associated with the medication, encouraging them to weigh the risks and benefits carefully while considering treatment options. For instance, certain medications may have risks of severe side effects like cardiovascular events, liver failure, or other critical adverse reactions, and the black box warning emphasizes the need for caution. It's a critical part of the communication strategy to ensure that patients receive safer care by being informed about significant health risks tied to the use of specific medications.

9. What does the abbreviation 'PC' stand for in relation to medication administration?

A. After meals

B. Before meals

C. As needed

D. By mouth

The abbreviation 'PC' stands for "after meals" in the context of medication administration. This term is derived from the Latin phrase "post cibum," which translates to "after eating." In practice, when a medication is prescribed to be taken PC, it indicates to the patient that they should take their medication following a meal. This can be important for various reasons, such as enhancing the absorption of the medication, minimizing gastrointestinal irritation, or ensuring that the drug takes effect at the most appropriate time relative to food intake. Understanding these terms and their implications helps ensure proper medication management and patient adherence to prescribed therapies.

SAMPLE

10. What is one role of a pharmacy technician during clinical trials?

A. Dispensing prescribed medications to patients

B. Data collection and medication preparation

C. Conducting patient interviews

D. Coordinating with insurance companies

In the context of clinical trials, pharmacy technicians play a crucial role in ensuring that the study is conducted effectively and safely. One important function they fulfill is data collection and medication preparation. This involves preparing the investigational medications that will be used in the trial and ensuring they are accurately labeled and dispensed. Data collection is also essential, as technicians may be responsible for collecting information related to patient outcomes, adverse effects, and drug administration protocols. Their meticulous attention to detail helps maintain the integrity of the trial data and ensures compliance with regulatory standards. By assisting in these areas, pharmacy technicians contribute significantly to the success of clinical trials. This choice highlights the multifaceted responsibilities that pharmacy technicians hold in a clinical setting, demonstrating their important support role in research and patient safety.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://tsapharmacy.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE