TWU PHARMACOLOGY EXAM 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://twupharmacology1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which is a regulatory function of the kidneys?

A. Fluid balance

B. Renin production

C. Metabolic waste removed

D. Erythropoietin production

2. Acetazolamide's mechanism involves inhibition of which enzyme?

A. Inhibits Na/K ATPase

B. Inhibits carbonic anhydrase

C. Increases gastric acid secretion

D. Inhibits loop Na/K/Cl transporter

3. Which patient condition is a contraindication for 5-HT3 receptor antagonists due to risk of fatal dysrhythmias?

A. Long QT syndrome

B. Hypertension

C. Asthma

D. Diabetes

4. Elderly patients may need _____ of a drug due to higher fat and reduced liver/kidney function.

A. less

B. more

C. equal

D. variable

5. A common indication for laxatives includes which of the following?

A. To reduce painful defecation

B. To treat dehydration

C. To manage hypertension

D. To increase appetite

SAMPLE

6. Which is a cause of diarrhea?

A. Infections, toxins and pathogen

B. Genetic factors

C. Autoimmune disorders

D. Dietary indiscretion

7. A basic drug is best absorbed in which environment and in what form?

A. Absorbed in acidic environment; lipid soluble and non-ionized

B. Absorbed in basic environment; lipid insoluble and ionized

C. Absorbed in basic environment; lipid soluble and non-ionized

D. Absorbed in basic environment; not lipid soluble and ionized

8. Which route is considered enteral?

A. Intravenous injection

B. Oral administration

C. Inhalation

D. Subcutaneous injection

9. Which statement best describes first-pass metabolism?

A. It is a barrier in which drugs are partially metabolized in the stomach and liver before reaching systemic circulation.

B. It occurs only for intravenous drugs.

C. It increases the amount of active drug reaching systemic circulation after oral administration.

D. It has no impact on dose requirements.

10. Under the 2010 Patient Protection and Affordable Care Act, how long before generics can enter after a drug's patent is secured?

A. 7 years

B. 12 years

C. 20 years

D. No patent protection

SAMPLE

Answers

SAMPLE

1. A
2. B
3. A
4. A
5. A
6. A
7. D
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Which is a regulatory function of the kidneys?

A. Fluid balance

B. Renin production

C. Metabolic waste removed

D. Erythropoietin production

Maintaining fluid balance is the kidneys' primary regulatory role. The kidneys constantly adjust urine volume and concentration to keep the body's extracellular fluid volume, osmolarity, and electrolyte levels within tight limits. This regulation involves mechanisms like water reabsorption under the influence of hormones (for example, antidiuretic hormone) and sodium handling that shape overall blood volume and pressure. While the kidneys also produce regulatory signals—renin (part of the RAAS) and erythropoietin to influence blood pressure and red blood cell production—these are specific hormonal/regulatory outputs rather than the broad, everyday regulatory function addressed by fluid balance. Metabolic waste removal, on the other hand, is primarily an excretory function, not a regulatory one.

2. Acetazolamide's mechanism involves inhibition of which enzyme?

A. Inhibits Na/K ATPase

B. Inhibits carbonic anhydrase

C. Increases gastric acid secretion

D. Inhibits loop Na/K/Cl transporter

The main concept is that acetazolamide inhibits carbonic anhydrase. This enzyme in the proximal tubule normally speeds the reversible hydration of carbon dioxide to bicarbonate and a proton, a step essential for reclaiming filtered bicarbonate. By blocking carbonic anhydrase, acetazolamide reduces bicarbonate reabsorption, leading to bicarbonate loss in the urine with sodium and water, causing a mild metabolic acidosis and making the urine more alkaline. This mechanism explains its diuretic effect and its clinical uses, such as lowering aqueous humor production in glaucoma and helping prevent high-altitude symptoms. It does not inhibit the Na/K ATPase or the loop Na/K/Cl transporter, nor does it increase gastric acid secretion, which is why those options don't fit.

3. Which patient condition is a contraindication for 5-HT3 receptor antagonists due to risk of fatal dysrhythmias?

A. Long QT syndrome

B. Hypertension

C. Asthma

D. Diabetes

This question focuses on the risk of QT interval prolongation with 5-HT3 receptor antagonists and why that risk matters in long QT syndrome. Medications in this class, like ondansetron, can slow cardiac repolarization by affecting potassium channels, which lengthens the QT interval on an ECG. In someone with long QT syndrome, repolarization is already delayed, so adding a QT-prolonging drug raises the risk of torsades de pointes, a potentially fatal ventricular rhythm disturbance. That combination is why long QT syndrome is a contraindication for this drug class. The other conditions listed—hypertension, asthma, and diabetes—do not inherently involve prolonged QT risk and thus don't carry the same contraindication.

SAMPLE

4. Elderly patients may need _____ of a drug due to higher fat and reduced liver/kidney function.

A. less

B. more

C. equal

D. variable

Age-related pharmacokinetic changes affect dosing. In older adults, body fat tends to increase while liver and kidney function decline. Lipophilic drugs distribute more into fat, increasing the volume of distribution and often prolonging the half-life. At the same time, reduced hepatic metabolism and slower renal excretion lower drug clearance. This combination raises the risk of accumulation and toxicity with standard doses, so smaller doses are often necessary and dosing should be individualized and titrated cautiously.

5. A common indication for laxatives includes which of the following?

A. To reduce painful defecation

B. To treat dehydration

C. To manage hypertension

D. To increase appetite

Laxatives are used to relieve constipation by making bowel movements easier to pass. Reducing painful defecation comes from the stool becoming softer and easier to evacuate, which lowers the effort and discomfort associated with bowel movements. That link—easing passage to reduce pain during defecation—is why this option is the best indicator for using laxatives. The other ideas aren't indications: laxatives aren't prescribed to treat dehydration, they aren't meant to manage hypertension, and they don't increase appetite.

6. Which is a cause of diarrhea?

A. Infections, toxins and pathogen

B. Genetic factors

C. Autoimmune disorders

D. Dietary indiscretion

Diarrhea is most often produced when the intestinal lining is disrupted by an infectious agent or a toxin released by microbes. Infections from viruses, bacteria, or parasites can irritate the gut, inflame the mucosa, or alter fluid transport, all of which raise stool water content. Toxins, such as enterotoxins produced by certain bacteria, directly stimulate secretion in the intestines, leading to watery stools. Pathogens themselves can trigger inflammation and rapid transit, contributing to diarrhea. Genetic factors can influence susceptibility but aren't usually the direct cause of diarrhea. Autoimmune disorders can cause diarrhea through inflammation, but they are more specific conditions rather than general causes of diarrhea. Dietary indiscretion can cause diarrhea, especially osmotic diarrhea from incongruent intake, but it's a less universal mechanism than infectious agents and toxins.

SAMPLE

7. A basic drug is best absorbed in which environment and in what form?

A. Absorbed in acidic environment; lipid soluble and non-ionized

B. Absorbed in basic environment; lipid insoluble and ionized

C. Absorbed in basic environment; lipid soluble and non-ionized

D. Absorbed in basic environment; not lipid soluble and ionized

Basic drugs cross membranes best when they are non ionized and lipid soluble. In a basic (alkaline) environment, the drug tends to stay non ionized, so it can dissolve in the lipid membrane and be absorbed well. In acidic environments, bases become protonated (ionized), which makes them water soluble but poorly lipophilic, hindering crossing of the lipid membranes. So the best situation is a basic environment where the drug remains non ionized and lipid soluble, allowing for efficient absorption. The option that describes a basic environment with an ionized form would not support good absorption.

8. Which route is considered enteral?

A. Intravenous injection

B. Oral administration

C. Inhalation

D. Subcutaneous injection

Enteral administration refers to delivering drugs into the gastrointestinal tract. The classic example is swallowing a medicine so it goes through the mouth to the stomach and is absorbed along the GI lining, mainly in the small intestine, with potential first-pass metabolism in the liver. So oral administration is an enteral route. By contrast, injections (intravenous or subcutaneous) and inhalation bypass the GI tract and are not enteral.

9. Which statement best describes first-pass metabolism?

A. It is a barrier in which drugs are partially metabolized in the stomach and liver before reaching systemic circulation.

B. It occurs only for intravenous drugs.

C. It increases the amount of active drug reaching systemic circulation after oral administration.

D. It has no impact on dose requirements.

First-pass metabolism is the process by which a drug is substantially metabolized before it reaches systemic circulation, typically after oral administration. As a drug is absorbed from the gastrointestinal tract, it first passes through the liver via the hepatic portal vein, where enzymes in the liver (and to a lesser extent in the intestinal wall) metabolize a portion of it. This pre-systemic metabolism creates a barrier that reduces the amount of active drug that ultimately enters the bloodstream, lowering bioavailability. The statement reflects this idea by describing metabolism occurring before the drug reaches systemic circulation. While gastric metabolism is usually less significant than hepatic and intestinal metabolism, the core concept is that pre-systemic metabolism decreases the drug reaching the circulation, which is why oral doses may need to be higher or routed differently. The other options are inconsistent with this concept: first-pass is not limited to intravenous drugs, it does not increase systemic exposure, and it does influence dose requirements.

SAMPLE

10. Under the 2010 Patient Protection and Affordable Care Act, how long before generics can enter after a drug's patent is secured?

A. 7 years

B. 12 years

C. 20 years

D. No patent protection

Drug patent protection lasts 20 years from the earliest filing date of the patent. This clock sets when a generic can enter the market, assuming no other barriers. The 2010 health reform did not change this duration. So generics can enter after that 20-year term expires, though other factors like additional patents or regulatory exclusivities can affect the actual timing.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://twupharmacology1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE