UA/EPRI INDUSTRIAL RIGGING CERTIFICATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://uaepriindustrialrigging.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What factor should be considered when planning a lift?

A. Only the weight of the load

B. The combination of load weight, rigging configurations, and site conditions

C. Only the type of rigging equipment used

D. The previous experience of the rigger alone

2. How should rigging operators respond to unexpected emergencies during lifting operations?

A. By improvising based on experience

B. By following the emergency action plan and procedures outlined in the pre-lift checklist

C. By delaying the operation until guidance is received

D. By notifying only the site manager

3. What term describes the distortion that crushes rope fibers, leading to fatigue and rapid wear?

A. Twist

B. Hockle

C. Fray

D. Snag

4. A device sometimes referred to as a come-along or a lugall is known as what?

A. Cable winch hoist

B. Chain hoist

C. Lever hoist

D. Electric winch

5. What type of links is most popular due to their design for use on hooks?

A. Round links

B. Pear-shaped links

C. Square links

D. Flat links

SAMPLE

6. What term describes a rope where the wires in the strands are wound in the same direction as the strands around the core?

A. Lang lay

B. Right lay

C. Left lay

D. Coiled lay

7. Why is load stability important in rigging operations?

A. It helps in completing the lift faster

B. It reduces the risk of accidents and injuries

C. It allows for the use of lighter equipment

D. It ensures compliance with regulations

8. When using two or more chain hoists for drifting loads, the angle of lift should not exceed what degree with the vertical?

A. 15 degrees

B. 30 degrees

C. 45 degrees

D. 60 degrees

9. Blocks are designated as single, double, or triple based on the number of what component?

A. Hooks

B. Sheaves

C. Pulleys

D. Chains

10. How does a snatch block function in rigging?

A. It increases the speed of lifting

B. It is a pulley system that allows for the redirection of force and doubling the lifting capacity

C. It serves as a storage unit for rigging gear

D. It measures the weight of the payload

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. A
5. B
6. A
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What factor should be considered when planning a lift?

A. Only the weight of the load

B. The combination of load weight, rigging configurations, and site conditions

C. Only the type of rigging equipment used

D. The previous experience of the rigger alone

When planning a lift, it's essential to consider the combination of load weight, rigging configurations, and site conditions. Each of these elements plays a crucial role in ensuring a safe and efficient lifting operation. Load weight is fundamental in determining the capacity of the rigging equipment needed, as exceeding the recommended limits can lead to accidents. Rigging configurations are equally important; the way the load is rigged and the angle at which it is lifted can significantly affect stability and balance during the lift. Furthermore, understanding site conditions—such as the surroundings, ground conditions, and overhead obstacles—are vital for planning a safe operation that takes potential hazards into account. By addressing all these factors together, a comprehensive risk assessment can be made, leading to better decision-making and enhanced safety during the lift. This holistic approach is what makes option B the correct choice.

2. How should rigging operators respond to unexpected emergencies during lifting operations?

A. By improvising based on experience

B. By following the emergency action plan and procedures outlined in the pre-lift checklist

C. By delaying the operation until guidance is received

D. By notifying only the site manager

Rigging operators should follow the emergency action plan and procedures outlined in the pre-lift checklist because this approach ensures that all necessary precautions and protocols are already established for handling emergencies. These plans are developed based on industry standards and the specific risks associated with the operation, allowing operators to respond effectively and safely under pressure. Following the pre-established emergency action plan minimizes confusion and promotes safety, as it is designed to cover various scenarios that might occur during lifting operations. This structured response helps coordinate actions among team members and ensures that everyone understands their roles and responsibilities in an emergency. Improvising based on experience can lead to unsafe practices, as situations may vary significantly and past experiences may not adequately prepare operators for the specific emergency at hand. Delaying the operation for guidance can lead to unnecessary risks and potential injuries if a timely response is required. Similarly, notifying only the site manager may create communication breakdowns and fail to address the situation adequately, especially if other team members need to be involved in the response. Following the established procedures promotes a culture of safety and preparedness, allowing for a systematic way to handle unexpected emergencies.

SAMPLE

3. What term describes the distortion that crushes rope fibers, leading to fatigue and rapid wear?

A. Twist

B. Hockle

C. Fray

D. Snag

The term that describes the distortion causing the crushing of rope fibers, which leads to fatigue and rapid wear, is hockle. When a rope sustains a hockle, it means that strands of the rope have become twisted in a way that compresses and damages the fibers. This distortion can create points of weakness and reduce the overall strength and lifespan of the rope. Hockling can occur during improper handling or when a rope is overloaded, making it crucial for users to recognize and address this condition in order to avoid accidents and ensure the safe operation of rigging equipment. In contrast, twist refers to the natural turning of the rope that happens during use but doesn't necessarily indicate damage. Fraying happens when individual fibers begin to wear away but does not specifically relate to the dangerous compression of fibers that hockle does. Snagging refers to an obstruction that catches on a rope, which is unrelated to the internal structural damage that hockling causes. Understanding the impact of these different conditions on rope integrity is vital for maintaining safe rigging practices.

4. A device sometimes referred to as a come-along or a lugall is known as what?

A. Cable winch hoist

B. Chain hoist

C. Lever hoist

D. Electric winch

The device commonly referred to as a come-along or a lugall is best described as a cable winch hoist. This type of hoist operates using a flexible cable that is wound around a drum, allowing for the lifting and pulling of heavy loads. Cable winch hoists are particularly useful for situations where manual labor is not sufficient to move heavy objects, as they provide mechanical advantage to facilitate movement. A come-along is typically operated manually, utilizing a ratchet system to incrementally pull the load closer. It is versatile and can be used in various applications including construction, automotive, and rigging tasks. This understanding of its operation and application is crucial for those working in industrial rigging to ensure safety and efficiency. While other types of hoists, such as chain hoists or lever hoists, also serve the purpose of lifting and moving loads, they employ different mechanisms and have different applications. Chain hoists use links of chain and are often used for vertical lifting, while lever hoists utilize a lever and are typically designed for pulling actions. Electric winches, on the other hand, rely on electric power to operate, differing from the manual operation characteristic of a come-along or cable winch hoist. Recognizing these distinctions

SAMPLE

5. What type of links is most popular due to their design for use on hooks?

A. Round links

B. Pear-shaped links

C. Square links

D. Flat links

Pear-shaped links are highly favored in rigging applications primarily due to their unique design that allows them to efficiently connect to hooks. The pear shape provides a natural self-centering mechanism under load, which helps to distribute weight evenly and minimizes the risk of accidental disconnection. This feature is particularly useful when working with hooks, as it ensures that the link aligns properly with the hook's geometry, enhancing safety and effectiveness during lifting operations. Additionally, pear-shaped links often have a larger cross-sectional area in the load-bearing section, thus increasing their strength and load capacity compared to other shapes. This combination of strength, stability, and compatibility with hooks makes pear-shaped links the preferred choice among riggers. Other types of links might serve specific purposes, but they do not provide the same level of efficiency and safety when utilized with hooks, which can lead to the increased likelihood of failure or accidents during rigging tasks.

6. What term describes a rope where the wires in the strands are wound in the same direction as the strands around the core?

A. Lang lay

B. Right lay

C. Left lay

D. Coiled lay

The term that describes a rope where the wires in the strands are wound in the same direction as the strands around the core is known as "Lang lay." In this configuration, both the strands and the wires are twisted in the same direction, which allows for a more compact and snug fit of the wires within the strands. This design provides added strength and helps minimize the rope's tendency to unravel or deform under load. Lang lay ropes tend to have a more significant surface area in contact with the load, which can enhance friction and grip when the rope is used for lifting or rigging applications. Additionally, this lay configuration can also contribute to the rope's overall flexibility and ability to bend around pulleys or sheaves without damaging the structure of the rope. In contrast, other lay types, such as right lay and left lay, involve wires and strands being twisted in opposite directions, which can impact the performance and handling characteristics of the rope. Therefore, understanding the specific attributes and uses of Lang lay ropes is essential for ensuring appropriate selection and safe practices in industrial rigging scenarios.

SAMPLE

7. Why is load stability important in rigging operations?

A. It helps in completing the lift faster

B. It reduces the risk of accidents and injuries

C. It allows for the use of lighter equipment

D. It ensures compliance with regulations

Load stability is crucial in rigging operations primarily because it significantly reduces the risk of accidents and injuries. When a load is stable, it is less likely to shift, swing, or drop during lifting, which minimizes the chances of the load falling on personnel or equipment. Unstable loads can cause unforeseen movements that may lead to collisions with workers, equipment malfunction, or even catastrophic failures. In maintaining load stability, riggers must ensure proper weight distribution, secure rigging methods, and appropriate equipment use. When a load is well rigged and balanced, it contributes to a safer work environment, allowing operators to focus on the task without excessive worry over the load's behavior. This focus on safety is paramount in rigging, where the potential for injury and damage is significant if stability is overlooked. While other aspects of the operation—such as time efficiency, equipment selection, and regulatory compliance—are also important, they become secondary to the primary goal of ensuring safety through load stability, which ultimately helps prevent accidents and protect life and property.

8. When using two or more chain hoists for drifting loads, the angle of lift should not exceed what degree with the vertical?

A. 15 degrees

B. 30 degrees

C. 45 degrees

D. 60 degrees

In rigging applications, maintaining the proper angle of lift when using multiple hoists is crucial for safety and load stability. The recommended maximum angle of lift should not exceed 30 degrees from the vertical when using two or more chain hoists. This limit is established to ensure that the forces acting on the hoists remain balanced, helping to prevent excessive loads or uneven distribution across the hoists. When the angle exceeds 30 degrees, the risk of tipping or causing excessive strain on the equipment increases significantly, which can lead to equipment failure or accidents. A lower angle of lift (such as 15 degrees) may provide even greater stability, but 30 degrees is the upper limit that balances operational flexibility with safety. Options that suggest angles higher than 30 degrees, like 45 degrees or 60 degrees, increase the likelihood of instability and potential accidents, making them inappropriate for safe rigging practices involving chain hoists.

SAMPLE

9. Blocks are designated as single, double, or triple based on the number of what component?

A. Hooks

B. Sheaves

C. Pulleys

D. Chains

Blocks are classified as single, double, or triple based on the number of sheaves they contain. A sheave is a wheel or disk with a groove around its circumference, through which a rope or wire can run. In the context of rigging and lifting, sheaves are integral to the block's function, enabling the efficient movement and redirection of loads. A single block has one sheave, a double block has two sheaves, and a triple block has three. The arrangement and number of sheaves directly affect the mechanical advantage that can be achieved during lifting operations, which is key for safety and efficiency. A higher number of sheaves allows a greater reduction in the force required to lift a heavy load, making it more manageable for the rigging crew. Understanding this classification is fundamental for anyone involved in rigging, as it directly relates to the capability and configuration of lifting systems.

10. How does a snatch block function in rigging?

A. It increases the speed of lifting

B. It is a pulley system that allows for the redirection of force and doubling the lifting capacity

C. It serves as a storage unit for rigging gear

D. It measures the weight of the payload

A snatch block functions by acting as a pulley system that redirects the force applied to the rigging and effectively doubles the lifting capacity when used correctly. When a cable or rope passes through the snatch block, it changes the direction of the pull, which can greatly assist in maneuvering loads in a controlled manner. This type of block allows for better mechanical advantage, enabling the operator to lift heavier loads with less force, as the system can distribute the load more evenly and efficiently. In practical applications, this capability is essential in rigging scenarios where space is limited, or access to the load is challenging. The design of a snatch block often includes a wheel and side plates that can be opened, allowing for easy installation of the cable or rope without having to remove it from the load. This flexibility enhances the overall functionality of the rigging setup, making snatch blocks integral for safely and effectively moving heavy objects in industrial environments. Other options do not accurately represent the true function and purpose of a snatch block in the rigging process.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://uaepriindustrialrigging.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE