UNION PACIFIC AIR BRAKES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://unionpacificairbrakes.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. When securing a train after a separation, which procedure should be followed first?

A. Notify the train dispatcher

B. Close the angle cock

C. Inspect for leaks

D. Recharge the air brake system

2. What action is required if a team of engineers performs the initial air brake test?

A. The train must be taken out of service

B. Documentation must be completed appropriately

C. The test is automatically void

D. Only the head engineer's report is needed

3. What position must retaining valves remain in?

A. Exhaust Position

B. Closed Position

C. Open Position

D. Neutral Position

4. How can the air brake system be properly vented?

A. By closing the cut-out cock

B. By using a manual pump

C. By opening the bleed valve

D. By increasing the air pressure

5. When must a locomotive consist air brake test be completed?

A. Only after every trip

B. When changing operating ends of a consist

C. Before the first trip of the day

D. After an emergency stop

SAMPLE

6. What action is required to minimize sticking brakes on a car?

A. Ensure no air brakes are applied

B. Conduct a quick visual inspection

C. Make a full service brake application before opening angle cocks

D. Use lubrication on brake components

7. What equipment must a locomotive be equipped with when using the Air Flow Method?

A. AFM Indicator with a reading of air flow in increments greater than 10 CFM

B. AFM Indicator with a direct reading of air flow in increments no greater than 10 CFM

C. Standard air pressure gauge

D. Mechanical air compressor

8. Which factors can impact the braking distance of a train?

A. Only the weight of the train

B. Weather conditions and passenger load

C. Train weight, speed, weather conditions, and brake effectiveness

D. Length of the train and the condition of the tracks

9. Which coupler type is characterized by its squared corners?

A. Heavy Duty

B. Standard (*F-type*)

C. High Capacity (*E-type*)

D. Universal

10. What PSI is achieved when the retaining valve is in the High Pressure position?

A. 15 PSI

B. 20 PSI

C. 25 PSI

D. 30 PSI

SAMPLE

Answers

SAMPLE

1. A
2. B
3. A
4. C
5. B
6. C
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. When securing a train after a separation, which procedure should be followed first?

A. Notify the train dispatcher

B. Close the angle cock

C. Inspect for leaks

D. Recharge the air brake system

Notifying the train dispatcher is the correct first action when securing a train after a separation. This step is crucial because the dispatcher needs to be informed of the situation to manage traffic safely and ensure other trains are aware of any potential delays or hazards created by the separation. Effective communication with the dispatcher is integral to maintaining operational safety and efficiency on the rail network. While the other procedures are important, they typically follow this initial notification. Closing the angle cock prevents air pressure from escaping, inspecting for leaks ensures the integrity of the air brake system, and recharging the air brake system is necessary for reestablishment of braking capability. However, none of these steps can effectively commence without first ensuring that the dispatcher is aware of the change in train status.

2. What action is required if a team of engineers performs the initial air brake test?

A. The train must be taken out of service

B. Documentation must be completed appropriately

C. The test is automatically void

D. Only the head engineer's report is needed

Completing appropriate documentation after an initial air brake test is crucial for maintaining safety standards and compliance within railroad operations. When a team of engineers conducts this test, they gather essential data regarding the performance and functionality of the air brake systems. Proper documentation serves multiple purposes: it provides a record of the test results, ensures that the air brakes meet regulatory standards and allows for accountability in case of any issues or future inspections. If the documentation is not completed accurately, it could lead to a lack of evidence that the brakes have been tested and are functioning correctly, which is vital for operational safety. Adequate documentation helps facilitate communication between engineers, maintenance crews, and regulatory bodies, ensuring everyone is aware of the condition of the train's braking system. This critical step ensures that any findings from the test can be addressed, and any necessary repairs can be made before the train is deemed safe for operation. Therefore, completing the documentation appropriately is the key action required following the initial air brake test.

SAMPLE

3. What position must retaining valves remain in?

A. Exhaust Position

B. Closed Position

C. Open Position

D. Neutral Position

The retaining valves must remain in the closed position to ensure the proper function of the air brake system. In this position, the valves effectively retain air pressure in the brake cylinders, which is crucial for maintaining braking effectiveness when needed. The design of the retaining valves allows for the prevention of air loss that would otherwise reduce braking power, especially in long or heavy trains. When the valves are closed, they prevent the escape of compressed air, allowing the train to maintain a reliable braking force. This is particularly important during emergency braking situations where maximizing brake pressure is essential for stopping the train safely and efficiently. In contrast, if the retaining valves were in the exhaust position, air would be allowed to escape, which could lead to a loss of braking capability. An open position would not be appropriate for the intended function of these valves, just as a neutral position would not serve to secure air pressure in the brake system. Understanding the required position of retaining valves is crucial for effectively managing the operation of air brakes.

4. How can the air brake system be properly vented?

A. By closing the cut-out cock

B. By using a manual pump

C. By opening the bleed valve

D. By increasing the air pressure

The air brake system is properly vented by opening the bleed valve. This action allows air to escape from the system, which is crucial for releasing pressure accumulated in the brake lines and ensuring that the system can reset itself before being recharged. When the bleed valve is opened, it facilitates the expulsion of any residual air, which helps to clear and maintain the integrity of the air brake system. This process is fundamental to ensuring that the brakes work effectively, as trapped air can cause brake failure or poor performance. Proper venting also helps to avoid issues such as brake drag, where the brakes do not release fully, leading to increased wear and potential overheating of the components. Opening the bleed valve is therefore a standard procedure in the maintenance and operation of air brake systems to ensure they function correctly and safely.

5. When must a locomotive consist air brake test be completed?

A. Only after every trip

B. When changing operating ends of a consist

C. Before the first trip of the day

D. After an emergency stop

The necessity to complete a locomotive consist air brake test when changing operating ends of a consist is crucial for ensuring the safety and functionality of the braking system. This procedure allows for the verification that all components of the air brake system are operating correctly after the change in operational direction, which can affect the dynamics of air pressure and the overall braking capabilities of the train. Conducting the test at this point helps to identify any potential issues that might have arisen due to the reversal of ends, ensuring that the locomotive and the train are safe to operate in the new direction. It reinforces the reliability of the brake system, which is essential in maintaining control of the train throughout its journey.

SAMPLE

6. What action is required to minimize sticking brakes on a car?

A. Ensure no air brakes are applied

B. Conduct a quick visual inspection

C. Make a full service brake application before opening angle cocks

D. Use lubrication on brake components

To minimize sticking brakes on a car, making a full service brake application before opening angle cocks is essential. This action helps to ensure that the brake system is properly filled with air and that the brake components are functioning correctly prior to making any adjustments or connections. When brakes are applied fully, it can help to disengage any potential sticking or frozen components that may have been impeded by moisture or dirt. By applying the brakes, any debris or obstructions in the brake pads or drums may be pressed out, thereby promoting smoother operation. This thorough application is particularly important before releasing pressure in the system, as doing so without first ensuring that the brakes are in their optimal state can lead to complications or failures in brake performance. While visual inspections and lubrication can also be part of maintenance, they do not specifically address the immediate concern of sticking brakes in the same proactive manner as making a full service application. Ensuring no air brakes are applied is counterproductive and would likely exacerbate the sticking issue.

7. What equipment must a locomotive be equipped with when using the Air Flow Method?

A. AFM Indicator with a reading of air flow in increments greater than 10 CFM

B. AFM Indicator with a direct reading of air flow in increments no greater than 10 CFM

C. Standard air pressure gauge

D. Mechanical air compressor

The correct choice emphasizes that a locomotive must have an Air Flow Method (AFM) Indicator that provides a direct reading of air flow with precision no greater than 10 cubic feet per minute (CFM). This level of granularity in measurement is important because it allows for precise monitoring of the air flow being used in the air brake system. Using an indicator with such specific increments helps in ensuring that the air flow remains within the necessary operational parameters for effective brake performance. This is crucial for safety and effective train operations, as any deviation from normal air flow could indicate potential issues in the braking system that need to be addressed. A direct reading capability makes the assessment of air flow more intuitive for operators, allowing them to quickly understand and react to the braking system's performance. The necessity for precise control and clear readings reflects the importance of these aspects in maintaining the safe and efficient operation of trains.

SAMPLE

8. Which factors can impact the braking distance of a train?

A. Only the weight of the train

B. Weather conditions and passenger load

C. Train weight, speed, weather conditions, and brake effectiveness

D. Length of the train and the condition of the tracks

*The correct answer highlights a comprehensive understanding of the various elements that influence a train's braking distance. Each factor mentioned—train weight, speed, weather conditions, and brake effectiveness—plays a crucial role in determining how quickly a train can come to a stop. - **Train weight** impacts braking distance because heavier trains require more braking force to achieve the same deceleration as lighter trains. This necessitates a longer distance for the train to stop safely. - **Speed** is a critical factor as well. The faster a train is traveling, the longer it will take to stop, as the momentum increases with speed. This means more braking distance is needed at higher speeds. - **Weather conditions** affect traction between the train wheels and the tracks. For example, rain, snow, or ice can reduce friction, leading to a longer braking distance because the brakes may not be as effective in stopping the train quickly. - **Brake effectiveness** refers to the condition and design of the braking system. A well-maintained, efficient braking system can significantly reduce braking distance, while worn or poorly maintained brakes may increase stopping distances. By understanding how these factors interplay, one can appreciate how they collectively affect a train's ability to stop safely and efficiently, making this option*

9. Which coupler type is characterized by its squared corners?

A. Heavy Duty

B. Standard (*F-type*)

C. High Capacity (*E-type*)

D. Universal

The coupler type characterized by its squared corners is the Standard or F-type coupler. This design is prevalent in both freight and passenger cars as it allows for a reliable connection between rolling stock. The squared corners provide a certain structural integrity and strength, enhancing the overall durability of the coupler under varying load conditions. The Standard coupler design facilitates easy and efficient coupling and uncoupling, which is essential for railroad operations. Its design also aids in ensuring that the connection remains secure during travel, minimizing the risk of uncoupling during operation. The squared nature distinguishes it from other types of couplers which may have rounded or varied shapes. Knowledge of coupler types is crucial in railroad operations, as each type serves specific purposes and functions based on the design characteristics, which affect compatibility and interchangeability between different rail systems.

10. What PSI is achieved when the retaining valve is in the High Pressure position?

A. 15 PSI

B. 20 PSI

C. 25 PSI

D. 30 PSI

When the retaining valve is set to the High Pressure position, the system is designed to achieve 20 PSI. This setting is critical for maintaining proper brake function, especially in situations requiring additional braking power. The High Pressure position allows for a stronger application of brakes, which is particularly useful in scenarios such as descending grades or when the train is under heavy load. By ensuring that 20 PSI is reached, the retaining valve reduces the chances of brake release under dynamic conditions, providing better control and safety in train operations. Understanding the correct pressure settings is crucial for effective air brake management and contributes to the overall safety of the train's operation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://unionpacificairbrakes.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE