UNITED STATES PREVENTIVE SERVICES TASK FORCE (USPSTF) GUIDELINES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://uspstfguidelines.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How should clinicians use USPSTF recommendations in patient care?

A. As strict mandates with no discussion.

B. As a guide embedded in shared decision-making, considering patient values and preferences.

C. As general rules without patient input.

D. As a cost-containment measure.

2. How are age and risk incorporated into USPSTF decisions?

A. Age and risk modify who should be screened and how often

B. They do not influence decisions

C. They determine the patient's treatment after screening

D. They only matter for pediatric populations

3. What grade does USPSTF assign to screening anxiety in adults?

A. Grade A

B. Grade B

C. Grade C

D. Grade D

4. After screening for unhealthy alcohol use, which intervention should be provided to reduce unhealthy alcohol use?

A. Referral to inpatient treatment

B. No intervention unless addiction diagnosed

C. Brief behavioral counseling interventions

D. Pharmacotherapy only

5. Which practice area includes obesity screening and weight-management counseling?

A. Immunizations for obesity prevention.

B. Screening for obesity is not recommended.

C. Preventive services for obesity and weight management in adults.

D. Only counseling, no screening.

SAMPLE

6. What framework integrates evidence, patient values, and resource considerations into USPSTF recommendations?

A. The Evidence-to-Decision (EtD) framework.

B. The Cost-Effectiveness framework.

C. The Clinical Practice guidelines framework.

D. The Patient-Reported outcomes framework.

7. Which statement best reflects USPSTF's position on PSA-based prostate cancer screening?

A. Routinely recommended for all men

B. Not routinely recommended for all; shared decision making is recommended for certain age groups

C. Not recommended for any age

D. Required for all men at age 50

8. What grade did the USPSTF assign to perinatal depression counseling for at risk pregnant and postpartum women?

A. Grade B

B. Grade A

C. Grade C

D. Grade D

9. The goal of vision screening in 3 to 5 year olds is to detect which of the following?

A. Detect color vision defects only

B. Detect refractive errors requiring contact lenses

C. Detect amblyopia or its risk factors

D. Detect glaucoma in children

10. Which statement is NOT part of the USPSTF recommendations for hypertension screening in adults?

A. Screen adults 18+ with office blood pressure measurements and confirm outside the clinical setting before starting treatment.

B. Screening can be based on home or out-of-clinic measurements alone without clinical confirmation.

C. Screening is focused only on symptomatic individuals.

D. Screening has no relation to pregnancy.

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. C
5. C
6. A
7. B
8. A
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. How should clinicians use USPSTF recommendations in patient care?

A. As strict mandates with no discussion.

B. As a guide embedded in shared decision-making, considering patient values and preferences.

C. As general rules without patient input.

D. As a cost-containment measure.

These recommendations are meant to guide care within the context of shared decision-making, balancing the likely benefits and harms of a preventive service with what matters to the patient. Clinicians use USPSTF guidance as a framework to discuss options, uncertainties, and potential trade-offs, then tailor decisions to the individual's risk factors, values, and preferences. The strength of a recommendation signals how confident we are about the net benefit, but it does not replace patient goals or clinical judgment in a real-world setting. They are not strict mandates, nor general rules applied without patient input, and they're not primarily a tool for cost containment. By integrating USPSTF guidance into conversations with patients, care becomes aligned with each person's priorities while still grounded in the best available evidence.

2. How are age and risk incorporated into USPSTF decisions?

A. Age and risk modify who should be screened and how often

B. They do not influence decisions

C. They determine the patient's treatment after screening

D. They only matter for pediatric populations

The main idea is that USPSTF decisions are tailored by age and risk to determine who should be screened and how often, based on weighing the benefits and harms of screening. Age sets who is eligible and how frequently screening is considered; for individuals with higher risk, the net benefit of screening tends to be greater, so initiation can occur earlier or intervals can be shorter. Conversely, for lower-risk individuals, the potential harms may outweigh benefits, leading to later start or less frequent screening. This age- and risk-based approach explains why recommendations vary rather than being universal, and it reflects the goal of optimizing net benefit across the population.

3. What grade does USPSTF assign to screening anxiety in adults?

A. Grade A

B. Grade B

C. Grade C

D. Grade D

Understanding how the USPSTF grades screening recommendations is the key. A Grade B means there is high certainty that the screening provides a moderate net benefit, or moderate certainty that the net benefit is substantial. For screening anxiety in adults, using validated tools in routine primary care helps identify people who may have anxiety disorders and who can then receive timely evaluation and treatment. The balance between benefits (earlier detection, appropriate care, improved outcomes) and harms (false positives, unnecessary follow-up, resource use) is judged favorable enough to warrant screening with this level of confidence. That's why Grade B is the appropriate rating here.

SAMPLE

4. After screening for unhealthy alcohol use, which intervention should be provided to reduce unhealthy alcohol use?

A. Referral to inpatient treatment

B. No intervention unless addiction diagnosed

C. Brief behavioral counseling interventions

D. Pharmacotherapy only

After screening for unhealthy alcohol use, the next step is to provide brief behavioral counseling interventions. This approach is recommended because short, structured counseling—often 5 to 15 minutes in a primary care visit—helps adults reduce how much they drink and lowers the risk of alcohol-related harm. The counseling is typically motivational, supports goal setting, and can be delivered by clinicians or trained staff, making it a practical first-line response after a positive screen. In contrast, referring everyone for inpatient treatment is unnecessary for most cases of unhealthy use, and doing nothing after a positive screen misses an opportunity to reduce harm. Pharmacotherapy has a role for people with more severe alcohol use disorders or as part of a comprehensive treatment plan, but it is not the sole or default approach right after screening in the general primary care population.

5. Which practice area includes obesity screening and weight-management counseling?

A. Immunizations for obesity prevention.

B. Screening for obesity is not recommended.

C. Preventive services for obesity and weight management in adults.

D. Only counseling, no screening.

Obesity screening paired with weight-management counseling is addressed together in the USPSTF framework as preventive services for obesity and weight management in adults. The idea is to first identify adults who are overweight or obese using a simple measure like BMI, then offer or refer those individuals to intensive, multicomponent behavioral counseling for weight loss. This combined approach—screening plus counseling—defines the practice area. Thus, the best choice is the option that explicitly names preventive services for obesity and weight management in adults. The other statements don't fit: there is no category of immunizations for obesity prevention; screening for obesity is recommended, not discouraged; and counseling is recommended in the context of being offered or referred after screening, not as counseling alone without screening.

6. What framework integrates evidence, patient values, and resource considerations into USPSTF recommendations?

A. The Evidence-to-Decision (EtD) framework.

B. The Cost-Effectiveness framework.

C. The Clinical Practice guidelines framework.

D. The Patient-Reported outcomes framework.

The framework that brings together the evidence, what matters to patients, and the realities of resources when USPSTF makes a recommendation is the Evidence-to-Decision framework. This approach structures the decision by weighing benefits and harms and the certainty of the evidence, while also explicitly considering patient values and preferences, resource use or costs, and practical factors like equity, feasibility, and acceptability. By including these domains, USPSTF can explain not just how strong a recommendation is, but why it was shaped the way it was and how it might be implemented in diverse patient contexts. The other options focus more narrowly on economic analysis, general guideline construction, or patient-reported outcomes, and they don't capture the full, integrated decision-making process USPSTF uses.

SAMPLE

7. Which statement best reflects USPSTF's position on PSA-based prostate cancer screening?

A. Routinely recommended for all men

B. Not routinely recommended for all; shared decision making is recommended for certain age groups

C. Not recommended for any age

D. Required for all men at age 50

PSA-based screening is not recommended for all men; the USPSTF supports an individualized approach with shared decision making for certain age groups. This reflects the balance of benefits and harms: PSA screening can modestly reduce prostate cancer mortality, but it also leads to false positives, unnecessary biopsies, overdiagnosis, and treatment side effects like incontinence and erectile dysfunction. Because these trade-offs vary with age and overall health, the guideline endorses discussing potential benefits and harms with patients—particularly those in the 55 to 69 age range—rather than applying a universal screening rule. For men outside that age range (notably those 70 and older), routine screening is not recommended due to a smaller or unlikely net benefit.

8. What grade did the USPSTF assign to perinatal depression counseling for at risk pregnant and postpartum women?

A. Grade B

B. Grade A

C. Grade C

D. Grade D

Understanding how USPSTF grades preventive services helps interpret why this item is graded at the highest level. A Grade A means there is high certainty that the net benefit of the service is substantial, and clinicians should offer or provide the service. For perinatal depression counseling aimed at at risk pregnant and postpartum women, the evidence shows that targeted counseling—such as psychotherapy or structured psychoeducation—significantly reduces the risk of developing depressive symptoms and major depressive disorder during the perinatal period, with accompanying improvements in maternal functioning and potential downstream benefits for infants. The harms are minimal, mainly related to time, access, and availability of trained counselors, and do not offset the substantial benefits. Because the balance of benefits to harms is consistently favorable across well-conducted studies, the USPSTF awards this service the highest level, signaling a strong recommendation to implement it in at risk populations.

SAMPLE

9. The goal of vision screening in 3 to 5 year olds is to detect which of the following?

A. Detect color vision defects only

B. Detect refractive errors requiring contact lenses

C. Detect amblyopia or its risk factors

D. Detect glaucoma in children

The main idea is to screen preschoolers to find amblyopia or factors that could lead to it, so treatment can start before the visual system matures. Amblyopia is a reduction in vision that results from abnormal visual development early in life; if caught early, it can often be reversed or minimized with appropriate treatment, such as correct glasses to fix refractive errors, patching the better-seeing eye, or, in some cases, surgical alignment of the eyes. Screening at ages 3 to 5 targets this outcome because preventing or reducing amblyopia during the critical early years provides the best chance for normal vision development. Color vision defects and glaucoma in children are not the primary targets of routine preschool vision screening. Color vision issues are usually identified later and aren't the preventable, vision-threatening problem screening programs aim to catch in this age range. Refractive errors that would require contact lenses are less relevant to a quick screening test, and most preschool screens are designed to flag whether there is a risk of amblyopia or a high-risk refractive error so a comprehensive exam can be done.

10. Which statement is NOT part of the USPSTF recommendations for hypertension screening in adults?

A. Screen adults 18+ with office blood pressure measurements and confirm outside the clinical setting before starting treatment.

B. Screening can be based on home or out-of-clinic measurements alone without clinical confirmation.

C. Screening is focused only on symptomatic individuals.

D. Screening has no relation to pregnancy.

The main idea here is that hypertension screening is used to identify high blood pressure in adults who may not have symptoms, but a diagnosis and treatment plan should not be based on a single clinic reading. The USPSTF recommends measuring blood pressure in a clinical setting and then confirming the diagnosis with repeated measurements outside the clinic—such as home blood pressure monitoring or ambulatory monitoring—before starting treatment. That makes the statement about basing screening on home or out-of-clinic measurements alone without any clinical confirmation inappropriate for the recommendations. Home or ambulatory measurements are valuable for confirming a diagnosis, but they aren't used alone to establish hypertension and begin therapy without prior clinical assessment. For context, the guidelines emphasize screening all adults 18 and older, not just those with symptoms, and they focus on nonpregnant adults; pregnancy introduces different considerations and is outside the scope of this particular screening recommendation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://uspstfguidelines.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE