UNIVERSITY OF CENTRAL FLORIDA (UCF) HSC4558 PATHOPHYSIOLOGY II FINAL PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ucf-hsc4558-final.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What imbalance is observed in hyperparathyroidism?

A. Decreased calcium and phosphate levels

B. Increased calcium, increased PTH, and decreased phosphorous

C. Normal PTH with elevated phosphorus

D. High calcium and low PTH levels

2. What does an enlarged thyroid gland (goiter) signify in a patient?

A. Insufficient iodine levels

B. Autoimmune thyroid disease

C. Both A and B

D. None of the above

3. Which gland secretes calcitonin?

A. Pancreas

B. Adrenal cortex

C. Thyroid gland

D. Adrenal medulla

4. Which disorder is associated with short-term memory loss and cognitive decline?

A. Alzheimer disease

B. Seizures

C. Myxedema

D. Osteoporosis

5. Which glands are responsible for the secretion of saliva?

A. Parotid, pharyngeal, and submandibular glands

B. Parotid, submandibular, and sublingual glands

C. Sublingual, buccal, and gastric glands

D. Chief, parietal, and mucous cells

6. Which of the following is a factor affecting intestinal motility?

A. Presence of digestive enzymes

B. Hormonal control

C. Intestinal villi structure

D. Types of nutrients

SAMPLE

7. What is the function of prolactin?

A. Stimulates digestion
B. Stimulates milk production and secretion
C. Stimulates glucose absorption
D. Stimulates metabolic rates

8. What effect do parathyroid glands (PTH) have on blood calcium levels?

A. A peptide that lowers blood calcium levels
B. A peptide that raises blood calcium levels
C. Amines that increase metabolic activities
D. A steroid that promotes reabsorption of K+

9. What is the function of antidiuretic hormone (ADH)?

A. To stimulate the production of urine
B. To increase membrane permeability in renal tubules for water reabsorption
C. To decrease blood pressure
D. To enhance glucose uptake by cells

10. Which type of lens is typically used to correct hyperopia?

A. Convex lenses
B. Concave lenses
C. Cylindrical lenses
D. Bifocal lenses

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. A
5. B
6. B
7. B
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What imbalance is observed in hyperparathyroidism?

A. Decreased calcium and phosphate levels

B. Increased calcium, increased PTH, and decreased phosphorous

C. Normal PTH with elevated phosphorus

D. High calcium and low PTH levels

In hyperparathyroidism, there is an increased secretion of parathyroid hormone (PTH) from the parathyroid glands, leading to significant alterations in calcium and phosphorus levels in the body. This condition is characterized by hypercalcemia, which means that calcium levels in the blood are elevated. The increased PTH stimulates the bones to release calcium into the bloodstream, enhances intestinal absorption of calcium, and reduces renal excretion of calcium. In addition to the elevated calcium levels, hyperparathyroidism is also associated with increased levels of PTH itself as a direct result of the parathyroid glands overactivity. Interestingly, alongside the increase in calcium, phosphorus levels tend to decrease due to the action of PTH, which promotes renal excretion of phosphate. As a result, the classic laboratory findings in hyperparathyroidism include increased calcium levels, elevated PTH levels, and decreased phosphorus levels. These physiological changes are reflective of the body's attempt to maintain calcium homeostasis despite the underlying disorder, demonstrating the impact of parathyroid hormone on calcium and phosphorus metabolism.

2. What does an enlarged thyroid gland (goiter) signify in a patient?

A. Insufficient iodine levels

B. Autoimmune thyroid disease

C. Both A and B

D. None of the above

An enlarged thyroid gland, known as a goiter, can be indicative of various underlying conditions, but two of the most significant are insufficient iodine levels and autoimmune thyroid disease. Insufficient iodine levels are a major cause of goiter development because iodine is essential for the synthesis of thyroid hormones. When iodine intake is low, the body cannot produce adequate thyroid hormones (such as thyroxine), leading to an overstimulation of the thyroid gland by thyroid-stimulating hormone (TSH) released from the pituitary gland. This overstimulation causes the thyroid to enlarge as it attempts to compensate for the lack of hormones. Autoimmune thyroid disease, particularly Hashimoto's thyroiditis, is another condition that can result in a goiter. In this scenario, the immune system mistakenly attacks thyroid tissue, leading to inflammation and impaired hormone production. The resulting hormone deficiency triggers excessive TSH production, consequently causing thyroid enlargement. Thus, since both insufficient iodine levels and autoimmune thyroid disease can lead to the manifestation of a goiter, the correct answer is that an enlarged thyroid gland may signify both of these conditions. This highlights the multifactorial nature of thyroid enlargement where these different etiologies can contribute to the presence of a goiter.

SAMPLE

3. Which gland secretes calcitonin?

A. Pancreas

B. Adrenal cortex

C. Thyroid gland

D. Adrenal medulla

The thyroid gland is responsible for the secretion of calcitonin, a hormone that plays a crucial role in calcium homeostasis. Calcitonin works to lower blood calcium levels by inhibiting osteoclast activity in the bones, which decreases the release of calcium from bones into the bloodstream, and by promoting the excretion of calcium in the kidneys. This hormone acts in opposition to parathyroid hormone, which increases blood calcium levels. Understanding the function of calcitonin is essential, particularly in the context of disorders related to calcium imbalance, such as osteoporosis or hypercalcemia. The other glands mentioned, such as the pancreas, adrenal cortex, and adrenal medulla, are involved in different hormonal functions and do not synthesize or secrete calcitonin. Hence, recognizing the specific role of the thyroid gland in calcium regulation highlights its critical endocrine function.

4. Which disorder is associated with short-term memory loss and cognitive decline?

A. Alzheimer disease

B. Seizures

C. Myxedema

D. Osteoporosis

Alzheimer's disease is known for being a progressive neurodegenerative disorder characterized by cognitive decline, particularly affecting memory, thinking, and behavior. Short-term memory loss is one of the most prominent early signs of Alzheimer's. This disorder leads to calcium and other neurotransmitter disruptions in the brain, which significantly interfere with the ability to form new memories and retain information. In the early stages, individuals may struggle to recall recent events or conversations, which progressively worsens as the disease advances. In contrast, while seizures may impact cognitive function during an episode and potentially lead to memory issues, they do not specifically manifest as a consistent and progressive decline in short-term memory akin to Alzheimer's disease. Myxedema, associated with severe hypothyroidism, can lead to cognitive impairments, but it does not exclusively present with short-term memory loss and cognitive decline as a primary feature. Osteoporosis primarily affects bone density and strength and does not have direct implications for memory or cognitive function. Therefore, Alzheimer's disease is the clear choice when considering short-term memory loss and cognitive decline.

SAMPLE

5. Which glands are responsible for the secretion of saliva?

A. Parotid, pharyngeal, and submandibular glands

B. Parotid, submandibular, and sublingual glands

C. Sublingual, buccal, and gastric glands

D. Chief, parietal, and mucous cells

The correct answer identifies the parotid, submandibular, and sublingual glands as the key players in saliva secretion. Each of these glands serves a distinct purpose in the process of digestion and oral health. The parotid glands are the largest salivary glands, situated near the cheeks, and they primarily produce a serous type of saliva that is rich in enzymes, especially amylase, which begins the process of carbohydrate digestion. The submandibular glands, located beneath the jaw, secrete a mixed saliva that contains both serous and mucous components, facilitating both enzymatic breakdown and lubrication for swallowing. The sublingual glands, found under the tongue, predominantly produce mucus, which adds moisture and helps in the formation of a food bolus for easier swallowing. This combination of glands ensures that saliva is produced in ample quantity and quality to initiate digestion, maintain oral hygiene, and facilitate the swallowing process. The other choices include glands that are either not primarily involved in saliva production or unrelated to the salivary function altogether, making them unsuitable answers.

6. Which of the following is a factor affecting intestinal motility?

A. Presence of digestive enzymes

B. Hormonal control

C. Intestinal villi structure

D. Types of nutrients

Hormonal control is a significant factor affecting intestinal motility because hormones play a crucial role in regulating the movement of the intestines. Various hormones, such as gastrin, cholecystokinin, and secretin, can stimulate or inhibit intestinal contractions, influencing digestion and the transit of food through the digestive tract. For example, the release of gastrin increases gastric motility, while cholecystokinin stimulates the contraction of the gallbladder and promotes the movement of food through the intestines. In contrast, while the presence of digestive enzymes can aid in the breakdown of food, it does not directly impact the mechanics of motility. The structure of intestinal villi primarily serves to increase surface area for absorption rather than influencing motility directly. Lastly, types of nutrients may affect the rate at which digestion occurs but are not direct regulators of motility like hormones are. Therefore, hormonal control is the primary factor involved in actively regulating the contractions and movements of the intestinal walls during digestion.

7. What is the function of prolactin?

A. Stimulates digestion

B. Stimulates milk production and secretion

C. Stimulates glucose absorption

D. Stimulates metabolic rates

The function of prolactin is primarily to stimulate milk production and secretion in the mammary glands. This hormone is crucial during and after pregnancy, as it prepares the breasts for breastfeeding by promoting the development of milk-producing tissues. Prolactin levels increase significantly during pregnancy and remain elevated during lactation, thereby supporting the infant's nutritional needs through breast milk. In addition to its main role in lactation, prolactin has various other functions, such as modulating the immune system and influencing reproductive health, but its standout and well-recognized role remains in facilitating milk production. This is why the selection indicating its role in stimulating milk production and secretion accurately reflects its primary physiological function.

SAMPLE

8. What effect do parathyroid glands (PTH) have on blood calcium levels?

A. A peptide that lowers blood calcium levels

B. A peptide that raises blood calcium levels

C. Amines that increase metabolic activities

D. A steroid that promotes reabsorption of K+

*Parathyroid hormone (PTH), produced by the parathyroid glands, plays a crucial role in regulating blood calcium levels. It is responsible for increasing the concentration of calcium in the bloodstream when levels are low. PTH achieves this through several mechanisms: 1. **Bone Resorption**: PTH stimulates osteoclast activity, leading to the breakdown of bone tissue and the release of calcium into the bloodstream. This is one of the primary ways the body responds when calcium levels drop. 2. **Kidney Function**: In the kidneys, PTH promotes the reabsorption of calcium and reduces the reabsorption of phosphate. This selective reabsorption maximizes calcium retention while allowing for phosphate excretion, which can further aid in maintaining appropriate calcium levels. 3. **Vitamin D Activation**: PTH enhances the conversion of vitamin D into its active form, calcitriol, in the kidneys. Active vitamin D facilitates calcium absorption from the intestines, further contributing to increased levels of calcium in the blood. Through these combined actions, PTH effectively raises blood calcium levels, making the selected answer accurate in describing the hormone's impact on calcium homeostasis. This is crucial for various physiological processes, including muscle contraction, nerve function, and*

9. What is the function of antidiuretic hormone (ADH)?

A. To stimulate the production of urine

B. To increase membrane permeability in renal tubules for water reabsorption

C. To decrease blood pressure

D. To enhance glucose uptake by cells

Antidiuretic hormone (ADH), also known as vasopressin, plays a critical role in regulating water balance in the body. Its main function is to increase the permeability of the renal tubules, particularly in the collecting ducts of the kidneys. When ADH is released, it binds to receptors on the cells in these tubules, leading to the insertion of aquaporin channels into the cell membranes. These channels facilitate the reabsorption of water back into the bloodstream, thereby concentrating the urine and reducing urine volume. This mechanism is essential for maintaining proper hydration and blood osmolarity. When the body is dehydrated or when blood volume is low, ADH secretion increases, promoting water retention. Conversely, when the body is well-hydrated, ADH levels decrease, allowing for more urine production and the elimination of excess water. This understanding highlights the importance of ADH in regulating fluid balance, which is crucial for maintaining homeostasis. The other options do not accurately reflect the primary function of ADH; rather, they pertain to different physiological processes.

SAMPLE

10. Which type of lens is typically used to correct hyperopia?

A. Convex lenses

B. Concave lenses

C. Cylindrical lenses

D. Bifocal lenses

Convex lenses are used to correct hyperopia, also known as farsightedness. In hyperopia, distant objects may be seen clearly, but close objects can appear blurry. This occurs when the eyeball is shorter than normal or the cornea has insufficient curvature, leading to light rays being focused behind the retina. Convex lenses, which are thicker in the center than at the edges, help to converge light rays before they enter the eye. This effectively increases the eye's focusing power, moving the focal point forward onto the retina, which allows individuals with hyperopia to see nearby objects more clearly. In contrast, other types of lenses serve different functions. Concave lenses, for example, diverge light and are typically used to correct myopia (nearsightedness). Cylindrical lenses are specifically designed to correct astigmatism, while bifocal lenses combine both convex and concave lenses to assist those who need correction for both hyperopia and myopia, often used in presbyopia. However, for pure hyperopia correction, convex lenses are the proper choice.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ucf-hsc4558-final.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE