UNIVERSITY OF CENTRAL FLORIDA (UCF) SPA3101 ANATOMY AND PHYSIOLOGY OF SPEECH, LANGUAGE, AND HEARING PRACTICE EXAM 2 (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ucf-spa3101-exam2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What factors can cause variation in vocal quality?

A. Only age and smoking

B. Only tissue elasticity and resonance size

C. Muscle coordination and vocal tract shape

D. Tissue quality, muscle coordination, and vocal tract shape

2. What muscle is described as a long, narrow, paired muscle on the anterior and lateral surface of the neck with two bellies?

A. Thyrohyoid

B. Omohyoid

C. Sternohyoid

D. Lateral cricoarytenoid

3. What is the origin of the geniohyoid muscle?

A. Styloid process of the temporal bone

B. Mandibular symphysis of the mandible

C. Inner surface of the mandible

D. Body of the hyoid bone

4. What components make up the respiratory system?

A. Vocal folds, Air passages, Thoracic muscles

B. Lungs, Ribs, Abdomen

C. Diaphragm, Trachea, Larynx

D. Nasal cavity, Pharynx, Bronchi

5. Where does the larynx sit in a child?

A. Opposite approximately the 3rd cervical vertebral body

B. Opposite approximately the 4th cervical vertebral body

C. Opposite approximately the 5th cervical vertebral body

D. Opposite the 6th cervical vertebral body

6. What action does the anterior belly of the digastric muscle perform?

A. Depresses the hyoid bone

B. Pulls the hyoid bone forward and elevates the larynx

C. Retracts the hyoid bone

D. Stabilizes the larynx

SAMPLE

7. Which cartilage is part of the unpaired category in the laryngeal structure?

A. Corniculate
B. Cuneiform
C. Cricoid
D. Arytenoid

8. How does added weight on the vocal folds affect voice production?

A. Results in a higher pitch
B. Leads to a stronger voice quality
C. Creates a lower pitch
D. Enhances loudness

9. Which cavities are part of the laryngeal structure?

A. Vocal cavity, Pharyngeal cavity, Oral cavity
B. Supraglottal cavity, Subglottal cavity, Ventricles
C. Nasal cavity, Tracheal cavity, Diaphragmatic cavity
D. Thoracic cavity, Cervical cavity, Cranial cavity

10. Which suprahyoid muscle is unpaired and forms the floor of the mouth?

A. Geniohyoid
B. Mylohyoid
C. Stylohyoid
D. Digastric

SAMPLE

Answers

SAMPLE

1. D
2. B
3. B
4. B
5. B
6. B
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What factors can cause variation in vocal quality?

A. Only age and smoking

B. Only tissue elasticity and resonance size

C. Muscle coordination and vocal tract shape

D. Tissue quality, muscle coordination, and vocal tract shape

The correct answer revolves around the multifaceted nature of vocal quality, which is influenced by a combination of factors including tissue quality, muscle coordination, and vocal tract shape. Tissue quality is critical because the condition and characteristics of the vocal folds play a significant role in how sound is produced. For instance, inflammation or scar tissue can alter the vibratory pattern of the vocal folds, thereby affecting the resonance and timbre of the voice. Muscle coordination is equally important as it pertains to how well the muscles involved in phonation and articulation work together. Effective muscle coordination contributes to precise control of pitch, loudness, and overall vocal expressiveness. Disruptions in this coordination can lead to hoarseness or other voice disorders. Vocal tract shape, which includes the throat, mouth, and nasal cavities, affects resonance and modulation of the sound created by the vocal folds. The way the vocal tract shapes and constricts can amplify certain frequencies while dampening others, contributing to the individual's unique vocal quality. In contrast, the other options fail to encompass the full range of factors that influence vocal quality, either by being too narrow or by omitting key components like muscle coordination and resonance effects that are essential to understanding how voice quality can vary.

2. What muscle is described as a long, narrow, paired muscle on the anterior and lateral surface of the neck with two bellies?

A. Thyrohyoid

B. Omohyoid

C. Sternohyoid

D. Lateral cricoarytenoid

The omohyoid muscle is characterized by its long, narrow, and paired structure, located on the anterior and lateral surfaces of the neck. It has two distinct bellies (the superior and inferior bellies) that are connected by an intermediate tendon. The muscle plays a crucial role in the movement of the hyoid bone and helps stabilize the position of the larynx, particularly during swallowing and speaking. Its anatomical position and dual-bellied structure differentiate it from other muscles listed, which either do not have a paired structure or do not feature two bellies. This unique configuration enables the omohyoid to contribute effectively to the complex dynamics of movement and control in the neck area.

SAMPLE

3. What is the origin of the geniohyoid muscle?

A. Styloid process of the temporal bone

B. Mandibular symphysis of the mandible

C. Inner surface of the mandible

D. Body of the hyoid bone

The origin of the geniohyoid muscle is indeed the mandibular symphysis of the mandible. This is the midline structure that forms the union of the two halves of the mandible at the chin. The geniohyoid muscle plays a crucial role in speech and swallowing by aiding in the movement of the hyoid bone and the larynx during these activities. Understanding the anatomical location of the geniohyoid is essential, as it helps clarify its function. The muscle originates at the mandible, which allows it to pull the hyoid bone upwards and forwards when it contracts. This action is vital for the proper functioning of various oropharyngeal processes. Other locations mentioned in the options serve different muscles or structures that do not correspond to the geniohyoid. For example, the styloid process of the temporal bone is the site of origin for different muscles involved in tongue and jaw movement, while the inner surface of the mandible does not directly relate to the geniohyoid. The body of the hyoid bone is where the geniohyoid inserts rather than originates. This distinction is important in understanding the muscle's role and its anatomical relationships.

4. What components make up the respiratory system?

A. Vocal folds, Air passages, Thoracic muscles

B. Lungs, Ribs, Abdomen

C. Diaphragm, Trachea, Larynx

D. Nasal cavity, Pharynx, Bronchi

The correct answer focuses on the essential components of the respiratory system that play a critical role in facilitating breathing and gas exchange. The lungs serve as the primary organs involved in the exchange of oxygen and carbon dioxide. Ribs, part of the thoracic cavity, protect the lungs and assist with the mechanics of breathing by allowing for expansion and contraction. The abdomen plays a role in respiratory processes, particularly through the diaphragm, which is a key muscle located at the base of the thoracic cavity that helps regulate inhalation and exhalation. This grouping is significant as it encompasses the structures pivotal for respiration. While other options may mention various parts of the respiratory system, they do not collectively represent the major components necessary for the respiratory function as clearly as this selection does. For example, vocal folds and thoracic muscles do contribute to the respiratory system but are not as central to the gas exchange process as the lungs and ribs.

5. Where does the larynx sit in a child?

A. Opposite approximately the 3rd cervical vertebral body

B. Opposite approximately the 4th cervical vertebral body

C. Opposite approximately the 5th cervical vertebral body

D. Opposite the 6th cervical vertebral body

The larynx in a child typically sits opposite the fourth cervical vertebral body. This positioning is important because it reflects the anatomical differences between children and adults. In children, the larynx is situated higher in the neck compared to an adult's, who has a larynx located around the sixth cervical vertebral body. This higher placement allows for more efficient breastfeeding and vocalization development. Understanding the position of the larynx in children is essential for various clinical assessments, as it influences their phonation and airway considerations. As children grow, the larynx descends, aligning more closely with adult anatomy. Noting the correct vertebral positioning helps in comprehending developmental changes in the speech and respiratory systems.

SAMPLE

6. What action does the anterior belly of the digastric muscle perform?

A. Depresses the hyoid bone

B. Pulls the hyoid bone forward and elevates the larynx

C. Retracts the hyoid bone

D. Stabilizes the larynx

The anterior belly of the digastric muscle plays a crucial role in the movement of the hyoid bone and larynx during various functions such as swallowing and speaking. Specifically, it is responsible for pulling the hyoid bone forward and elevating the larynx. This action is essential during the swallowing process, as the elevation of the larynx helps to close off the airway, preventing food and liquids from entering the trachea. The muscle connects to the mastoid notch of the temporal bone and the body of the hyoid bone, creating a mechanical advantage for these movements. As the anterior belly contracts, it exerts a downward force on the mandible, which simultaneously pulls the hyoid forward due to its attachment, leading to the elevation of the larynx. This coordinated movement is vital for proper phonation and airway protection. Understanding the role of the anterior belly of the digastric muscle highlights its importance not only in speech and language but also in the basic physiological processes associated with swallowing.

7. Which cartilage is part of the unpaired category in the laryngeal structure?

A. Corniculate

B. Cuneiform

C. Cricoid

D. Arytenoid

The cricoid cartilage is classified as an unpaired cartilage in the laryngeal structure. It is a single, ring-shaped piece of cartilage located at the base of the larynx, directly below the thyroid cartilage and above the trachea. The cricoid serves as an important structural support for the airway and plays a critical role in maintaining the integrity of the larynx during breathing and phonation. Being unpaired means that there is only one cricoid cartilage in the body, distinguishing it from paired cartilages, which exist in duplicate. Cartilages such as the corniculate, cuneiform, and arytenoid come in pairs, which means there are two of each. This structure contributes to the functional dynamics of the larynx, including the opening and closing of the vocal folds and the modulation of sound during speech. The cricoid's unique position and form enable it to fulfill essential functions in the respiratory and vocal mechanisms effectively.

8. How does added weight on the vocal folds affect voice production?

A. Results in a higher pitch

B. Leads to a stronger voice quality

C. Creates a lower pitch

D. Enhances loudness

The addition of weight on the vocal folds leads to a lower pitch because it alters the mass and tension of the vocal cords. When the vocal folds are heavier, they vibrate more slowly and require more force to be set into motion. This decrease in frequency of vibration translates to a lower pitch in the produced sound. Essentially, heavier vocal folds have a more substantial mass, which deepens the sound created during phonation, resulting in a lower fundamental frequency. This principle reflects the relationship between mass, tension, and pitch in voice production, underscoring how physical properties of the vocal folds directly influence vocal characteristics.

SAMPLE

9. Which cavities are part of the laryngeal structure?

A. Vocal cavity, Pharyngeal cavity, Oral cavity

B. Supraglottal cavity, Subglottal cavity, Ventricles

C. Nasal cavity, Tracheal cavity, Diaphragmatic cavity

D. Thoracic cavity, Cervical cavity, Cranial cavity

The supraglottal cavity, subglottal cavity, and ventricles are integral to the laryngeal structure because they correspond to specific areas within and surrounding the larynx that play crucial roles in phonation and resonance. The supraglottal cavity, also known as the vestibule, is located above the vocal folds and is involved in shaping the sound produced by the vibrations of the vocal folds. The subglottal cavity lies below the vocal folds and serves as a space where air pressure builds up during phonation, contributing to sound production. The ventricles, or ventricular folds, are positioned between the true vocal folds and the laryngeal walls and serve several functions, including secretions that help lubricate the vocal folds and the adjustment of airflow during vocalization. The other choices identify cavities that are not considered parts of the laryngeal structure. For instance, vocal, pharyngeal, and oral cavities are more associated with the resonance and articulation of speech but do not directly classify as part of the larynx. Similarly, the nasal, tracheal, diaphragmatic, thoracic, cervical, and cranial cavities pertain to different anatomical structures and systems unrelated to the larynge

10. Which suprahyoid muscle is unpaired and forms the floor of the mouth?

A. Geniohyoid

B. Mylohyoid

C. Stylohyoid

D. Digastric

The mylohyoid muscle is the correct answer as it is an unpaired muscle that forms the floor of the mouth. Positioned bilaterally, the mylohyoid is a thin, flat sheet of muscle that stretches from side to side, spanning the mandible. However, it is classified as unpaired because it is a singular muscle in the midline, providing support and a platform for the tongue and facilitating various oral functions such as swallowing and speaking. Its role in the floor of the mouth is crucial, as it not only supports the structures above it but also contributes to the dynamics of the oral cavity during the actions of speaking and eating. The mylohyoid is innervated by the mylohyoid nerve, which is a branch of the mandibular nerve, and its contractions aid in depressing the mandible as well as elevating the hyoid bone during swallowing. The other options refer to muscles that either act differently or are paired. For example, the digastric muscle consists of two muscle bellies and is thus paired, and the stylohyoid, while located in the neck, is also a paired muscle. The geniohyoid, although it is unpaired, does not have the same

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ucf-spa3101-exam2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE