# UNMANNED AIR CERTIFICATION PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://unmannedair.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **How would you describe the weight criteria for a small unmanned aircraft (UA)?**

   A. It must weigh less than 25 pounds

   B. It must weigh less than 55 pounds

   C. It can weigh up to 100 pounds

   D. There is no weight restriction

2. **Which of the following is NOT an advantage of using LiDAR technology in remote sensing?**

   A. High accuracy in measuring distances

   B. Ability to penetrate dense vegetation

   C. Higher operational costs compared to traditional methods

   D. Capability to produce detailed 3D models

3. **What must be maintained at all times while flying a sUAS?**

   A. Visual Line of Sight

   B. Autonomous Navigation

   C. Low Altitude Operations

   D. Powered Flight

4. **Who is responsible for external communication during UAS flight operations while the aircraft is airborne?**

   A. Remote Pilot in Command

   B. Any member of the UAS crew

   C. Ground Control Operator

   D. Client Representative

5. **Which four parameters are needed to calculate density altitude?**

   A. Barometric pressure, humidity, temperature, and field elevation

   B. Barometric pressure, air temperature, field elevation, and dew point

   C. Altitude, temperature, wind speed, and humidity

   D. Pressure, temperature, elevation, and air density

SAMPLE

**6. Which type of imagers are commonly used in agriculture to detect crop distress?**

A. Monochromatic

B. Multispectral

C. Infrared

D. Color

**7. When launching your sUAS, which direction should you ideally launch?**

A. To the left

B. Into the wind

C. With the wind

D. Diagonal to the wind direction

**8. Which report provides information about wind, visibility, significant weather, and the probability of precipitation and thunderstorms?**

A. METAR

B. SPECI

C. AIRMET

D. TAF

**9. Which factor can lead to a shorter EMR wavelength emitted from an object?**

A. Lower altitude

B. Higher temperature

C. Increased visibility

D. More atmospheric pressure

**10. What is the primary advantage of a directional transceiver compared to an omni antenna transceiver?**

A. Cost-effectiveness

B. Range

C. Simplicity

D. Durability

SAMPLE

# Answers

SAMPLE

1. B
2. C
3. A
4. B
5. B
6. B
7. B
8. A
9. B
10. B

SAMPLE

# Explanations

SAMPLE

## 1. How would you describe the weight criteria for a small unmanned aircraft (UA)?

A. It must weigh less than 25 pounds

B. It must weigh less than 55 pounds

C. It can weigh up to 100 pounds

D. There is no weight restriction

*The weight criteria for a small unmanned aircraft is defined by regulations set forth by the FAA. Specifically, a small unmanned aircraft is classified as one that weighs less than 55 pounds, which includes everything from the aircraft itself to any payload it carries. This weight limit is crucial as it determines the operational framework and regulatory requirements that govern the use of UAs in various applications, such as commercial and recreational use. The distinction of 55 pounds is particularly important for ensuring safety and compliance in airspace management. Weighing less than this threshold means the aircraft can operate under specific regulations that promote safer integration into the national airspace system. Additionally, this weight limit allows for a broader range of users, including hobbyists and commercial entities, to operate small UAs without necessitating extensive licensing or regulatory hurdles that are applicable to larger aircraft. Understanding this weight criterion is essential for anyone involved in operating, designing, or regulating unmanned aircraft. It helps ensure that operators are aware of their responsibilities and the limitations placed on their equipment. Knowing that aircraft above this weight would fall under different regulations influences what types of aircraft can be used for specific purposes and guides operational planning.*

## 2. Which of the following is NOT an advantage of using LiDAR technology in remote sensing?

A. High accuracy in measuring distances

B. Ability to penetrate dense vegetation

C. Higher operational costs compared to traditional methods

D. Capability to produce detailed 3D models

*Using LiDAR technology in remote sensing offers numerous benefits, but it also comes with some drawbacks. One of the primary advantages of LiDAR is its high accuracy in measuring distances, which allows for precise terrain modeling and topographical mapping. The technology uses laser pulses to gather spatial information, enabling measurements with a high degree of accuracy that surpasses many traditional surveying methods. Another notable advantage is LiDAR's ability to penetrate dense vegetation. This capability proves invaluable in forested areas where other remote sensing methods may struggle, enabling the collection of data about the ground surface that is obscured by tree canopies. Furthermore, LiDAR excels at producing detailed 3D models, allowing for comprehensive analysis of landscapes, urban environments, and other geographical features. This attribute makes it an essential tool in various fields, including environmental monitoring, urban planning, and archaeology. In contrast, the choice that is accurately identified as not being an advantage relates to operational costs. While LiDAR provides superior data quality and is a powerful tool for many applications, it is often more expensive to implement compared to traditional survey methods. The costs can arise from the technology itself, data processing, and the expertise required to interpret and analyze the LiDAR data effectively. Thus, higher operational costs do not*

SAMPLE

## 3. What must be maintained at all times while flying a sUAS?

A. Visual Line of Sight

B. Autonomous Navigation

C. Low Altitude Operations

D. Powered Flight

*Maintaining Visual Line of Sight (VLOS) while flying a small Unmanned Aircraft System (sUAS) is a fundamental requirement in many jurisdictions, including under regulations set forth by the Federal Aviation Administration (FAA) in the United States. VLOS means that the remote pilot or observer must be able to see the sUAS with their own eyes, without the aid of binoculars or other viewing devices, at all times during operation. This requirement is crucial for several reasons: 1. Safety: Visual contact allows the operator to maintain awareness of the sUAS's position relative to surrounding obstacles, other aircraft, and people on the ground. This helps prevent accidents and ensures the sUAS can be maneuvered safely. 2. Regulatory Compliance: Many regulations governing sUAS operations expressly require VLOS, and non-compliance may result in penalties or restrictions on future operations. Pilots must adhere to these legal requirements to operate legally and responsibly. 3. Situational Awareness: By keeping the sUAS within visual range, the operator can better assess real-time conditions such as weather changes, terrain features, or potential hazards. This situational awareness is essential for safe flight operations and effective decision-making. The other options, while relevant to*

## 4. Who is responsible for external communication during UAS flight operations while the aircraft is airborne?

A. Remote Pilot in Command

B. Any member of the UAS crew

C. Ground Control Operator

D. Client Representative

*The individual responsible for external communication during UAS flight operations while the aircraft is airborne is typically the Remote Pilot in Command. This individual holds the ultimate authority and responsibility for the operation of the UAS and is trained to manage all aspects of the flight, including communication with other personnel and stakeholders who may need to be informed or consulted during the operation. While the UAS crew may assist and support operations, the communication regarding the flight's status, any potential issues, or necessary coordination with external parties generally falls under the direct purview of the Remote Pilot in Command. This ensures that communication is managed effectively and that all critical information is conveyed accurately during the flight, which is crucial for both safety and compliance with regulations governing UAS operations.*

SAMPLE

## 5. Which four parameters are needed to calculate density altitude?

A. Barometric pressure, humidity, temperature, and field elevation

B. Barometric pressure, air temperature, field elevation, and dew point

C. Altitude, temperature, wind speed, and humidity

D. Pressure, temperature, elevation, and air density

*Density altitude is an important concept in aviation that affects aircraft performance. To calculate density altitude, the parameters involved represent the conditions affecting the density of the air. The correct choice includes barometric pressure, air temperature, field elevation, and dew point. Barometric pressure is crucial because it indicates how much air is above a given point, affecting how dense the air is. Air temperature impacts the density since warmer air is less dense than cooler air. Field elevation provides a reference for altitude, affecting the density of the air; the higher the elevation, the thinner (less dense) the air becomes. Finally, dew point plays a role in determining humidity, which also influences air density. By comprehensively looking at these parameters, one can accurately compute the density altitude, which is vital for pilots to understand performance metrics such as takeoff and climb rates. Other choices either focus on parameters not directly needed for calculating density altitude or include measurements that do not contribute to the basic understanding of air density relevant for this calculation.*

## 6. Which type of imagers are commonly used in agriculture to detect crop distress?

A. Monochromatic

B. Multispectral

C. Infrared

D. Color

*Multispectral imagers are commonly used in agriculture to detect crop distress because they capture data across various wavelengths beyond the visible spectrum. These imagers can analyze different reflective properties of crops by using specific bands of light, including those in the near-infrared range, which are particularly useful for assessing plant health. Healthy vegetation reflects significantly more near-infrared light compared to stressed or diseased plants. By examining these variations, farmers can identify areas of crop distress that may not be visible to the naked eye, allowing them to make informed decisions regarding irrigation, fertilization, or pest control. Monochromatic imagers capture data in a single wavelength, which limits their ability to differentiate between the various conditions of crops. Infrared imagers, while useful, are typically classified under multispectral systems that include multiple bands, including infrared. Color imagers provide visual images in standard colors, but they lack the detailed spectral information needed to effectively analyze the health and stress levels of crops. This makes multispectral systems the most effective for agricultural monitoring and management.*

SAMPLE

## 7. When launching your sUAS, which direction should you ideally launch?

A. To the left

B. Into the wind

C. With the wind

D. Diagonal to the wind direction

*When launching your small Unmanned Aircraft System (sUAS), you should ideally launch into the wind. This practice helps ensure that the aircraft maintains better control and stability as it ascends. Launching into the wind provides lift as the wind flows over the wings, allowing for a smoother takeoff and reducing the risk of the sUAS being pushed back by the wind. Additionally, starting off against the wind helps the pilot gain altitude more quickly, aiding in safe maneuverability and reducing the chances of the drone being affected by unexpected gusts. Launching with the wind may result in the aircraft being pushed downrange too quickly, which can complicate control during the critical takeoff phase. Launching to the left or right does not take advantage of wind dynamics and could result in an unstable takeoff if the direction is not aligned with the incoming wind, while a diagonal launch may not provide consistent lift as effectively as launching directly into the wind.*

## 8. Which report provides information about wind, visibility, significant weather, and the probability of precipitation and thunderstorms?

A. METAR

B. SPECI

C. AIRMET

D. TAF

*The report that provides information about wind, visibility, significant weather, and the probability of precipitation and thunderstorms is the METAR. METAR reports are routine aviation weather observations issued at fixed intervals, typically every hour. They include essential data that pilots and air traffic controllers use for flight planning and safety, such as temperature, dew point, sea level pressure, wind direction and speed, visibility, and other meteorological conditions including significant weather phenomena. While the other reporting types have their specific purposes, they do not encompass all the elements mentioned in the question like METAR does. SPECI is a special weather report that provides updates to METAR but is used for significant changes that occur between the regular hourly reports, focusing primarily on significant weather changes. AIRMETs are designed for pilots and indicate moderate weather phenomena, but they don't provide the same level of detailed information as METARs. TAFs (Terminal Aerodrome Forecasts) offer forecasts rather than real-time observations and typically cover a 24 to 30-hour period, primarily focusing on expected weather conditions but not the immediate current state like METARs.*

SAMPLE

## 9. Which factor can lead to a shorter EMR wavelength emitted from an object?

A. Lower altitude

B. Higher temperature

C. Increased visibility

D. More atmospheric pressure

*A higher temperature of an object results in a shorter electromagnetic radiation (EMR) wavelength emitted from that object due to the principles of blackbody radiation. According to Wien's displacement law, as the temperature of an object increases, the peak wavelength at which it emits electromagnetic energy shifts to shorter wavelengths. This concept is fundamental in understanding how objects of different temperatures emit EMR differently. For instance, a hot object like a star emits radiation primarily in the visible or even ultraviolet spectrum, whereas a cooler object will emit in the infrared spectrum. Therefore, the connection between temperature and wavelength reveals that increasing the temperature of an object leads directly to a decrease in the wavelength of the EMR it emits. Other factors such as altitude, visibility, and atmospheric pressure do not have a direct influence on the wavelength of EMR emitted by an object in the same way that temperature does. Lower altitude might alter atmospheric conditions but does not affect an object's thermal radiation properties. Increased visibility relates to clarity in observation rather than the physical emissions of EMR, and more atmospheric pressure primarily influences the behavior of electromagnetic waves traveling through the atmosphere, not their intrinsic wavelength emissions.*

## 10. What is the primary advantage of a directional transceiver compared to an omni antenna transceiver?

A. Cost-effectiveness

B. Range

C. Simplicity

D. Durability

*A directional transceiver primarily offers enhanced range compared to an omni antenna transceiver. This advantage arises from the way a directional antenna focuses the transmitted signal in a specific direction rather than dispersing it uniformly in all directions, as is the case with an omni antenna. By concentrating the signal, a directional transceiver can achieve greater distances and improve the quality of the link in that focused direction. This is particularly beneficial in applications requiring long-range communication, such as in remote piloting and surveillance operations where the signal strength is critical. The design of directional antennas allows for better management of the radio waves, minimizing interference from non-target areas and improving overall signal clarity. This focused approach results in more effective communication over longer distances, which can be crucial for unmanned aerial systems operating in expansive and potentially challenging environments.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://unmannedair.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE