URBAN SEARCH AND RESCUE (US&R) STRUCTURAL COLLAPSE LEVEL 2 ADVANCED SHEET PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://usrstructuralcollapse2adv.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Describe a safe method for creating a stable working platform above a collapsed floor.

A. Build a supported cribbed deck with vertical uprights and horizontal walers, anchored to solid points, tested before standing on it.

B. Build a simple plank platform directly on debris.

C. Rely on dynamic stability of standing on rubble.

D. Use an improvised chair scaffolding.

2. _____ shear off segments of concrete towards an open space. Continuous hammering of solid concrete at right angles in ineffective because the bit will get stuck in a small crevice as you attempt to fight the concrete with _____ which is its strongest property.

A. Never; Tension

B. Often; Tension

C. Sometimes; Shear

D. Always; Compression

3. What is the purpose of tag lines and rigging when lifting debris?

A. Decorate the load with tags.

B. Increase the load capacity.

C. Replace cranes.

D. Guide the load, maintain control, prevent twisting or pinching, and communicate intent across the team.

4. Why is there a danger in over-stabilizing a collapse scene?

A. Stabilization always increases safety

B. Stabilization has no downside

C. Excess stabilization can impede rescue access, trap victims, or create mechanical risks; balance protection with access

D. Provides faster rescue

5. The evaluation of building integrity in collapse incidents is commonly referred to as what?

A. Stabilizing

B. Triaging

C. Surveying

D. Assessing

SAMPLE

6. In concrete structures, shoring should start at least how many good floors below the damaged level?

A. One

B. Two

C. Four

D. Three

7. Rescue tools include hand tools, power tools, and what other category?

A. All of the above

B. Support tools

C. Specialty tools

D. Lifting tools

8. Which statement below correctly identifies one floor below the damaged level for shoring in wood or lightweight steel frame structures?

A. One floor below the damaged level

B. Two floors below the damaged level

C. Three floors below the damaged level

D. Four floors below the damaged level

9. Cribbing and lifting point selection should consider stability of the lifting points.

A. True

B. False

C. Not Applicable

D. Sometimes

10. Where is pre-tensioning typically performed?

A. On the job site

B. In a plant and the completed unit is shipped to the job site.

C. In the field after erection

D. In a factory that pre-tensions on site

SAMPLE

Answers

SAMPLE

1. A
2. D
3. D
4. C
5. B
6. D
7. A
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Describe a safe method for creating a stable working platform above a collapsed floor.

A. Build a supported cribbed deck with vertical uprights and horizontal walers, anchored to solid points, tested before standing on it.

B. Build a simple plank platform directly on debris.

C. Rely on dynamic stability of standing on rubble.

D. Use an improvised chair scaffolding.

The main idea is to create a rigid, load-bearing platform that transfers work loads to solid, stable points and remains stable even as the surrounding debris shifts. A supported cribbed deck uses vertical uprights (cribbing) and horizontal walers to form a sturdy frame that spreads the load over multiple points. Anchoring this frame to solid points helps prevent movement if debris settles or shifts. Testing the deck before stepping onto it verifies that it can carry the anticipated load and reveals hidden weaknesses, reducing the chance of a sudden failure. This approach works because it provides redundancy and a controlled load path. The cribbing distributes weight evenly, the deck surface is above the debris (reducing direct contact with unstable material), and anchoring prevents tipping or sliding. By contrast, placing a plank directly on debris can hide voids and permit unexpected settlement; relying on the dynamic stability of rubble is unreliable and dangerous; improvised chair scaffolding lacks the proper load path and may collapse under use.

2. _____ shear off segments of concrete towards an open space. Continuous hammering of solid concrete at right angles in ineffective because the bit will get stuck in a small crevice as you attempt to fight the concrete with _____ which is its strongest property.

A. Never; Tension

B. Often; Tension

C. Sometimes; Shear

D. Always; Compression

The main idea here is how concrete fails and the safe way to breach it. Concrete is strong in compression but much weaker in tension and shear. That means trying to smash or hammer straight through solid concrete relies on its compression strength, which doesn't readily fracture the mass and can cause the tool to bind in small crevices. Directing the work to remove material toward an open space keeps the breach controlled and reduces the chance of pieces pinning the tool or creating dangerous debris. So the best approach is to always shear off segments toward an open space. This framing supports a deliberate, outwards-directed removal that maintains a clear path and minimizes entrapment risk. The note about using compression highlights why brute force works poorly: using the strongest property of the material to force failure is ineffective, which is why the statement emphasizes consistent, outward-directed shearing rather than relying on compression.

SAMPLE

3. What is the purpose of tag lines and rigging when lifting debris?

A. Decorate the load with tags.

B. Increase the load capacity.

C. Replace cranes.

D. Guide the load, maintain control, prevent twisting or pinching, and communicate intent across the team.

Tag lines and rigging are used to control and direct a lifted load rather than to change its capacity. Rigging provides secure attachment points and a stable lifting setup, while tag lines give the ground crew a means to steer the load, keep it from twisting or pinching, and maintain a predictable load path. This coordination reduces swing, prevents contact with people or structures, and communicates intent across the team so everyone understands how the load should move and where it should go. In debris lifting, that controlled, communicative approach is essential for safe, efficient operations.

4. Why is there a danger in over-stabilizing a collapse scene?

A. Stabilization always increases safety

B. Stabilization has no downside

C. Excess stabilization can impede rescue access, trap victims, or create mechanical risks; balance protection with access

D. Provides faster rescue

Balancing stabilization with rescue access is the essential idea here. The aim of stabilization is to control movement enough to prevent additional collapse and protect workers, but not to overdo it to the point that access for rescuers and victims is blocked. When you over-stabilize, you can create new problems: props or shoring that are more rigid or extensive than needed can jam throughways, restrict angles you need to reach victims, or push debris in ways that traps people or worsens their injuries. It can also introduce additional mechanical risks by adding weight, changing load paths, or creating new leverage points that might shift as the debris settles. All of this can slow the rescue, increase exposure, and complicate ventilation or lighting. The practical approach is to stabilize just enough to prevent further movement of the structure and to protect responders, while preserving sufficient access for entry teams, equipment, and victims. Stabilization is a protective measure, not an end in itself.

5. The evaluation of building integrity in collapse incidents is commonly referred to as what?

A. Stabilizing

B. Triaging

C. Surveying

D. Assessing

In collapse scenarios, responders perform a rapid, prioritized evaluation of the structure to identify hazards and determine where to enter or work first. This quick assessment of structural risk is called triaging, or structural triage. It's about sorting the scene into priorities—what areas are safe to access, what needs shoring or stabilization, and what should be avoided—so resources and actions maximize safety and rescue potential. The other terms describe broader data gathering or actions rather than the urgent prioritization process: surveying implies mapping or inspecting the scene more thoroughly; assessing is a general evaluation; stabilizing is an active intervention to prevent further collapse. Structural triage specifically captures the fast, decision-driven assessment that guides subsequent operations.

SAMPLE

6. In concrete structures, shoring should start at least how many good floors below the damaged level?

A. One

B. Two

C. Four

D. Three

Stabilizing a damaged concrete structure requires shoring that is anchored on solid, undamaged levels well below the damage so the load can be safely redirected away from the compromised area. Placing shoring starting three good floors below the damaged level provides a safe margin against progressive failure: if the upper portion of the structure settles, shifts, or if adjacent floors crumble, the shoring system still sits on multiple intact levels to carry and transfer the load down to a stable base. This spacing also offers space for crews to work and inspect, while reducing the risk that the bearing surfaces are compromised by debris or movement in the damaged zone. Starting only one or two floors below could risk undermining the shoring if those floors are damaged or weakened, and going four floors below, while protective, can hinder access and speed of operations. Three floors below represents the practical minimum to maintain stability and safety in this scenario.

7. Rescue tools include hand tools, power tools, and what other category?

A. All of the above

B. Support tools

C. Specialty tools

D. Lifting tools

In rescue scenarios, tools are grouped by how they're used on the scene, and a complete toolbox covers more than just hand and power tools. Lifting tools provide the means to raise or move heavy debris or to create a path for extraction. Support tools include stabilization and access equipment—things like shoring, cribbing, winches, and anchor systems that keep the scene secure while work is underway. Specialty tools handle niche tasks that don't fit the other two categories, such as equipment designed for unique collapse or confined-space challenges. Because each category serves a distinct, necessary function in access, stabilization, and extraction, the best answer is that rescue tools include hand tools, power tools, and lifting, support, and specialty tools—that is, all of the above.

8. Which statement below correctly identifies one floor below the damaged level for shoring in wood or lightweight steel frame structures?

A. One floor below the damaged level

B. Two floors below the damaged level

C. Three floors below the damaged level

D. Four floors below the damaged level

In wood or lightweight frame structures, the load path from the damaged floor must be intercepted as close to the failure point as practical to prevent further movement and to create a stable working area. Placing shoring one floor below the damaged level achieves this by directly supporting the floor above the damaged zone, catching any sag or collapse before it travels to lower levels. This location provides a solid bearing for cribbing and stabilizes the structure around the damaged area, which helps protect rescuers and maintains a usable gap for operations. Placing shoring farther below—two, three, or four floors—reduces the effectiveness of the load transfer, increases the risk of progressive collapse spreading downward, and can create instability as the lower levels are subjected to loads they weren't meant to bear.

SAMPLE

9. Cribbing and lifting point selection should consider stability of the lifting points.

A. True

B. False

C. Not Applicable

D. Sometimes

Ensuring stability of lifting points is essential in cribbing and lifting operations. When planning a lift, the chosen points must stay solid and level under load, avoiding any movement, rocking, or tipping as the rigging is tightened and the lift begins. If a lifting point is unstable—on a deformed surface, an uneven contact, or a weak feature of the object—the load can shift or rotate, pulling on one side more than the other, causing the rigging, cribbing, or even the entire assembly to fail. That kind of instability puts rescuers at risk and can worsen the collapse condition. To maintain stability, inspect the surfaces that will bear the load and the lifting hardware, ensure even load distribution (using appropriate rigging and, if needed, load equalizers), keep the load centered to minimize eccentric forces, and adapt the setup so the contact points are solid and level. If a stable lift point cannot be found, modify the rig or cribbing arrangement to create a safe, stable foundation. Because stability of lifting points is a constant, critical consideration for safety during lifts, it should always be taken into account.

10. Where is pre-tensioning typically performed?

A. On the job site

B. In a plant and the completed unit is shipped to the job site.

C. In the field after erection

D. In a factory that pre-tensions on site

Pre-tensioning is done in a controlled manufacturing environment where the prestressing force is applied to the tendons before the concrete cures. This setup allows precise control of tension, tendon placement, concrete quality, and curing conditions, producing a reliable, uniform member. After the unit gains strength, the prestress is transferred to the concrete, and the completed, prestressed piece is shipped to the job site for installation. Doing this on site or after erection would be far less controllable and practical, introducing more risk and variability; on-site prestressing is not the standard method for pre-tensioned members. Therefore, the typical practice is to perform pre-tensioning in a plant and ship the finished unit to the site.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://usrstructuralcollapse2adv.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE