URINALYSIS – PHYSICAL AND BIOCHEMICAL PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://urinalysisphysicalbiochem.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The primary constituent of hyaline casts is which substance?

A. Mucus

B. Protein

C. Fat

D. Cells

2. What are the typical steps in collecting and handling a specimen to prevent pre-analytical errors?

A. Clean-catch midstream; label; proper container; avoid contamination; analyze promptly or refrigerate; protect from light for bilirubin.

B. Random drop in container; no labeling.

C. First morning sample only; keep at room temperature.

D. Use any container; no refrigeration.

3. If pH = 7.5, identify the crystal.

A. Ammonium Biurate (Thorny Apple) Crystal

B. Leucine Crystal

C. Oxalate Crystal

D. Triple Phosphate Crystal

4. Vitamin C interference: which dipstick test is usually unaffected?

A. Glucose

B. Bilirubin

C. Blood

D. Ketones

5. Which test distinguishes orthostatic proteinuria from pathologic proteinuria?

A. Random morning protein

B. 24-hour protein only

C. Recumbent protein testing or 24-hour protein

D. Dipstick protein alone

SAMPLE

6. Which factor could lead to a false negative leukocyte esterase result?

A. Very dilute urine.

B. Very concentrated urine.

C. Contamination with blood.

D. Inhibitors added to the dipstick.

7. Which finding in urine sediment is most strongly associated with glomerulonephritis?

A. RBC casts

B. WBC casts

C. Oval fat bodies

D. Renal tubular epithelial cells

8. Which of the following best describes the urine specific gravity associated with low ADH (antidiuretic hormone) activity?

A. Low specific gravity

B. High specific gravity

C. Variable specific gravity

D. Specific gravity close to 1.025

9. Which result should be repeated?

A. Positive blood and protein

B. pH 7.5 with uric acid crystals

C. Positive bilirubin and urobilinogen

D. pH 8.0, WBCs, and triple phosphate crystals

10. An acid urine that contains hemoglobin will darken on standing due to the formation of which compound?

A. Myoglobin

B. Sulfhemoglobin

C. Methenoglobin

D. Red blood cells

SAMPLE

Answers

SAMPLE

1. B
2. A
3. A
4. D
5. C
6. A
7. A
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. The primary constituent of hyaline casts is which substance?

A. Mucus

B. Protein

C. Fat

D. Cells

Hyaline casts are essentially proteinaceous tubular casts formed in the distal tubules and collecting ducts when urine is concentrated or flow is slow. Their main constituent is a specific tubular protein called Tamm-Horsfall protein (uromodulin) secreted by tubular epithelial cells, which can precipitate and make the cast appear clear and glassy. This is why protein is the primary component. Mucus would imply a mucous content, which isn't the dominant material in these casts. Fatty casts contain lipid and are typical of nephrotic-range proteinuria, while cellular casts include epithelial or inflammatory cells; hyaline casts lack these cellular or lipid components and are mainly acellular protein material.

2. What are the typical steps in collecting and handling a specimen to prevent pre-analytical errors?

A. Clean-catch midstream; label; proper container; avoid contamination; analyze promptly or refrigerate; protect from light for bilirubin.

B. Random drop in container; no labeling.

C. First morning sample only; keep at room temperature.

D. Use any container; no refrigeration.

Preventing pre-analytical errors in urine testing comes from how the specimen is collected and handled before analysis. The best approach includes a clean-catch midstream collection to minimize contamination, clear labeling to ensure results go with the right patient, a proper container to prevent leakage or chemical interactions, and steps to prevent contamination during collection. It also requires either analyzing the sample promptly or refrigerating it if there will be a delay, to preserve the constituents. For tests that involve bilirubin, shielding the sample from light is important because bilirubin can degrade with light exposure. This set of practices addresses the main ways pre-analytical errors occur—misidentification, contamination, improper specimen integrity during transport, and degradation of light-sensitive substances—and explains why the other approaches fall short, such as omitting labeling, using an inappropriate collection method, ignoring refrigeration when needed, or neglecting light protection for bilirubin.

3. If pH = 7.5, identify the crystal.

A. Ammonium Biurate (Thorny Apple) Crystal

B. Leucine Crystal

C. Oxalate Crystal

D. Triple Phosphate Crystal

When urine is alkaline (pH around 7.5), certain crystals precipitate more readily. Ammonium biurate crystals are classic for alkaline urine and have a distinctive thorny-apple appearance, often described as thorny or radiating projections. This makes them a strong match for a pH of 7.5, since the alkaline environment promotes their formation. While other crystals can appear in alkaline urine (for example, triple phosphate crystals), the unmistakable thorny-apple form of ammonium biurate is the most characteristic finding at this pH. Leucine and oxalate crystals are not specifically tied to alkaline urine in the same distinctive way, and their shapes/associations differ.

SAMPLE

4. Vitamin C interference: which dipstick test is usually unaffected?

A. Glucose

B. Bilirubin

C. Blood

D. Ketones

Vitamin C acts as a reducing agent and antioxidant, which can blunt the color changes on many urine dipstick tests that rely on oxidative chemistry. The glucose pad uses an enzymatic reaction that ultimately depends on hydrogen peroxide to produce a color; ascorbic acid can neutralize that peroxide or dampen the color, leading to a false-negative or weaker result. The bilirubin pad relies on a diazo reaction to form a colored compound, and ascorbate can interfere with that reaction as well. The blood pad depends on a peroxidase-like reaction to develop color, which can be quenched by reducing agents like vitamin C, resulting in a lighter color or false negative. The ketone pad uses the nitroprusside reaction with acetoacetate, a chemistry not affected by typical levels of vitamin C, so it remains usually unaffected. This is why ketones are the best choice when considering vitamin C interference.

5. Which test distinguishes orthostatic proteinuria from pathologic proteinuria?

A. Random morning protein

B. 24-hour protein only

C. Recumbent protein testing or 24-hour protein

D. Dipstick protein alone

Orthostatic proteinuria is defined by a rise in urinary protein when the person is upright and a return to normal levels when the person is lying down. To tell this apart from pathologic (glomerular or tubular) proteinuria, you need to see whether protein excretion changes with posture or differs across a full day. Testing urine while the person is recumbent will typically show little or no excess protein if the proteinuria is orthostatic, because lying down eliminates the upright effect. A 24-hour urine collection captures protein excretion over both day and night, so it can reveal the diurnal pattern: orthostatic proteinuria tends to have most of its protein during upright daytime hours and little at night, whereas pathologic proteinuria persists across the entire day and night. Dipstick testing or a single random morning sample may detect protein but won't reliably distinguish posture-dependent from persistent proteinuria. Thus, recumbent protein testing or a 24-hour collection provides the information needed to differentiate orthostatic proteinuria from pathologic proteinuria.

6. Which factor could lead to a false negative leukocyte esterase result?

A. Very dilute urine.

B. Very concentrated urine.

C. Contamination with blood.

D. Inhibitors added to the dipstick.

Leukocyte esterase on a dipstick reacts to an enzyme released by neutrophils in the urine. The color change it produces depends on how much enzyme is present. If the urine is very dilute, the leukocyte esterase concentration can fall below the assay's detection threshold, so even with pyuria, the test may read negative. In other words, the diluted sample doesn't provide enough enzyme activity to trigger a visible reaction, masking an underlying infection or inflammation. A very concentrated urine would have more cells and enzymes in the sample, making a positive result more likely rather than causing a false negative. Contamination with blood can sometimes affect the reading, but it's not a reliable mechanism for producing a false negative for leukocyte esterase. Inhibitors added to the dipstick could cause a false negative, but such a scenario is less typical in routine samples, whereas dilution directly reduces the assay signal.

EXAMPLE

7. Which finding in urine sediment is most strongly associated with glomerulonephritis?

A. RBC casts

B. WBC casts

C. Oval fat bodies

D. Renal tubular epithelial cells

RBC casts are most strongly associated with glomerulonephritis because they indicate bleeding from inflamed glomeruli. When red blood cells leak into the nephron from damaged glomerular capillaries, they travel through the tubules and can be trapped in a Tamm-Horsfall protein–rich matrix, forming red blood cell casts. Their presence in urine sediment points to a glomerular source of hematuria, which is a hallmark of GN. WBC casts suggest tubulointerstitial inflammation or infection rather than primary glomerular disease. Oval fat bodies indicate lipiduria from nephrotic-range protein loss, which can occur with various glomerular disorders but is not specific for GN. Renal tubular epithelial cells reflect tubular injury or necrosis, such as in acute tubular necrosis, not primarily glomerulonephritis. So the finding most characteristic of glomerulonephritis is the presence of RBC casts.

8. Which of the following best describes the urine specific gravity associated with low ADH (antidiuretic hormone) activity?

A. Low specific gravity

B. High specific gravity

C. Variable specific gravity

D. Specific gravity close to 1.025

When ADH activity is low, the kidneys don't reabsorb as much water in the collecting ducts because there are fewer aquaporin-2 water channels in place. This means more free water is lost in urine, producing a dilute urine. Urine specific gravity reflects how concentrated or dilute the urine is, so dilute urine corresponds to a low specific gravity (typically around 1.005 or even lower, closer to the density of water). So the best description for low ADH activity is a low urine specific gravity. In contrast, high ADH or dehydration makes urine more concentrated and higher SG, and fluctuating ADH would lead to more variable SG.

9. Which result should be repeated?

A. Positive blood and protein

B. pH 7.5 with uric acid crystals

C. Positive bilirubin and urobilinogen

D. pH 8.0, WBCs, and triple phosphate crystals

The main idea here is recognizing when a urinalysis result is physiologically unlikely and should be verified. Uric acid crystals form best in acidic urine; at a pH around 7.5 (slightly alkaline), uric acid tends to stay dissolved and crystals are unlikely to be present. Therefore, seeing uric acid crystals reported with a pH of 7.5 is inconsistent and suggests a possible error in the specimen, testing, or crystal identification. That combination should be repeated to confirm accuracy before reporting. The other results can occur together in real samples: blood and protein can both appear with renal or urinary tract pathology; bilirubin with urobilinogen can be seen in liver or biliary conditions; and alkaline urine (pH 8.0) with white blood cells and triple phosphate crystals is a plausible infection-related finding.

SAMPLE

10. An acid urine that contains hemoglobin will darken on standing due to the formation of which compound?

A. Myoglobin

B. Sulfhemoglobin

C. Methenoglobin

D. Red blood cells

When hemoglobin in acid urine is allowed to stand, its iron is oxidized from the ferrous (Fe2+) to the ferric (Fe3+) state, forming methemoglobin. Methemoglobin has a brown to dark brown color, so the urine darkens as this oxidation occurs with exposure to air over time. This change is a chemical pigment transformation, not due to intact cells or other pigments. Myoglobin would come from muscle breakdown and can color urine, but its pigment origin is different and not tied to standing oxidation in acid urine. Sulfhemoglobin can form with certain drugs and typically gives a greenish hue, not the brown darkening described. Red blood cells in urine cause red or pink urine when fresh; they do not darken on standing due to a pigment change.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://urinalysisphysicalbiochem.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE