U.S. ARMY CORPS OF ENGINEERS (USACE) EM 385-1-1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://usace-em385certification.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How high can stored lumber be stacked if handled manually?

A. 10 ft

B. 12 ft

C. 16 ft

D. 20 ft

2. Which of the following is true regarding equipment maintenance under EM 385-1-1?

A. Equipment maintenance is optional

B. Equipment must be maintained only when broken

C. Regular maintenance is essential to ensure safety and operational efficiency

D. Maintenance schedules can be flexible without restrictions

3. Which key elements are included in an accident prevention plan according to EM 385-1-1?

A. Safety policies and job hazard analyses

B. Employee scheduling and budgeting

C. Performance evaluations and promotions

D. Training only

4. When is it mandatory for employers to assess the risk of drowning?

A. During employee training

B. When evaluating the work environment

C. Before issuing any permits

D. During safety meetings

5. How does EM 385-1-1 address limited access zones?

A. Access is freely allowed for all employees

B. Specific guidelines are provided to control access to areas where hazards are present

C. Only management has control over access

D. Access zones vary but are not specifically defined

SAMPLE

6. In the context of safety programs, what is an essential function of a safety officer?

A. To ensure compliance with safety protocols

B. To oversee employee attendance

C. To manage payroll for safety staff

D. To conduct employee satisfaction surveys

7. Which of the following is true about fall protection procedures?

A. All work areas require the same fall protection

B. Only designated work areas require fall protection

C. Fall protection depends on the type of work being done

D. Fall protection is optional in any situation

8. What safety precaution is necessary for every hatchway and chute floor opening?

A. Signage

B. Hinge floor-opening cover

C. Guardrail

D. Warning light

9. What determines the necessity of providing PFDs on-site?

A. The type of machinery used

B. The distance from water

C. The risk of drowning

D. The number of workers present

10. What is the purpose of a confined space survey?

A. To find spaces that do not require safety equipment

B. To inventory hazardous materials

C. To develop a site-specific confined space plan

D. To train employees

SAMPLE

Answers

SAMPLE

1. C
2. C
3. A
4. B
5. B
6. A
7. C
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. How high can stored lumber be stacked if handled manually?

A. 10 ft

B. 12 ft

C. 16 ft

D. 20 ft

Stored lumber can be stacked up to a height of 16 feet when handled manually in accordance with the guidelines set forth in EM 385-1-1. This limit is established to ensure safety during handling and stacking operations. Stacking lumber higher than this increases the risk of instability and potential accidents, as the lumber may shift or fall if not properly supported or if the stack becomes too tall for safe manual handling. The guideline emphasizes that workers should maintain safe practices to prevent injuries related to lifting or reaching for high stacks. A maximum height of 16 feet allows for a balance between maximizing storage space and maintaining a safe working environment, reducing the hazards associated with manual handling of heavy or bulky materials.

2. Which of the following is true regarding equipment maintenance under EM 385-1-1?

A. Equipment maintenance is optional

B. Equipment must be maintained only when broken

C. Regular maintenance is essential to ensure safety and operational efficiency

D. Maintenance schedules can be flexible without restrictions

Regular maintenance is essential to ensure safety and operational efficiency, as outlined in EM 385-1-1. Keeping equipment well-maintained significantly reduces the risk of accidents and operational failures, which can have serious consequences on job sites. Regular checks and servicing can help identify potential issues before they become critical, ensuring that equipment operates safely and effectively. This practice not only protects workers and minimizes liability but also enhances the longevity and reliability of the equipment being used. Following a structured maintenance schedule ensures compliance with safety standards and regulatory requirements, aligning with the overall goals of the U.S. Army Corps of Engineers to promote a safe working environment. Maintenance should not be viewed as optional or only performed reactively when equipment fails; rather, it is a proactive measure that underpins operational success. Addressing the importance of a flexible maintenance schedule, while some degree of adaptability is often needed, it should still adhere to prescribed guidelines and protocols to fulfill safety and performance standards.

SAMPLE

3. Which key elements are included in an accident prevention plan according to EM 385-1-1?

A. Safety policies and job hazard analyses

B. Employee scheduling and budgeting

C. Performance evaluations and promotions

D. Training only

An accident prevention plan is a vital component in ensuring workplace safety as outlined in EM 385-1-1. It encompasses key elements that focus on identifying, assessing, and controlling hazards to prevent accidents and injuries. Safety policies are fundamental as they establish the framework and direction for safety practices within an organization. They set expectations for safety standards and behavior on the job site. Job hazard analyses complement these safety policies by systematically identifying potential hazards associated with specific tasks and outlining measures to mitigate those risks. This proactive approach is critical in developing a culture of safety and preventing incidents before they occur. While employee scheduling and budgeting, performance evaluations and promotions, and training are important aspects of organizational management, they do not directly pertain to the fundamental components of an accident prevention plan. The focus of such a plan is strictly on safety and hazard management, making the inclusion of safety policies and job hazard analyses essential for compliance and effective risk reduction.

4. When is it mandatory for employers to assess the risk of drowning?

A. During employee training

B. When evaluating the work environment

C. Before issuing any permits

D. During safety meetings

Employers are mandated to assess the risk of drowning when evaluating the work environment because it is crucial to identify potential hazards associated with specific tasks or activities, especially those that take place near water bodies or involve water exposure. This assessment helps in understanding the unique risks that employees may face during their work, allowing for the implementation of appropriate safety measures and controls. These measures may include safety training, protective equipment, and emergency preparedness plans tailored to the evaluated environment. Assessing risks in the work environment is fundamental to ensuring the safety of employees, and it is a proactive approach to mitigating hazards before they result in incidents. Comprehensive risk assessments provide the baseline information needed for effective safety management and compliance with regulatory standards.

SAMPLE

5. How does EM 385-1-1 address limited access zones?

A. Access is freely allowed for all employees

B. Specific guidelines are provided to control access to areas where hazards are present

C. Only management has control over access

D. Access zones vary but are not specifically defined

The correct choice emphasizes the importance of providing specific guidelines to control access to areas where hazards are present. EM 385-1-1, which is a safety and health regulation for all U.S. Army Corps of Engineers (USACE) projects, stipulates that limited access zones are implemented to ensure safety in environments where there are potential risks to workers. These zones are established in situations where there is an imminent danger or significant hazards that could be harmful, such as construction sites, areas with heavy machinery, or locations with toxic substances. By controlling access to these areas, the regulation helps to minimize the risk of accidents and injuries, ensuring that only trained and authorized personnel can enter these areas. This focused approach contributes to maintaining a safe working environment and adhering to safety protocols laid out in the regulation. Access being freely allowed for all employees, management having exclusive control over access, or varying access zones without defined parameters would undermine the intended purpose of these safety guidelines. The correct answer highlights the structured and regulated approach necessary for maintaining worker safety around hazardous conditions.

6. In the context of safety programs, what is an essential function of a safety officer?

A. To ensure compliance with safety protocols

B. To oversee employee attendance

C. To manage payroll for safety staff

D. To conduct employee satisfaction surveys

The essential function of a safety officer is to ensure compliance with safety protocols. This role is critical as it involves the implementation and enforcement of safety regulations and procedures to protect personnel and property from potential hazards. A safety officer's responsibilities include monitoring work environments for hazards, ensuring that safety training occurs, and effectively communicating safety practices to all personnel. This proactive management of safety standards helps prevent accidents and injuries, thereby fostering a culture of safety within the organization. The other functions listed, such as overseeing employee attendance, managing payroll for safety staff, and conducting employee satisfaction surveys, do not directly pertain to the core responsibilities of a safety officer. While these tasks are important within an organization, they fall outside the primary focus on safety compliance and risk management that defines the role of a safety officer.

SAMPLE

7. Which of the following is true about fall protection procedures?

A. All work areas require the same fall protection

B. Only designated work areas require fall protection

C. Fall protection depends on the type of work being done

D. Fall protection is optional in any situation

Fall protection procedures are indeed dependent on the type of work being performed, which is why this answer is considered correct. Different tasks present varying levels of risk, therefore the nature of the work dictates the specific fall protection measures that must be implemented. For instance, jobs involving roof work, scaffolding, or working on ladders may require distinct safety interventions compared to those performed at ground level. The implementation of appropriate fall protection measures, such as guardrails, personal fall arrest systems, or safety nets, is contingent upon a thorough risk assessment that considers the environment and specific tasks at hand. This tailored approach is essential for ensuring worker safety and compliance with regulations outlined in EM 385-1-1. In contrast, the other options do not accurately reflect the nuanced requirements of fall protection. While all work areas are subject to safety protocols, the level and type of protection is not uniform across all environments, nor is it limited to designated areas. Additionally, fall protection is a mandated safety practice in many situations, meaning it is not optional; rather, it is a requirement to mitigate risks associated with falls in the workplace.

8. What safety precaution is necessary for every hatchway and chute floor opening?

A. Signage

B. Hinge floor-opening cover

C. Guardrail

D. Warning light

The correct safety precaution necessary for every hatchway and chute floor opening is the hinge floor-opening cover. This requirement ensures that the opening is properly covered when not in use, reducing the risk of personnel accidentally falling through the opening. Hinge covers can be easily opened and closed, providing a safe barrier while allowing access when required. Implementing a hinge cover helps to maintain safety by ensuring that potential hazards are minimized in areas where there are vertical openings. This aligns with the principles of fall protection and hazard mitigation outlined in the USACE EM 385-1-1 guidelines. The other options do include valid safety measures but do not specifically address the inherent risk associated with hatchways and chute openings in the same direct and effective manner as a hinge floor-opening cover does. While signage and warning lights can alert individuals to the presence of the hazard, they do not physically prevent access or falls. Guardrails can be effective, but they may not be feasible or necessary for every type of hatchway or chute, depending on its configuration and use. The hinge cover serves as a physical barrier, making it the most appropriate choice for this context.

SAMPLE

9. What determines the necessity of providing PFDs on-site?

A. The type of machinery used

B. The distance from water

C. The risk of drowning

D. The number of workers present

The necessity of providing Personal Flotation Devices (PFDs) on-site is primarily determined by the risk of drowning. When assessing whether PFDs are required, it is crucial to evaluate the potential hazards present in the work environment, such as bodies of water that workers may be exposed to. The USACE EM 385-1-1 guidelines emphasize safety measures based on identified risks, particularly in situations where workers might be at risk of falling into water or where water hazards could lead to drowning. Even in locations where other factors—like the type of machinery or the number of workers—are considered, the ultimate determinant focuses on safety concerning potential drowning incidents. Therefore, PFD requirements are mandated in environments where such risks are present, ensuring that workers have the necessary protection to enhance their safety while performing tasks near water. This approach prioritizes worker safety and helps to prevent accidents that could lead to severe consequences.

10. What is the purpose of a confined space survey?

A. To find spaces that do not require safety equipment

B. To inventory hazardous materials

C. To develop a site-specific confined space plan

D. To train employees

The purpose of a confined space survey is fundamentally to develop a site-specific confined space plan. This involves assessing various confined spaces within a worksite to identify and analyze potential hazards present in these areas. This survey ensures that proper safety measures and protocols are established, tailored to the specific conditions and risks associated with each confined space. By conducting this survey, organizations can ascertain the necessary safety equipment, training, and procedures needed to mitigate risks and protect workers entering these potentially dangerous environments. In addition, a thorough confined space survey helps in ensuring compliance with safety regulations, providing critical information that will inform emergency response plans and rescue procedures tailored to the unique challenges posed by each confined space.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://usace-em385certification.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE