USCG LAUNCH TENDER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://uscglaunchtender.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is not typically part of an anchor's operation?

A. Weighing

B. Dropping

C. Hailing

D. Retrieving

2. What color is a towing light?

A. Red

B. Green

C. Yellow

D. Blue

3. What is the primary reason to know the depth of water when weighing anchor?

A. To avoid obstacles

B. To determine the correct scope

C. To ensure safety of crew

D. To ensure rapid travel

4. What type of lights do power vessels under 12m require?

A. Red and green sidelights only

B. Flashing blue lights

C. All around white light and sidelights

D. Only a stern light

5. During which two conditions are lights required to be displayed on vessels?

A. Daylight and restricted visibility

B. Night and rough weather

C. Night and restricted visibility

D. Clear days and fog

6. What is the sound signal for a vessel not making way?

A. One long blast

B. Two long blasts

C. One short and one long blast

D. Three long blasts

SAMPLE

7. In a crossing situation, which vessel must give way?

A. The vessel that sees green light

B. The vessel that has another vessel on its starboard side

C. The larger vessel

D. The vessel with the wind on its starboard

8. From which direction does New England weather typically approach?

A. North

B. East

C. South

D. West

9. What should a vessel operator do when they are approaching a narrow channel?

A. Speed up to pass quickly

B. Signal other vessels to clear the channel

C. Maintain a steady speed and position

D. Stop and wait for direction

10. What does a vessel not under command display in terms of lights?

A. Two red lights

B. Red over red

C. Green over red

D. Red over white

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. C
6. B
7. B
8. D
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following is not typically part of an anchor's operation?

A. Weighing

B. Dropping

C. Hailing

D. Retrieving

The operation of an anchor primarily consists of actions that involve setting, holding, and recovering the anchor while mooring a vessel. Dropping, weighing, and retrieving are essential maneuvers associated with the anchoring process. Dropping an anchor involves releasing it from the vessel to allow it to sink and embed itself into the seabed, providing stability. Weighing refers to the process of hoisting the anchor back on board after it has served its purpose, ensuring that it is securely stowed. Retrieving is synonymous with weighing, as it also pertains to bringing the anchor back to the vessel when it is time to leave the anchorage. Hailing, on the other hand, does not pertain to the operation of an anchor. It typically relates to communication, particularly in maritime contexts where crews signal or call out to one another for information or coordination. Therefore, hailing is not part of the physical processes involved in using an anchor, making it the correct choice for identifying what is not typically part of an anchor's operation.

2. What color is a towing light?

A. Red

B. Green

C. Yellow

D. Blue

The correct color of a towing light is yellow. In maritime navigation, lights are utilized to indicate the type and activities of vessels. A towing light specifically indicates that a vessel is engaged in towing operations, and it must be displayed at the stern of the towing vessel. The yellow color is critical for safety, as it clearly communicates to other vessels that there is an ongoing towing operation. This distinction is essential in preventing collisions and ensuring that other vessels give the necessary space to the tow. In contrast, the other color options—red, green, and blue—represent different functions or types of lights in navigation. Red is typically used for port side navigation lights, green is for starboard side lights, and blue is not a standard color for navigation lights. This understanding of light colors is crucial for mariners to maintain safety and avoid misunderstandings on the water.

3. What is the primary reason to know the depth of water when weighing anchor?

A. To avoid obstacles

B. To determine the correct scope

C. To ensure safety of crew

D. To ensure rapid travel

Knowing the depth of water when weighing anchor is primarily important for determining the correct scope of the anchor rode. Scope is the ratio of the length of the anchor rode (the chain or rope leading from the anchor to the vessel) to the depth of the water. It is crucial to have the correct scope to ensure that the anchor sets properly on the seabed and holds the vessel securely in place. If the scope is too short, the anchor may not set well, increasing the risk of dragging, which can lead to dangerous situations. On the other hand, too much scope may cause other issues, including difficulties in bringing the anchor up or the risk of the rode tangling. Thus, knowing the water depth allows for the appropriate calculation of scope to maintain stability and safety for the vessel. While knowing the water depth can also help avoid obstacles and ensure the safety of the crew, the primary focus in the context of weighing anchor is about ensuring the anchor holds effectively based on water depth and the rode length ratio.

SAMPLE

4. What type of lights do power vessels under 12m require?

A. Red and green sidelights only

B. Flashing blue lights

C. All around white light and sidelights

D. Only a stern light

Power vessels under 12 meters in length are required to display an all-around white light at anchor and sidelights while underway. The all-around white light serves to indicate the presence of the vessel to other boats, ensuring visibility in various conditions. Meanwhile, the sidelights, which consist of a red light on the port side and a green light on the starboard side, allow other vessels to determine the orientation and direction of the power vessel when it is moving. This configuration is essential for compliance with navigation rules and helps prevent collisions on the water by clearly marking the vessel's position and direction. The requirement for both sidelights and an all-around white light is established to create a clear and predictable signaling system, particularly since smaller vessels may be harder to see in certain conditions.

5. During which two conditions are lights required to be displayed on vessels?

A. Daylight and restricted visibility

B. Night and rough weather

C. Night and restricted visibility

D. Clear days and fog

Lights are required to be displayed on vessels during night and restricted visibility conditions to ensure safety on the water. At night, the illumination of navigation lights helps in identifying the presence and type of vessel, as well as its direction and status. This is critical for avoiding collisions in the dark. Restricted visibility refers to conditions where visibility is significantly limited, such as during fog, heavy rain, or snow. In these situations, vessels must display their navigation lights to be seen by other vessels nearby, as well as to demonstrate their own course and activities, helping all mariners make informed decisions. Displaying lights in these situations is mandated by the International Regulations for Preventing Collisions at Sea (COLREGs), reinforcing the importance of visibility and communication between vessels to reduce the risk of accidents.

6. What is the sound signal for a vessel not making way?

A. One long blast

B. Two long blasts

C. One short and one long blast

D. Three long blasts

The sound signal for a vessel not making way is indeed two long blasts. Under the International Regulations for Preventing Collisions at Sea (COLREGs), this specific signal indicates that the vessel is at anchor or otherwise not under way, and it communicates to nearby vessels that the vessel is not moving through the water. This sound signal is essential for maritime safety, as it helps other vessels understand the status of the vessel making the signal and allows them to take appropriate action to avoid potential collisions. Knowing and using the correct sound signals is a fundamental aspect of navigational practices, which ensures that all vessels can operate safely within shared waters.

SAMPLE

7. In a crossing situation, which vessel must give way?

A. The vessel that sees green light

B. The vessel that has another vessel on its starboard side

C. The larger vessel

D. The vessel with the wind on its starboard

In a crossing situation at sea, the fundamental rule is that a vessel must give way to another vessel that it sees on its starboard side. This is based on the maritime navigation rules, specifically the "road rules" at sea, which dictate that vessels must yield to those on their right-hand side. This principle helps to reduce the risk of collision and ensures a standardized approach to navigation. This requirement is grounded in the fact that when two vessels are approaching each other, the one that has the other to its starboard (right) is considered to be "burdened" and must give way. The rationale is to maintain safe and predictable traffic patterns on the water, akin to the rules of the road on land, where vehicles yield to those on their right. Understanding this rule is crucial for effective maritime navigation and safety. It emphasizes the importance of awareness of surrounding vessels and adherence to established maritime protocols for avoiding collisions.

8. From which direction does New England weather typically approach?

A. North

B. East

C. South

D. West

In New England, weather systems typically approach from the west. This is largely due to the prevailing westerly winds found in the mid-latitudes, where New England is located. These winds are influenced by the jet stream, which flows from west to east and carries weather disturbances such as fronts and storms across the region. As a result, many weather patterns, including rainstorms and snowstorms, originate in the west, impacting New England as they move eastward. The geographical positioning of New England, nestled between the Atlantic Ocean to the east and various landforms to the west, also means that weather can be altered as it moves through the region. While coastal storms may approach from the southeast or east due to the oceanic influences, the general trend for most weather systems is to come from the west, having moved across the United States before reaching New England. This understanding is crucial for predicting weather patterns and preparing for changes in climate conditions in the area.

SAMPLE

9. What should a vessel operator do when they are approaching a narrow channel?

A. Speed up to pass quickly

B. Signal other vessels to clear the channel

C. Maintain a steady speed and position

D. Stop and wait for direction

When approaching a narrow channel, maintaining a steady speed and position is crucial for several reasons. This practice supports safe navigation and enhances predictability for other vessels in the vicinity. A consistent speed allows the operator to gauge how the vessel will handle as it approaches or enters the channel, which is often constricted and may have limited maneuvering space. In a narrow channel, other vessels may be present, and maintaining a steady speed helps in establishing a clear intention to navigate through it safely. It allows for proper assessment of the surrounding environment, including currents and other vessel traffic. A stable position is equally important because it minimizes the risk of collisions and reduces the likelihood of causing confusion among other vessels regarding the operator's next move. Frequently, if a vessel operator accelerates to pass through the channel quickly, it may lead to increased risks as changes in speed can exacerbate handling difficulties, especially in tight spaces. Similarly, signaling other vessels or stopping to await further instructions could create uncertainty and increased risk of accidents in a busy channel, where timely decision-making is essential. By choosing to maintain a steady course, the operator demonstrates a commitment to safe navigation practices consistent with maritime rules and conventions.

10. What does a vessel not under command display in terms of lights?

A. Two red lights

B. Red over red

C. Green over red

D. Red over white

A vessel not under command is required to display two red lights in a vertical alignment during nighttime or periods of restricted visibility. This signals to other vessels that it is unable to maneuver as required by the navigation rules. The choice of "red over red" effectively communicates the vessel's status, allowing other mariners to recognize that the vessel is experiencing difficulties and may pose a hazard. Navigational safety relies on clear communication through visual signals, and displaying two red lights serves a critical function in preventing collisions by alerting nearby vessels of the situation. This adherence to maritime signaling conventions ensures that the information conveyed is universally understood among seafarers, enhancing safety on the waterways.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://uscglaunchtender.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE