USMLE STEP 1 PATHOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://usmlestep1pathology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which condition is characterized by urine turning black upon standing and degenerative arthritis of the spine, hip, and knee?

A. Maple Syrup Urine Disease

B. Alkaptonuria

C. Homocystinuria

D. Phenylketonuria

2. What is the histopathological hallmark of endometrial hyperplasia?

A. Increased gland-to-stroma ratio

B. Presence of inflammatory cells

C. Formation of papillary structures

D. Necrosis of glandular tissue

3. What is the most common cause of a dissecting aneurysm?

A. Genetic disorders

B. Hypertension

C. Atherosclerosis

D. Infections

4. Which GAGs are increased in interstitial tissue during myxedema?

A. Keratan sulfate and heparan sulfate

B. Chondroitin sulfate and heparan sulfate

C. Chondroitin sulfate and hyaluronic acid

D. Hyaluronic acid and dermatan sulfate

5. Lumpy-bumpy appearance of glomeruli on immunofluorescence is indicative of?

A. Focal segmental glomerulosclerosis

B. Poststreptococcal glomerulonephritis

C. Diabetic nephropathy

D. Membranous nephropathy

SAMPLE

6. Chylomicrons primarily consist of what type of fat?

A. Endogenously synthesized TGs

B. Saturated fatty acids

C. Diet-derived TGs

D. Monounsaturated fatty acids

7. What is the typical behavior of a pheochromocytoma found in adults?

A. Always malignant

B. Usually benign

C. Always benign

D. Malignant in 50% of cases

8. Which health condition can lead to multifocal involvement and is associated with bone lesions?

A. Chronic lymphocytic leukemia

B. Multiple myeloma

C. Waldenstrom's macroglobulinemia

D. Amyloidosis

9. What is a characteristic symptom of beta-carotinemia?

A. Jaundice

B. Yellow skin

C. White spots on skin

D. Darkened nails

10. Patients with which condition need intravenous thiamine before the infusion of fluids with glucose?

A. Alzheimer's disease

B. Diabetes mellitus

C. Alcoholism

D. Chronic kidney disease

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. C
5. B
6. C
7. B
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which condition is characterized by urine turning black upon standing and degenerative arthritis of the spine, hip, and knee?

A. Maple Syrup Urine Disease

B. Alkaptonuria

C. Homocystinuria

D. Phenylketonuria

The condition characterized by urine turning black upon standing and degenerative arthritis of the spine, hip, and knee is alkaptonuria. This metabolic disorder arises from a deficiency in the enzyme homogentisate oxidase, which is part of the pathway for the metabolism of the amino acids phenylalanine and tyrosine. As a result, homogentisic acid accumulates in the body and is excreted in the urine. When the urine is exposed to air, the homogentisic acid oxidizes, leading to the characteristic black discoloration. In addition to the urinary changes, patients with alkaptonuria often develop ochronosis, which is the deposition of ochronotic pigment in connective tissues and can lead to degenerative arthritis, particularly affecting the spine, hips, and knees. This progressive joint degeneration is due to the buildup of pigment within the cartilage, causing it to become brittle and worn over time. The other conditions listed do not present with these specific findings. Maple Syrup Urine Disease is associated with a sweet-smelling urine due to the accumulation of branched-chain amino acids. Homocystinuria typically involves intellectual disability, lens dislocation, and a risk of thromboembolism and does not cause black

2. What is the histopathological hallmark of endometrial hyperplasia?

A. Increased gland-to-stroma ratio

B. Presence of inflammatory cells

C. Formation of papillary structures

D. Necrosis of glandular tissue

The histopathological hallmark of endometrial hyperplasia is an increased gland-to-stroma ratio. This condition results from an exaggerated response to estrogen, leading to the proliferation of endometrial glands relative to the supporting stroma. In endometrial hyperplasia, there is a noticeable increase in the number and size of the glands, which can become crowded and disorganized, while the stroma may appear relatively reduced in comparison. The presence of inflammatory cells is not specific to endometrial hyperplasia and can be seen in various types of endometrial pathologies, including infections and other inflammatory conditions. The formation of papillary structures occurs in specific subtypes of endometrial lesions, such as endometrial adenocarcinoma, rather than as a hallmark feature of hyperplasia itself. Necrosis of glandular tissue is more commonly associated with malignancies or severe cases of other pathologies, rather than with hyperplasia. Therefore, focusing on the increased gland-to-stroma ratio provides a clear understanding of the underlying changes that characterize endometrial hyperplasia.

SAMPLE

3. What is the most common cause of a dissecting aneurysm?

A. Genetic disorders

B. Hypertension

C. Atherosclerosis

D. Infections

The most common cause of a dissecting aneurysm is hypertension. Dissecting aneurysms occur when there is a tear in the intimal layer of an artery, allowing blood to flow between the layers of the arterial wall. This condition is often associated with underlying hypertension because the increased blood pressure can cause stress on the vessel walls, leading to damage and subsequent dissection. Chronic hypertension is particularly damaging as it can lead to changes in the structure of the arterial wall, including cystic medial degeneration and weakening of the layers, which facilitate the development of a dissection. In untreated or poorly controlled hypertension, these changes can occur more rapidly, increasing the risk of a dissecting aneurysm. While genetic disorders, atherosclerosis, and infections can contribute to vascular diseases, they are not the most common causes of dissecting aneurysms. Specifically, atherosclerosis primarily affects the larger arteries and is more associated with true aneurysms rather than dissections. Infections are rare causes of arterial dissection and do not have a significant role in the vast majority of cases. Thus, hypertension remains the predominant risk factor and cause for this life-threatening condition.

4. Which GAGs are increased in interstitial tissue during myxedema?

A. Keratan sulfate and heparan sulfate

B. Chondroitin sulfate and heparan sulfate

C. Chondroitin sulfate and hyaluronic acid

D. Hyaluronic acid and dermatan sulfate

In myxedema, which is often associated with severe hypothyroidism, there is an accumulation of glycosaminoglycans (GAGs) in the interstitial spaces of tissues. This accumulation is primarily due to the effects of thyroid hormone, which normally helps regulate the synthesis and degradation of these substances. Chondroitin sulfate and hyaluronic acid are the specific GAGs involved in this condition. Chondroitin sulfate is a component of proteoglycans, which help provide structural support in cartilage and connective tissue, and its levels can increase in response to tissue swelling and inflammation. Hyaluronic acid, on the other hand, is a non-sulfated GAG that has a unique ability to attract water, leading to tissue swelling, which is characteristic of myxedema. The combination of these GAGs contributes to the accumulation of water in the interstitial spaces, resulting in the classic myxedematous swelling. This characteristic finding plays a critical role in the pathophysiology of the condition and helps differentiate it from other forms of edema.

SAMPLE

5. Lumpy-bumpy appearance of glomeruli on immunofluorescence is indicative of?

A. Focal segmental glomerulosclerosis

B. Poststreptococcal glomerulonephritis

C. Diabetic nephropathy

D. Membranous nephropathy

The lumpy-bumpy appearance of glomeruli on immunofluorescence is characteristic of poststreptococcal glomerulonephritis. This appearance is caused by the presence of immune complex deposition along the glomerular basement membrane and mesangial areas, which results from a previous infection, typically a group A beta-hemolytic streptococcal infection. The immunofluorescence microscopy shows granular staining due to these immune complexes. In poststreptococcal glomerulonephritis, the lumpy-bumpy pattern reflects the localized deposits of antibodies and complement, primarily C3, along the glomerular capillaries. This phenomenon can also lead to the characteristic symptoms of hematuria, proteinuria, and often a decrease in complement levels, particularly C3. Other types of glomerular diseases present differently under immunofluorescence. For instance, focal segmental glomerulosclerosis typically shows diffuse staining patterns without the lumpy-bumpy appearance. Diabetic nephropathy generally presents with changes in the mesangium and thickening of the basement membrane, which do not produce the lumpy-bumpy pattern. Membranous nephropathy is characterized by a more diffuse

6. Chylomicrons primarily consist of what type of fat?

A. Endogenously synthesized TGs

B. Saturated fatty acids

C. Diet-derived TGs

D. Monounsaturated fatty acids

Chylomicrons are lipoprotein particles that are primarily responsible for transporting dietary lipids from the intestines to other tissues in the body. They mainly consist of triglycerides (TGs) that are derived from dietary sources, which is why the correct answer is that chylomicrons are composed of diet-derived TGs. After a meal, the intestines absorb fats and reassemble them into triglycerides, which are then packaged into chylomicrons for release into the lymphatic system and eventually the bloodstream. The triglycerides within chylomicrons are predominantly those that originate from the diet, including fats from food such as those found in oils, butter, and other dietary items. While other types of fats, such as saturated and monounsaturated fatty acids, are present in various dietary sources, they are not the primary composition of chylomicrons. Instead, they are types of fatty acids that can be included in the triglycerides that make up chylomicrons. However, the overarching characteristic of chylomicrons is their role in transporting the triglycerides that are newly synthesized from dietary intake. Overall, the primary focus on diet-derived triglycerides highlights the specific function of chylomicrons in the postprandial

SAMPLE

7. What is the typical behavior of a pheochromocytoma found in adults?

A. Always malignant

B. Usually benign

C. Always benign

D. Malignant in 50% of cases

A pheochromocytoma is a tumor that originates from chromaffin cells in the adrenal medulla, leading to the secretion of catecholamines such as epinephrine and norepinephrine. In adults, the typical behavior of pheochromocytomas is that they are usually benign. While a small percentage can be malignant, the majority of these tumors do not metastasize and can often be cured by surgical removal. The histological characteristics of pheochromocytomas can include solid nests or trabecular arrangements, abundant vascularization, and large hyperchromatic nuclei, but even with these features, most tumors in adults do not exhibit aggressive behavior. The likelihood of malignancy increases if the tumor shows specific histological features or if it is associated with certain genetic syndromes. It's important to understand that while pheochromocytomas may demonstrate malignant potential in some cases, particularly in hereditary syndromes or those that show atypical histological features, it remains the norm for these tumors to be benign in adults. This benign nature allows for a positive prognosis following intervention.

8. Which health condition can lead to multifocal involvement and is associated with bone lesions?

A. Chronic lymphocytic leukemia

B. Multiple myeloma

C. Waldenstrom's macroglobulinemia

D. Amyloidosis

Multiple myeloma is characterized by the proliferation of monoclonal plasma cells in the bone marrow and is associated with a variety of systemic effects, including bone lesions. It typically presents with multifocal bone involvement, often resulting in lytic lesions which can be seen on imaging studies such as X-rays or MRI. These lesions occur due to the osteoclastic activity that is stimulated by the myeloma cells, leading to bone resorption. In addition to skeletal manifestations, multiple myeloma also leads to other laboratory findings, such as elevated serum protein levels, monoclonal protein (M-spike) in serum or urine, and anemia due to bone marrow infiltration. The presence of these bone lesions is crucial for diagnosis, often solidified by the combination of clinical presentations, laboratory tests, and imaging studies. While chronic lymphocytic leukemia and Waldenstrom's macroglobulinemia may have some associated bone changes, they do not typically result in the specific multifocal lytic bone lesions characteristic of multiple myeloma. Amyloidosis can lead to various organ complications, but it is not primarily associated with distinct bone lesions. Thus, multiple myeloma stands out as the condition most directly related to both multifocal bone involvement and the

SAMPLE

9. What is a characteristic symptom of beta-carotinemia?

A. Jaundice

B. Yellow skin

C. White spots on skin

D. Darkened nails

Beta-carotinemia is characterized by an excess of beta-carotene in the blood, typically resulting from a diet high in carotenoid-rich foods, such as carrots and sweet potatoes. As beta-carotene accumulates, it can lead to a noticeable yellowing of the skin, particularly in areas with more stratum corneum, such as the palms and soles. This condition is important to differentiate from jaundice, as jaundice is associated with increased bilirubin levels, which leads to yellowing of the skin and sclera and may indicate liver dysfunction or hemolysis. In beta-carotinemia, the eyes and sclera remain normal in color, while the skin shows a prominent yellow hue. This unique presentation of yellow skin, devoid of accompanying changes such as scleral icterus, is the hallmark symptom that classifies it as beta-carotinemia. Other choices, such as white spots on the skin or darkened nails, are not characteristic symptoms of this condition and do not relate to the underlying metabolic process involved in beta-carotinemia.

10. Patients with which condition need intravenous thiamine before the infusion of fluids with glucose?

A. Alzheimer's disease

B. Diabetes mellitus

C. Alcoholism

D. Chronic kidney disease

Patients with alcoholism are at risk for thiamine deficiency because chronic alcohol consumption can lead to malabsorption of nutrients, including thiamine (Vitamin B1). Thiamine plays a critical role in carbohydrate metabolism and is essential for the functioning of enzymes involved in glucose metabolism. When a person with a thiamine deficiency is given intravenous glucose without prior thiamine supplementation, they are at risk for developing Wernicke's encephalopathy, a neurologic condition characterized by confusion, ophthalmoplegia, and ataxia. This occurs due to an increased demand for thiamine that is not met, as the infusion of glucose promotes metabolism and increases thiamine utilization. Immediate thiamine administration prior to or with intravenous glucose is essential in these patients to prevent neurologic complications. Knowing this risk emphasizes the importance of assessing thiamine levels in individuals with a history of chronic alcohol use before administering glucose-containing fluids.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://usmlestep1pathology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE