USP 797 STERILE COMPOUNDING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://usps797sterilecompounding.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following is not caused by the presence of endotoxins in a CSP?**

   A. Fever

   B. Shock

   C. Apathy

   D. Septicemia

2. **What is considered a "critical site" in the context of compounding?**

   A. A place where marketing strategies are developed

   B. A location where compounded preparations are created

   C. A part of the cleanroom where sterile products are processed

   D. A storage area for compounded medications

3. **Does a quality assurance program need to be documented formally in writing?**

   A. Yes, it must be in writing

   B. No, verbal agreements are sufficient

   C. Only if mandated to do so

   D. Documentation is not required

4. **In which type of environment is sterile compounding typically performed?**

   A. Busy retail pharmacy

   B. In a hospital's cafeteria

   C. Cleanrooms and controlled environments

   D. Pharmacy shelves

5. **For which of these compounding activities is the use of a glove box unsuitable?**

   A. Low-risk compounding

   B. High-risk compounding

   C. Moderate-risk compounding

   D. IV admixture

SAMPLE

6. Who bears the ultimate responsibility for training patients and caregivers on CSPs?

A. The pharmacy technician.

B. The pharmacist.

C. The healthcare professional in the clinic.

D. The patient's primary care doctor.

7. What is the main aim of performing regular testing on ACDs?

A. To ensure compliance with regulations

B. To optimize performance and precision

C. To train new employees

D. To maintain equipment longevity

8. How often must training be conducted for personnel doing high-risk level compounding?

A. Every 3 months

B. Every 6 months

C. Once a year

D. Every 2 years

9. What is the risk level associated with compounding that involves non-sterile ingredients?

A. Low risk level

B. Moderate risk level

C. High risk level

D. No risk level

10. What is the primary reason for performing visual inspections of compounded sterile preparations?

A. To ensure products are aesthetically pleasing

B. To detect any defects, contamination, or inconsistencies before distribution

C. To meet customer satisfaction standards

D. To comply with inventory management policies

SAMPLE

Answers

SAMPLE

1. C
2. C
3. A
4. C
5. B
6. B
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following is not caused by the presence of endotoxins in a CSP?

A. Fever

B. Shock

C. Apathy

D. Septicemia

The correct answer is based on understanding the effects of endotoxins when they enter the bloodstream, particularly in the context of compounded sterile preparations (CSPs). Endotoxins are toxic substances released from the outer membrane of certain bacteria, and their presence can lead to systemic inflammatory responses. Fever, shock, and septicemia are all direct consequences of endotoxins entering the body. Endotoxins can stimulate the immune system, leading to fever as the body reacts to the toxins. They can also cause shock due to the overwhelming immune response that can result from large quantities of endotoxins, which may lead to a drop in blood pressure and potentially result in septicemia, a systemic infection that leads to the presence of pathogens in the blood. Apathy, however, is more associated with a general lack of interest or motivation and does not directly result from the effects of endotoxins. While severe illness caused by endotoxins may lead to a state of apathy due to illness, apathy itself is not a primary physiological response to endotoxins. Therefore, it stands out as the option that does not reflect a direct effect of endotoxins in the context of CSP-related complications.

2. What is considered a "critical site" in the context of compounding?

A. A place where marketing strategies are developed

B. A location where compounded preparations are created

C. A part of the cleanroom where sterile products are processed

D. A storage area for compounded medications

A "critical site" is defined as any location or component that exposes a compound to potential contamination and therefore must be handled with strict adherence to aseptic techniques. In the context of compounding, this typically refers to areas within a cleanroom environment where sterile products are manipulated. These critical sites include the surfaces of sterile equipment and devices, the connections on sterile containers, and areas where sterile components are directly interfaced with non-sterile substances. By maintaining stringent controls and practices in these locations, the risk of introducing pathogens or particulates into compounded sterile preparations is minimized. This is vital for ensuring patient safety and adherence to regulatory standards outlined in USP 797. Other options described do not fit the definition of a critical site within sterile compounding. For example, developing marketing strategies involves no risk of contamination related to the compounding process, and while the location where compounded preparations are created may be important, it's the specific areas and surfaces during the preparation that are highlighted as critical. Lastly, storing compounded medications does not expose them to risks associated with contamination during the compounding process itself.

SAMPLE

3. Does a quality assurance program need to be documented formally in writing?

A. Yes, it must be in writing

B. No, verbal agreements are sufficient

C. Only if mandated to do so

D. Documentation is not required

A quality assurance program being documented formally in writing is essential to ensure consistent practices, compliance with regulatory standards, and accountability within sterile compounding processes. Written documentation serves as a foundational element that provides clear guidance on procedures, responsibilities, and quality controls. This organized approach allows for systematic tracking of quality measures, training protocols, and audits, which are critical for maintaining safety in compounded sterile preparations. Furthermore, formal documentation aids in demonstrating compliance during inspections by regulatory bodies, ensuring that facilities adhere to the stringent requirements set by USP 797. It also contributes to continuous quality improvement by allowing for the identification and rectification of issues in the compounding process. Other options suggest less rigorous approaches to documentation, which would not meet the stringent standards required in sterile compounding practices, potentially compromising patient safety and product quality.

4. In which type of environment is sterile compounding typically performed?

A. Busy retail pharmacy

B. In a hospital's cafeteria

C. Cleanrooms and controlled environments

D. Pharmacy shelves

Sterile compounding is typically performed in cleanrooms and controlled environments because these areas are specifically designed to minimize the risk of contamination during the preparation of sterile products. The use of controlled environments, such as Class 100 or better cleanrooms, ensures that the air quality is maintained to a standard that significantly reduces the presence of airborne particles and microorganisms. This is crucial for the safety and efficacy of sterile compounded medications, as any contamination can lead to serious patient harm. Cleanrooms also provide controlled temperature and humidity levels, which are vital for maintaining the stability and integrity of the sterile products being prepared. The design of these environments includes specialized airflow systems and surfaces that can be easily cleaned and disinfected, further enhancing their suitability for sterile compounding. In contrast, busy retail pharmacies and locations like hospital cafeterias or general pharmacy shelves lack the stringent controls required for sterile compounding. These areas could introduce various contaminants, compromising the sterility of compounded medications, which is why they are not appropriate settings for this critical practice.

SAMPLE

5. For which of these compounding activities is the use of a glove box unsuitable?

A. Low-risk compounding

B. High-risk compounding

C. Moderate-risk compounding

D. IV admixture

The use of a glove box, also known as a compounding aseptic containment isolator (CACI), is not suitable for high-risk compounding primarily because high-risk compounding involves a greater potential for contamination during the preparation process. In high-risk compounding, the handling of non-sterile ingredients or the use of non-sterile device surfaces can increase the likelihood of microbial contamination and endotoxin exposure. Glove boxes are designed to provide a barrier between the compounding environment and the external surroundings, but they may not reach the necessary sterility assurance levels required for high-risk compounding. High-risk compounding usually requires a controlled environment that can ensure a higher level of sterility assurance, such as a sterile environment found in laminar airflow workbenches or cleanrooms. These environments are typically designed to maintain lower levels of airborne contamination and enhance the sterility of compounded preparations. In contrast, low-risk and moderate-risk compounding activities generally involve procedures that do not carry the same level of contamination risk and can be appropriately managed within a glove box. IV admixture, depending on the complexity, can also often be conducted in a glove box if the proper procedures are followed to prevent contamination.

6. Who bears the ultimate responsibility for training patients and caregivers on CSPs?

A. The pharmacy technician.

B. The pharmacist.

C. The healthcare professional in the clinic.

D. The patient's primary care doctor.

The pharmacist bears the ultimate responsibility for training patients and caregivers on compounding sterile preparations (CSPs). This is primarily due to the pharmacist's extensive education and training in medication management, pharmacology, and patient care. As the medication expert, the pharmacist ensures that patients and caregivers understand how to properly handle, administer, and store CSPs, which is crucial for their safety and efficacy. Training involves not just general use instructions, but also education on potential side effects, proper sanitation practices, and the importance of adherence to prescribed protocols. The pharmacist serves as the key resource for clarifying any doubts that patients or caregivers may have about the compounding process and the specifics of the medication they are handling. While pharmacy technicians, healthcare professionals in clinics, and primary care doctors may assist in the education process or provide support, the pharmacist has the primary responsibility for ensuring that patients and caregivers are adequately informed about CSPs, making them integral to the overall safety and effectiveness of sterile compounding practices.

SAMPLE

7. What is the main aim of performing regular testing on ACDs?

A. To ensure compliance with regulations

B. To optimize performance and precision

C. To train new employees

D. To maintain equipment longevity

The main aim of performing regular testing on Aseptic Compounding Devices (ACDs) is to optimize performance and precision. Regular testing ensures that the devices operate effectively, producing the highest quality compounded sterile preparations. This is crucial in sterile compounding, where any deviation in performance can lead to contamination, incorrect dosages, or compromised medication efficacy. By regularly testing ACDs, it becomes easier to identify any performance issues that may arise due to factors like wear and tear, improper maintenance, or environmental conditions. Continuous monitoring helps in maintaining the precision required for compounding sterile medications, which ultimately safeguards patient safety and enhances therapeutic outcomes. Although compliance with regulations, training, and equipment longevity are important aspects of a compounding pharmacy's operation, they are not the primary reasons for the focus on performance and precision in the context of testing ACDs. Regular performance optimization directly addresses the core goal of ensuring that sterile compounding is safe and effective.

8. How often must training be conducted for personnel doing high-risk level compounding?

A. Every 3 months

B. Every 6 months

C. Once a year

D. Every 2 years

For personnel involved in high-risk level compounding, the correct interval for conducting training is every 6 months. This requirement is in place because high-risk compounding involves a greater potential for contamination and risk to patient safety due to the use of non-sterile ingredients or prolonged exposure of sterile preparations to environmental factors. Frequent training ensures that staff remain updated on best practices, maintain proficient skills, and understand the regulatory requirements specific to high-risk environments. This practice fosters a culture of safety and quality, which is vital in a sterile compounding setting, where lapses could lead to severe adverse effects for patients. While it might seem reasonable to think that less frequent training, such as once a year or every two years, would suffice, the nature of high-risk compounding necessitates a more rigorous approach. This way, compounded preparations can meet the strict standards for sterility and safety that are expected in healthcare settings.

SAMPLE

9. What is the risk level associated with compounding that involves non-sterile ingredients?

A. Low risk level

B. Moderate risk level

C. High risk level

D. No risk level

Compounding that involves non-sterile ingredients is classified as a high risk level according to USP 797 standards. This classification is due to the potential for contamination when integrating non-sterile ingredients in the compounding process. The use of these ingredients increases the risk of exposing patients to harmful microorganisms, especially when these compounded preparations are intended for parenteral administration. High risk level compounding typically involves conditions where sterile products are exposed to environments that do not meet sterile conditions, or where the compounders fail to follow appropriate hygienic and aseptic techniques. This necessitates a more rigorous approach to sterility testing and environmental monitoring to ensure patient safety. In contrast, low and moderate risk levels typically involve the use of sterile ingredients or the manipulation of sterile products under more controlled conditions, which inherently carries a lower risk of contamination. No risk level is not applicable in the context of compounding, as all compounding activities carry a certain level of risk that must be evaluated and mitigated. Thus, recognizing the correct classification of compounding involving non-sterile ingredients as high risk is crucial for ensuring safety and compliance with USP 797 guidelines.

10. What is the primary reason for performing visual inspections of compounded sterile preparations?

A. To ensure products are aesthetically pleasing

B. To detect any defects, contamination, or inconsistencies before distribution

C. To meet customer satisfaction standards

D. To comply with inventory management policies

The primary reason for performing visual inspections of compounded sterile preparations is to detect any defects, contamination, or inconsistencies before distribution. Visual inspections are a critical step in the quality assurance process in sterile compounding, ensuring that the preparations are safe for patient use. By examining each preparation carefully, compounding professionals can identify issues such as particulate matter, cloudiness, discoloration, or any other physical defects that may indicate contamination or improper compounding techniques. This inspection helps prevent potential harm to patients, as any compromised preparation could lead to adverse effects when administered. While aesthetics and customer satisfaction are important in various aspects of pharmacy practice, the foremost concern in sterile compounding is patient safety. Compliance with inventory management policies, while beneficial, is not the primary focus of visual inspections. Ultimately, the visual inspection serves as a key safeguard in maintaining the integrity and safety of compounded sterile products.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://usps797sterilecompounding.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE