# USP 797 STERILE COMPOUNDING PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://usps797sterilecompounding.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What is a key characteristic of a "high-risk" compounding process?**

A. Only sterile ingredients are used with no risk of contamination

B. There is a significant risk of contamination due to environmental factors

C. It includes compounding that is done in a cleanroom setting

D. Involves a limited number of steps in the preparation

**2. What is another name for a media-fill test?**

A. Culture test

B. Broth test

C. Microbial test

D. Contamination test

**3. Which characteristic is critical for a space to be classified as a cleanroom?**

A. A high level of noise

B. A minimum level of environmental pollutants

C. A variety of furniture and equipment

D. A non-controlled atmosphere

**4. What protocol should be followed for equipment cleaning in sterile compounding?**

A. Use any available cleaning agents

B. Establish a cleaning log and follow a routine schedule with approved cleaning agents

C. Clean equipment only when visibly dirty

D. Use hot water for cleaning

**5. What is a key responsibility of a sterile compounding supervisor?**

A. To handle financial records

B. To oversee compounding activities

C. To manage human resources

D. To coordinate marketing strategies

SAMPLE

**6. What should personnel do upon identifying a breach in sterile technique?**

A. Document it for future reference

B. Immediately report and rectify it

C. Continue working to meet deadlines

D. Notify external regulatory bodies

**7. Which of the following is a common route of contamination in sterile compounding?**

A. Temperature fluctuations

B. Airborne particles

C. Inconsistent staff schedules

D. Improper waste disposal

**8. Who bears the ultimate responsibility for training patients and caregivers on CSPs?**

A. The pharmacy technician.

B. The pharmacist.

C. The healthcare professional in the clinic.

D. The patient's primary care doctor.

**9. What action should be taken if contamination is suspected in a compounded sterile preparation?**

A. Continue using the product

B. Report the issue and quarantine the affected preparation

C. Ignore and dispose of the product at a later time

D. Clean all equipment and start over

**10. What are the potential results of improper garbing techniques?**

A. Decreased preparation times

B. Increased risk of contamination leading to patient infections

C. Improved efficiency in compounding

D. Enhanced drug stability

SAMPLE

# Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

# Explanations

SAMPLE

## 1. What is a key characteristic of a "high-risk" compounding process?

A. Only sterile ingredients are used with no risk of contamination

B. There is a significant risk of contamination due to environmental factors

C. It includes compounding that is done in a cleanroom setting

D. Involves a limited number of steps in the preparation

*A key characteristic of a "high-risk" compounding process is that there is a significant risk of contamination due to environmental factors. High-risk compounding typically involves the use of non-sterile ingredients or components, or may occur in environments that do not meet the stringent cleanliness standards required for sterile preparations. This risk is heightened in situations where aseptic techniques are not strictly followed or where the ingredients could be exposed to contaminants. The process can include factors such as inadequate environmental controls, poor personnel practices, or the manipulation of complex formulas that increase the potential for microbial growth. Because maintaining sterility is critical in compounding sterile preparations, understanding that high-risk compounding implies a higher propensity for contamination is essential for ensuring patient safety. While sterile ingredients are indeed crucial for sterile compounding, the essence of high-risk compounding specifically revolves around the increased likelihood of contamination, making this the defining characteristic. In comparison, compounding in a cleanroom setting can actually minimize the risk of contamination, thus not aligning with the definition of high-risk compounding. Similarly, having a limited number of steps in preparation does not inherently indicate a high risk; rather, the complexity or exposure to contaminants during the compounding process is what elevates the risk level.*

## 2. What is another name for a media-fill test?

A. Culture test

B. Broth test

C. Microbial test

D. Contamination test

*The media-fill test is often referred to as a broth test because it involves the use of a liquid growth medium, commonly a broth, to assess the sterility and aseptic technique of compounding personnel. In this test, a sterile product is simulated using the broth as a test medium to evaluate the ability of the compounding process to remain free from microbial contamination. During the test, the broth is inoculated with microorganisms, and after compounding, it is incubated to check for any signs of growth, indicating whether the compounding process was performed under sterile conditions. Using the term "broth test" accurately highlights the specific medium used in this critical test, thereby making it clear that the focus is on the growth of microorganisms in liquid form, which is essential for determining the efficacy of sterile compounding practices.*

SAMPLE

## 3. Which characteristic is critical for a space to be classified as a cleanroom?

A. A high level of noise

B. A minimum level of environmental pollutants

C. A variety of furniture and equipment

D. A non-controlled atmosphere

*A cleanroom is defined by its ability to maintain controlled environments that minimize contamination. The characteristic of having a minimum level of environmental pollutants is essential because it directly affects the sterility of the products being compounded. Cleanrooms are designed to limit airborne particulates, microorganisms, and other contaminants to ensure that sterile products remain uncontaminated during preparation and handling. To achieve this, cleanrooms utilize advanced ventilation systems, air filtration, and strict protocols for personnel and equipment to control the number of contaminants in the environment. This controlled atmosphere is crucial for pharmaceutical applications, particularly in sterile compounding, where even a small amount of contamination can compromise the safety and efficacy of medications. The other options do not contribute to the defining attributes of a cleanroom. A high level of noise would be detrimental to focus and communication in a sterile environment. A variety of furniture and equipment may not necessarily align with the principles of aseptic technique, as excess items can harbor contaminants. A non-controlled atmosphere is the opposite of what a cleanroom represents, which is fundamentally a space designed to maintain strict control over environmental conditions to ensure sterility and product safety.*

## 4. What protocol should be followed for equipment cleaning in sterile compounding?

A. Use any available cleaning agents

B. Establish a cleaning log and follow a routine schedule with approved cleaning agents

C. Clean equipment only when visibly dirty

D. Use hot water for cleaning

*The appropriate protocol for equipment cleaning in sterile compounding emphasizes the importance of consistency and effectiveness in maintaining a sterile environment. Establishing a cleaning log and adhering to a routine schedule with approved cleaning agents ensure that all equipment is regularly and properly sanitized. This is crucial, as sterile compounding involves preparing medications that must be free from contaminants to prevent infections and ensure patient safety. Utilizing approved cleaning agents guarantees that the products used are specifically designed to eliminate or inhibit the growth of microorganisms, ensuring compliance with regulatory standards. A routine schedule helps create a systematic approach, reducing the risk of human error or oversight, which often occurs when cleaning is done sporadically or only when equipment appears dirty. This methodical approach aligns with best practices recommended by USP 797, which aims to uphold the highest standards in sterile compounding.*

SAMPLE

## 5. What is a key responsibility of a sterile compounding supervisor?

A. To handle financial records

B. To oversee compounding activities

C. To manage human resources

D. To coordinate marketing strategies

*A key responsibility of a sterile compounding supervisor is to oversee compounding activities. This role is vital in ensuring that sterile products are prepared in compliance with established regulations and guidelines, such as those outlined in USP 797. The supervisor is responsible for monitoring the compounding processes to maintain sterility and quality standards, ensuring that the environment is appropriately controlled, and that staff are following best practices. This oversight includes reviewing compounding procedures, verifying that staff are adequately trained, ensuring the proper maintenance of equipment, and that the appropriate safety measures are observed. The supervisor plays a crucial role in mitigating risks associated with sterile compounding, safeguarding patient safety, and upholding the integrity of the sterile products being prepared.*

## 6. What should personnel do upon identifying a breach in sterile technique?

A. Document it for future reference

B. Immediately report and rectify it

C. Continue working to meet deadlines

D. Notify external regulatory bodies

*When personnel identify a breach in sterile technique, the most appropriate action is to immediately report and rectify it. This response is crucial to maintaining patient safety and adhering to the highest standards of sterile compounding practices. Recognizing and addressing any breaches promptly minimizes the risk of contamination and ensures that the compounded products remain safe for patient use. Immediate reporting allows for timely interventions, such as re-evaluating the compounding process, initiating corrective actions, and preventing potential adverse outcomes. This practice underscores the importance of maintaining a culture of safety and accountability within the compounding environment, where personnel are encouraged to prioritize patient health and safety above all. While documentation for future reference is important for quality control and continuous improvement, it does not address the urgent need to mitigate risks associated with the breach. Continuing to work to meet deadlines compromises the integrity of the compounding process and can lead to serious patient harm. Notifying external regulatory bodies is typically not the first step to take unless there is a significant and unresolved risk, as immediate internal corrective actions are paramount.*

SAMPLE

## 7. Which of the following is a common route of contamination in sterile compounding?

A. Temperature fluctuations

B. Airborne particles

C. Inconsistent staff schedules

D. Improper waste disposal

*Airborne particles are a well-documented route of contamination in sterile compounding environments. When preparing sterile medications, maintaining an aseptic environment is crucial to prevent microbial contamination. Airborne particles can carry bacteria and other pathogens that can settle on surfaces or into the compounding area, posing a significant risk to sterility. The presence of airborne contamination can be exacerbated in environments where cleanroom protocols are not strictly followed or where there are disturbances that allow particles to infiltrate. This is why sterile compounding facilities typically employ various measures, such as high-efficiency particulate air (HEPA) filters, controlled airflow systems, and regular monitoring of air quality, to minimize the risk posed by airborne particles. Understanding the potential sources of contamination helps in developing effective strategies to maintain sterility. It's not merely about eliminating contamination sources but also about creating an environment where these sources are continuously controlled and monitored.*

## 8. Who bears the ultimate responsibility for training patients and caregivers on CSPs?

A. The pharmacy technician.

B. The pharmacist.

C. The healthcare professional in the clinic.

D. The patient's primary care doctor.

*The pharmacist bears the ultimate responsibility for training patients and caregivers on compounding sterile preparations (CSPs). This is primarily due to the pharmacist's extensive education and training in medication management, pharmacology, and patient care. As the medication expert, the pharmacist ensures that patients and caregivers understand how to properly handle, administer, and store CSPs, which is crucial for their safety and efficacy. Training involves not just general use instructions, but also education on potential side effects, proper sanitation practices, and the importance of adherence to prescribed protocols. The pharmacist serves as the key resource for clarifying any doubts that patients or caregivers may have about the compounding process and the specifics of the medication they are handling. While pharmacy technicians, healthcare professionals in clinics, and primary care doctors may assist in the education process or provide support, the pharmacist has the primary responsibility for ensuring that patients and caregivers are adequately informed about CSPs, making them integral to the overall safety and effectiveness of sterile compounding practices.*

SAMPLE

## 9. What action should be taken if contamination is suspected in a compounded sterile preparation?

A. Continue using the product

B. Report the issue and quarantine the affected preparation

C. Ignore and dispose of the product at a later time

D. Clean all equipment and start over

*When contamination is suspected in a compounded sterile preparation, the most appropriate action is to report the issue and quarantine the affected preparation. This step is critical in preventing potential harm to patients who may receive a contaminated product. Quarantine ensures that the preparation is isolated from other products, preventing its unintentional use and allowing for an assessment and investigation into the source of the contamination. Additionally, reporting the issue allows the relevant personnel or team to initiate an appropriate response, including determining the extent of the contamination, evaluating whether any products have already been dispensed, and implementing corrective actions to prevent recurrence. This procedure aligns with the principles of patient safety and quality assurance in sterile compounding practices outlined in the USP 797 standards. Continuing to use the product could lead to serious consequences for patients due to the risk of infection. Ignoring the issue and waiting to dispose of the product is also negligent and can compromise patient care. While cleaning equipment and starting over may seem like a proactive step, it does not address the immediate need to contain and assess the suspected contamination, making quarantine and reporting the paramount action.*

## 10. What are the potential results of improper garbing techniques?

A. Decreased preparation times

B. Increased risk of contamination leading to patient infections

C. Improved efficiency in compounding

D. Enhanced drug stability

*Improper garbing techniques can significantly compromise the sterility of compounded sterile preparations. When personnel do not adhere to appropriate garbing protocols, they increase the likelihood of introducing contaminants, such as bacteria, fungi, or other microorganisms, into the sterile environment where preparations are made. This contamination poses a direct risk to patient safety, as it can lead to infections if these contaminated preparations are administered to patients. Garbing practices, which include wearing gowns, gloves, masks, and hair covers, are designed to create a barrier between potential contaminants from the compounding personnel and the sterile products. When these practices are not followed correctly, the integrity of the compounding environment is jeopardized, leading to potential adverse patient outcomes. The other options suggest outcomes that are not aligned with the principles of sterile compounding. For example, decreased preparation times or improved efficiency in compounding are not valid results of improper garbing, as such negligence usually results in increased preparation time due to additional steps needed to address contamination issues. Enhanced drug stability is also undermined in an environment at risk for contamination, as impurities may compromise the quality and efficacy of the drug being prepared. Therefore, the focus on the increased risk of contamination leading to patient infections accurately reflects the critical importance of proper gar*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://usps797sterilecompounding.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE