UWORLD ENDOCRINE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://uworldendocrine.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the primary reason for contacting the healthcare provider for a client with type 1 diabetes mellitus who has a blood glucose level of 270 mg/dL?

A. To increase the detemir prescription

B. To question the spironolactone prescription

C. To report the serum potassium level

D. To request a prescription for insulin lispro

2. In which condition would you expect hyperglycemia to occur?

A. Addison's disease

B. Cushing's syndrome

C. Graves' disease

D. Pheochromocytoma

3. Which gland secretes adrenaline?

A. Thyroid gland

B. Pituitary gland

C. Adrenal medulla

D. Pancreas

4. What is the initial action a nurse should take for a client with type 1 diabetes who presents with severe hypoglycemia?

A. Administer 50% dextrose in water IV push

B. Assist the client to drink 4 oz of orange juice

C. Measure the client's heart rate and blood pressure

D. Observe for sweating, shakiness, and pallor

5. What assessment finding should prompt immediate intervention in a client suspected of thyroid storm?

A. Heat intolerance

B. Pulses of 110/min, irregular rhythm

C. Agitation and confusion

D. Red and bulging eyes

SAMPLE

6. What is the action of antidiuretic hormone (ADH) in the body?

A. Promotes water reabsorption in the kidneys

B. Stimulates glucagon release

C. Facilitates calcium absorption

D. Increases heart rate

7. What is the main function of insulin in glucose metabolism?

A. It lowers blood glucose levels by promoting glucose uptake in tissues.

B. It raises blood glucose levels by promoting glycogen breakdown.

C. It regulates metabolic rate in tissues.

D. It converts glucose to fat for storage.

8. What explanation should the nurse provide to a client with elevated glucose levels not previously diagnosed with diabetes?

A. "The client was diabetic before, but you just didn't know it."

B. "This increase is common in critically ill clients and affects their ability to fight off infection."

C. "It is common for critically ill clients to develop type II diabetes."

D. "The increase in glucose is a normal response to stress by the body."

9. What are the two major types of thyroid hormones?

A. T3 and T4

B. T1 and T2

C. T3 and T5

D. T4 and T6

10. Which meal best adheres to the principles of diabetic meal planning for a client with type 2 diabetes?

A. Baked tilapia with tomato salsa, steamed white rice

B. Black bean chili with brown rice, mixed green salad

C. Grilled chicken breast with baked French fries

D. Hamburger on a whole wheat bun with lettuce and tomato

SAMPLE

Answers

SAMPLE

1. D
2. B
3. C
4. A
5. C
6. A
7. A
8. D
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What is the primary reason for contacting the healthcare provider for a client with type 1 diabetes mellitus who has a blood glucose level of 270 mg/dL?

A. To increase the detemir prescription

B. To question the spironolactone prescription

C. To report the serum potassium level

D. To request a prescription for insulin lispro

In managing type 1 diabetes mellitus, maintaining appropriate blood glucose levels is crucial to prevent complications from hyperglycemia. A blood glucose level of 270 mg/dL indicates that the client is experiencing elevated blood glucose, which can lead to serious conditions like diabetic ketoacidosis (DKA) if not addressed promptly. The correct response involves requesting a prescription for insulin lispro, which is a rapid-acting insulin. Administering insulin is essential for lowering the blood glucose levels effectively and quickly after hyperglycemic episodes. Insulin lispro can help bring the blood glucose down to a safer range, thus preventing further complications. The other choices, while they may be relevant in different contexts, do not address the immediate need for managing hyperglycemia. Increasing the detemir prescription would not provide fast relief since detemir is a long-acting insulin. Questioning the spironolactone prescription is unrelated to the immediate management of diabetes and hyperglycemia. Reporting the serum potassium level, although important in assessing the overall status of a patient, is not the primary concern when the immediate issue is the dangerously high blood glucose level. In acute hyperglycemia, ensuring adequate insulin coverage is the first priority.

2. In which condition would you expect hyperglycemia to occur?

A. Addison's disease

B. Cushing's syndrome

C. Graves' disease

D. Pheochromocytoma

Hyperglycemia is commonly associated with Cushing's syndrome due to the effects of elevated cortisol levels on glucose metabolism. Cushing's syndrome is characterized by excessive production of cortisol, which can be caused by a variety of factors such as tumors of the adrenal glands or pituitary gland. Cortisol plays a significant role in gluconeogenesis, the process by which the liver produces glucose from non-carbohydrate sources, and it promotes insulin resistance in peripheral tissues. This combination leads to increased blood glucose levels, resulting in hyperglycemia. Additionally, prolonged elevations in cortisol can disrupt the normal balance of insulin secretion, further contributing to increased glucose levels in the bloodstream. In contrast, Addison's disease leads to adrenal insufficiency, which typically results in lower levels of cortisol and consequently may cause hypoglycemia rather than hyperglycemia. Graves' disease is primarily associated with hyperthyroidism, where metabolic processes can cause increased energy expenditure but not necessarily hyperglycemia. Pheochromocytoma may lead to episodic hyperglycemia due to catecholamine surges, but it is not as directly linked to chronic hyperglycemia as Cushing's syndrome is.

SAMPLE

3. Which gland secretes adrenaline?

A. Thyroid gland

B. Pituitary gland

C. Adrenal medulla

D. Pancreas

The gland that secretes adrenaline is the adrenal medulla. This part of the adrenal glands, which are located on top of the kidneys, is responsible for the production and release of catecholamines, including adrenaline (also known as epinephrine). Adrenaline plays a crucial role in the body's "fight or flight" response, increasing heart rate, blood flow to muscles, and energy availability to prepare the body for quick reactions in response to stress or danger. The adrenal medulla's secretion of adrenaline is regulated by the sympathetic nervous system, which activates during times of stress. This release of adrenaline leads to various physiological changes that enhance the body's ability to react to acute stressors. In contrast, the thyroid gland primarily produces thyroid hormones that regulate metabolism, growth, and development. The pituitary gland, often referred to as the "master gland," secretes several hormones that control various endocrine functions but does not produce adrenaline. The pancreas mainly functions in digestion and blood glucose regulation through the secretion of insulin and glucagon. Understanding these different roles helps clarify why the correct answer is indeed the adrenal medulla.

4. What is the initial action a nurse should take for a client with type 1 diabetes who presents with severe hypoglycemia?

A. Administer 50% dextrose in water IV push

B. Assist the client to drink 4 oz of orange juice

C. Measure the client's heart rate and blood pressure

D. Observe for sweating, shakiness, and pallor

In the case of a client with type 1 diabetes experiencing severe hypoglycemia, the most immediate and effective action is to administer a rapid source of glucose, which is most efficiently delivered intravenously when the client is unable to consume oral glucose due to altered consciousness or severe hypoglycemic symptoms. Administering 50% dextrose in water via IV push provides a quick and concentrated source of glucose to rapidly increase blood sugar levels, addressing the critical need for immediate intervention in severe hypoglycemia. Other options have their roles in hypoglycemia management but are not appropriate initial actions in this scenario. For example, assisting the client to drink orange juice is a valid treatment for mild to moderate hypoglycemia but may not be safe or effective if the client is severely hypoglycemic and at risk for swallowing difficulties or unconsciousness. Measuring vital signs, while important in overall patient assessment, does not address the urgent need for glucose. Observing for symptoms like sweating, shakiness, and pallor is useful for diagnosis but does not contribute to the immediate treatment required in severe cases. Thus, when faced with severe hypoglycemia, swift intervention with IV dextrose is the correct approach.

SAMPLE

5. What assessment finding should prompt immediate intervention in a client suspected of thyroid storm?

A. Heat intolerance

B. Pulses of 110/min, irregular rhythm

C. Agitation and confusion

D. Red and bulging eyes

In a client suspected of thyroid storm, agitation and confusion are critical assessment findings that necessitate immediate intervention. Thyroid storm is a severe and potentially life-threatening exacerbation of hyperthyroidism characterized by a hypermetabolic state. It can lead to significant systemic complications, including cardiovascular instability and altered mental status. When a patient exhibits agitation and confusion, it indicates an acute alteration in their neurological status, which could suggest severe hyperthyroid effects on the brain, such as increased catecholamine levels or thyroid hormone excess impacting cerebral function. Rapid recognition and intervention are essential to prevent progression to more severe complications, including seizures, coma, or even death. While heat intolerance, elevated pulse rates, and eye changes are also relevant symptoms of hyperthyroidism or thyroid storm, they do not signal the same immediate danger to the patient's mental status and potential for rapid deterioration. Hence, the presence of agitation and confusion is considered the most urgent indicator that requires prompt medical attention and intervention.

6. What is the action of antidiuretic hormone (ADH) in the body?

A. Promotes water reabsorption in the kidneys

B. Stimulates glucagon release

C. Facilitates calcium absorption

D. Increases heart rate

Antidiuretic hormone (ADH), also known as vasopressin, primarily acts on the kidneys to promote the reabsorption of water. It is secreted by the posterior pituitary gland in response to high plasma osmolality or low blood volume. When ADH is released into the bloodstream, it binds to receptors in the collecting ducts of the kidneys, leading to the insertion of aquaporin channels into the membranes of kidney tubule cells. This insertion allows for increased permeability to water, resulting in greater water reabsorption back into the bloodstream. As a consequence, this mechanism helps to concentrate the urine and decrease water loss from the body, thus playing a crucial role in maintaining fluid balance and proper blood pressure. This action directly counters dehydration, enabling the body to conserve water effectively. Therefore, the correct choice highlights the essential role of ADH in regulating water reabsorption in the renal system.

SAMPLE

7. What is the main function of insulin in glucose metabolism?

A. It lowers blood glucose levels by promoting glucose uptake in tissues.

B. It raises blood glucose levels by promoting glycogen breakdown.

C. It regulates metabolic rate in tissues.

D. It converts glucose to fat for storage.

Insulin plays a pivotal role in glucose metabolism primarily by lowering blood glucose levels. This hormone, secreted by the beta cells of the pancreas, facilitates the uptake of glucose into various tissues, including muscle and adipose tissue. When blood glucose levels rise, such as after a meal, insulin is released to promote the uptake of glucose through specific transporters on the cell membranes, particularly the GLUT4 transporter in muscle and fat cells. In addition to enhancing glucose uptake, insulin also stimulates processes such as glycogenesis, where glucose is converted into glycogen for storage in the liver and muscles. By doing so, insulin ensures that excess glucose is effectively utilized or stored, thus reducing the concentration of glucose in the bloodstream. This mechanism is crucial for maintaining normal blood sugar levels and overall metabolic homeostasis. In contrast, other options describe different processes or suggest roles that are not aligned with insulin's primary function in glucose metabolism.

8. What explanation should the nurse provide to a client with elevated glucose levels not previously diagnosed with diabetes?

A. "The client was diabetic before, but you just didn't know it."

B. "This increase is common in critically ill clients and affects their ability to fight off infection."

C. "It is common for critically ill clients to develop type II diabetes."

D. "The increase in glucose is a normal response to stress by the body."

The correct answer highlights the physiological response of the body to stress, which is pertinent in understanding elevated glucose levels in critically ill clients. When the body experiences stress—whether from physical illness, injury, or other acute conditions—it releases stress hormones such as cortisol and adrenaline. These hormones promote gluconeogenesis (the production of glucose from non-carbohydrate sources) and decrease the uptake of glucose by non-essential tissues, leading to elevated blood glucose levels. This response is a part of the body's natural fight-or-flight mechanism, ensuring that there is sufficient glucose available for vital organs, especially the brain and heart, during stressful situations. In critically ill patients, this stress response can temporarily cause hyperglycemia, which can be reverted once the underlying issue is resolved. Understanding this process helps clarify why the client with elevated glucose levels may not have a definitive diagnosis of diabetes based solely on this finding. It is important for healthcare providers to consider the context of the patient's overall condition when interpreting laboratory results.

SAMPLE

9. What are the two major types of thyroid hormones?

A. T3 and T4

B. T1 and T2

C. T3 and T5

D. T4 and T6

The two major types of thyroid hormones are T3 (triiodothyronine) and T4 (thyroxine). T3 is the more active form of thyroid hormone and is responsible for regulating metabolism, heart rate, and overall growth and development. T4, while considered less active, is more abundant in circulation and serves as a precursor to T3, meaning that in the body, T4 can be converted into T3 when needed. This conversion allows for a more finely tuned regulation of metabolic processes, making T3 and T4 critical for maintaining homeostasis. The other options listed (T1, T2, T5, and T6) do not represent recognized or significant forms of thyroid hormones. T1 and T2 do not exist as functional thyroid hormones, and T5 and T6 also do not have established roles in human physiology. Thus, the identification of T3 and T4 as the major thyroid hormones reflects our understanding of their crucial roles in endocrine function and metabolic regulation.

10. Which meal best adheres to the principles of diabetic meal planning for a client with type 2 diabetes?

A. Baked tilapia with tomato salsa, steamed white rice

B. Black bean chili with brown rice, mixed green salad

C. Grilled chicken breast with baked French fries

D. Hamburger on a whole wheat bun with lettuce and tomato

The selection of black bean chili with brown rice and a mixed green salad significantly aligns with the principles of diabetic meal planning for a client with type 2 diabetes due to several reasons. Firstly, the meal features black beans which are a source of complex carbohydrates and provide a good amount of fiber. Fiber plays a crucial role in diabetes management as it helps regulate blood sugar levels by slowing down the absorption of carbohydrates. This can lead to more stable glucose levels post-meal. Secondly, brown rice is recommended over white rice as it is a whole grain that retains more nutrients and fiber, further enhancing its ability to contribute to better glycemic control. The fiber in whole grains like brown rice aids in digestion and promotes satiety, which can help in weight management—a critical aspect of managing type 2 diabetes. Including a mixed green salad adds another layer of health benefits. Leafy greens and assorted vegetables are low in calories and carbohydrates while providing essential vitamins, minerals, and antioxidants, which aid overall health and can improve insulin sensitivity. In contrast, the other meal options present various drawbacks regarding carbohydrate content, the glycemic index, or the presence of unhealthy fats which may not be suitable for effective diabetes management. Therefore, the combination of black bean chili, brown rice

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://uworldendocrine.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE