UWORLD LEADERSHIP PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://uworldleadership.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which condition is a red flag that requires immediate attention for an LPN being assigned clients?

A. Electrolyte imbalance

B. 5-day post-op complications

C. Recent sustained trauma

D. Gout with acute symptoms

2. What is the priority action for a client with an active bleed and signs of shock?

A. Initiate IV fluid resuscitation

B. Order a complete blood count

C. Monitor vital signs frequently

D. Administer oxygen therapy

3. When is a registered nurse obliged to report a client's health condition?

A. Upon a client disclosing a recent STI

B. When signs of possible abuse are suspected

C. In cases where child protection laws are violated

D. Whenever laboratory results are concerning

4. Which client should the registered nurse prioritize for assessment?

A. Client with pulse of 54 and hypertension

B. Client with COPD and SpO2 of 92%

C. Client with significant gastric residual volume

D. Client with pneumonia and new S3 heart sound

5. Which observation about a peripherally inserted central catheter (PICC) indicates a potential issue?

A. Client has a recent hematoma near the site

B. An increase in external catheter length

C. PICC is clamped during medication administration

D. Client reports discomfort at the insertion site

SAMPLE

6. Which assessment is critical for a nurse after a surgical intervention for a client?

A. Vigilance for signs of infection at the surgical site

B. Monitoring dietary intake post-surgery

C. Assessing emotional wellbeing post-surgery

D. Evaluation of rehabilitation potential

7. Which client should the nurse prioritize after receiving shift report?

A. A client post-op abdominal aortic aneurysm with hypoactive bowel sounds

B. A client post below-the-knee amputation with high pain

C. A client with a deep venous thrombosis who is using the bathroom

D. A client with Raynaud's phenomenon facing swelling of fingers

8. Which of the following is an inappropriate action by a home health nurse?

A. Accepting cash gifts from multiple clients

B. Discussing treatment plans with family members

C. Calling clients frequently to check in

D. Providing clients with brochures for health resources

9. Which task can the nurse delegate to UAP during a blood transfusion?

A. Assist with checking client identification

B. Measure vital signs after starting transfusion

C. Measure vital signs before starting the transfusion

D. Pick up blood from the blood bank

10. Which nursing activities can a registered nurse delegate to a licensed practical nurse when caring for a client with pneumonia?

A. Administering metered-dose inhaled medications.

B. Monitoring lung sounds.

C. Teaching the importance of fluid intake.

D. Evaluating use of the incentive spirometer.

SAMPLE

Answers

SAMPLE

1. C
2. A
3. B
4. D
5. B
6. A
7. B
8. A
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. Which condition is a red flag that requires immediate attention for an LPN being assigned clients?

A. Electrolyte imbalance

B. 5-day post-op complications

C. Recent sustained trauma

D. Gout with acute symptoms

The presence of recent sustained trauma is indeed a critical condition that warrants immediate attention for an LPN assigned to clients. This scenario indicates potential complications or acute health problems that could arise due to the trauma, such as internal bleeding, organ damage, or other serious injuries. Prompt assessment and intervention are necessary to address any life-threatening conditions that may result from the trauma. Furthermore, depending on the severity of the trauma, the client may require stabilization, pain management, or even urgent surgical intervention. The nursing role in this context would involve monitoring vital signs, assessing physical injury, and coordinating with other healthcare professionals to ensure the client receives the necessary care. In contrast, while electrolyte imbalance, post-operative complications, and gout with acute symptoms can also be serious and require attention, they do not typically represent an immediate threat to life or require urgent intervention in the same way that recent trauma does. Electrolyte imbalances, for example, can be managed, but they may not be as critical as a patient with a recent significant injury.

2. What is the priority action for a client with an active bleed and signs of shock?

A. Initiate IV fluid resuscitation

B. Order a complete blood count

C. Monitor vital signs frequently

D. Administer oxygen therapy

For a client experiencing an active bleed and showing signs of shock, the priority action is to initiate intravenous (IV) fluid resuscitation. This is crucial because clients in shock often experience reduced blood volume and circulation, which can lead to inadequate tissue perfusion and, ultimately, organ failure. IV fluid resuscitation helps to restore circulating blood volume, improve blood pressure, and ensure that vital organs receive the oxygen and nutrients they need. While ordering a complete blood count is important for evaluating the extent of bleeding and guiding further treatment, it does not provide immediate intervention that addresses the critical nature of shock. Monitoring vital signs frequently is essential in managing a patient's overall condition but also lacks the immediate impact required to stabilize someone experiencing active bleeding. Administering oxygen therapy is beneficial for improving tissue oxygenation but does not directly address the underlying issue of blood volume loss in this scenario. Thus, initiating IV fluid resuscitation is the most immediate and effective response to stabilize the client.

SAMPLE

3. When is a registered nurse obliged to report a client's health condition?

A. Upon a client disclosing a recent STI

B. When signs of possible abuse are suspected

C. In cases where child protection laws are violated

D. Whenever laboratory results are concerning

A registered nurse is obliged to report a client's health condition in situations where there is suspicion of abuse. This duty arises from ethical and legal obligations to protect vulnerable populations and ensure their safety. Nurses are mandated reporters, meaning they must report any signs or indications of abuse to appropriate authorities. This includes potential instances of physical, sexual, or emotional abuse, which can have serious implications for the health and safety of the affected individual. The rationale behind this obligation is rooted in the commitment to patient welfare and a duty to act in the best interests of those who may be unable to protect themselves. By reporting suspected abuse, nurses play a crucial role in initiating protective measures and interventions that can prevent further harm to the individual. While other situations, such as disclosing a recent STI, violations of child protection laws, or concerning laboratory results, may merit attention and follow-up care, they do not carry the same immediate legal obligation for reporting as suspected abuse does. Nurses are encouraged to address these concerns through appropriate channels, but the specific duty to report is explicitly tied to issues of suspected abuse.

4. Which client should the registered nurse prioritize for assessment?

A. Client with pulse of 54 and hypertension

B. Client with COPD and SpO2 of 92%

C. Client with significant gastric residual volume

D. Client with pneumonia and new S3 heart sound

Prioritizing client assessment in a healthcare setting involves evaluating the severity and potential implications of each client's condition. In this case, the client with pneumonia and a new S3 heart sound should be prioritized because this combination of factors suggests a higher risk of complications. The presence of pneumonia indicates a respiratory infection that can lead to significant complications, including respiratory failure and sepsis. A new S3 heart sound, often referred to as a "gallop," can indicate heart failure or volume overload, suggesting that the patient's cardiac function may be compromised. When these two conditions occur simultaneously, it raises concerns for potential heart failure exacerbation, which can be life-threatening. Therefore, this client's assessment takes precedence to ensure timely intervention and management. In comparison, while the other clients present noteworthy conditions, they may not necessitate immediate assessment to the same extent. The client with a pulse of 54 may have bradycardia, but unless there are concerning symptoms such as altered consciousness or chest pain, they may not require urgent assessment. The client with COPD and an SpO2 of 92% is somewhat stable, albeit with slightly low oxygen saturation that can be managed. Lastly, the client with significant gastric residual volume indicates a need for monitoring but does not

SAMPLE

5. Which observation about a peripherally inserted central catheter (PICC) indicates a potential issue?

A. Client has a recent hematoma near the site

B. An increase in external catheter length

C. PICC is clamped during medication administration

D. Client reports discomfort at the insertion site

An increase in external catheter length is a significant observation indicating a potential issue with a peripherally inserted central catheter (PICC). This change can suggest that the catheter has migrated or is not secured properly, which can lead to complications such as thrombosis, infiltration, or even improper medication delivery. It is crucial for the external length of the PICC to remain stable, as any variations may compromise the catheter's function and patient safety. In contrast, a recent hematoma near the site, discomfort at the insertion site, and clamping during medication administration do signal possible concerns, but they might not consistently indicate immediate or severe risks as the change in external catheter length does. A hematoma could be a benign reaction, discomfort may vary per individual's sensitivity, and clamping can sometimes be a normal practice in certain circumstances, particularly if it's a temporary measure to manage medication delivery. Therefore, noticing an increase in external catheter length should prompt immediate assessment and intervention to ensure the integrity and proper function of the PICC line.

6. Which assessment is critical for a nurse after a surgical intervention for a client?

A. Vigilance for signs of infection at the surgical site

B. Monitoring dietary intake post-surgery

C. Assessing emotional wellbeing post-surgery

D. Evaluation of rehabilitation potential

After a surgical intervention, it is crucial for the nurse to maintain vigilance for signs of infection at the surgical site. This assessment is fundamental as surgical sites are prone to infection due to the nature of the procedure, which may involve cutting through skin and other tissues, potentially introducing pathogens. Early identification of infection is key to preventing complications such as sepsis, delayed healing, or additional surgical interventions. Monitoring for signs of infection includes observing the site for redness, swelling, increased warmth, discharge, and pain. Additionally, the nurse should assess the client's vital signs for indicators of systemic infection, such as fever. This proactive approach plays a vital role in ensuring patient safety and promoting optimal recovery post-surgery. While monitoring dietary intake, assessing emotional well-being, and evaluating rehabilitation potential are important aspects of post-operative care, they are not as immediate as the need to address possible infections, which can rapidly escalate and compromise the patient's overall health and recovery. Therefore, vigilance for signs of infection takes precedence as a critical component of post-surgical assessment.

SAMPLE

7. Which client should the nurse prioritize after receiving shift report?

A. A client post-op abdominal aortic aneurysm with hypoactive bowel sounds

B. A client post below-the-knee amputation with high pain

C. A client with a deep venous thrombosis who is using the bathroom

D. A client with Raynaud's phenomenon facing swelling of fingers

Prioritizing patient care is essential in nursing practice, particularly in acute situations. The rationale for focusing on the client who has undergone a below-the-knee amputation and is experiencing high pain is multifaceted. Firstly, pain management is critical in promoting recovery and comfort for patients, especially following a surgical procedure. In this scenario, high levels of pain can escalate to a state where it may be unmanageable if not addressed promptly. This can lead to complications such as impaired mobility, difficulty with rehabilitation, and overall distress for the patient. Moreover, post-operative patients are already at risk for complications, and unmanaged pain can further exacerbate these risks, potentially leading to increased anxiety and heightened physiological stress responses. Addressing intense pain is essential not only for immediate comfort but also for promoting the successful recovery trajectory. In this context, timely assessment and intervention regarding pain management is a top priority. This ensures that the patient can attempt rehabilitation and participate in their recovery process without the burden of unrelieved pain, which can hinder their overall outcomes. While other patients have significant conditions that also warrant attention, managing acute and severe pain takes precedence because it directly affects the patient's ability to cope and recover effectively.

8. Which of the following is an inappropriate action by a home health nurse?

A. Accepting cash gifts from multiple clients

B. Discussing treatment plans with family members

C. Calling clients frequently to check in

D. Providing clients with brochures for health resources

Accepting cash gifts from multiple clients is considered an inappropriate action for a home health nurse due to ethical guidelines and professional boundaries. Nurses are expected to maintain a professional relationship with their clients, which includes avoiding any actions that could create a conflict of interest or compromise their objectivity in providing care. Accepting gifts, especially cash, can create an implication of favoritism or expectation of special treatment, undermining the integrity of the nurse-client relationship. In contrast, discussing treatment plans with family members can be a vital aspect of patient care when it aligns with the client's wishes and consent. Calling clients frequently to check in demonstrates a commitment to their welfare and can enhance their experience of care. Providing clients with brochures for health resources is a supportive action that empowers clients by giving them access to information, thus facilitating better health management. These actions foster a professional and therapeutic nursing relationship, ensuring clients receive the best care possible.

SAMPLE

9. Which task can the nurse delegate to UAP during a blood transfusion?

A. Assist with checking client identification

B. Measure vital signs after starting transfusion

C. Measure vital signs before starting the transfusion

D. Pick up blood from the blood bank

In the context of blood transfusion protocols, the task that can be delegated to a UAP (Unlicensed Assistive Personnel) is measuring vital signs before starting the transfusion. This is appropriate because obtaining baseline vital signs is a routine procedure that does not require the critical assessment skills of a registered nurse. UAPs are trained to accurately take and record vital signs, making it safe for them to perform this task as long as they understand the importance of reporting any abnormalities to a nurse. On the other hand, tasks such as checking client identification and measuring vital signs during or after the transfusion involve critical thinking and clinical judgment that are essential for ensuring patient safety and managing potential complications. These responsibilities should remain with a registered nurse, who can interpret the data and respond appropriately to any changes in the patient's condition. Similarly, picking up blood from the blood bank also involves checking for the right blood type and matching it with the patient, which requires nursing judgment and is not within the scope of practice for UAPs.

10. Which nursing activities can a registered nurse delegate to a licensed practical nurse when caring for a client with pneumonia?

A. Administering metered-dose inhaled medications.

B. Monitoring lung sounds.

C. Teaching the importance of fluid intake.

D. Evaluating use of the incentive spirometer.

Administering metered-dose inhaled medications is a task that a registered nurse can delegate to a licensed practical nurse (LPN) under certain circumstances, provided the LPN is trained and competent in this skill. This activity falls within the scope of practice for LPNs, who are typically responsible for performing basic nursing tasks, which can include administration of certain medications. The delegation of this task is appropriate especially if the RN is assessing the client's overall condition and determining that the LPN can safely administer the medication while the RN focuses on higher-level duties such as assessing the effectiveness of the treatment and managing the overall care plan. This ensures that the client's immediate medication needs are met while allowing the RN to retain oversight and accountability for the patient's care. Other options, such as monitoring lung sounds, teaching about fluid intake, and evaluating the use of the incentive spirometer, may require deeper clinical reasoning, assessment skills, and educational planning, which are generally within the purview of the RN. These tasks usually involve more comprehensive patient evaluation and planning that require the RN's expertise, making it less appropriate to delegate them to an LPN.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://uworldleadership.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE