

VASOPRESSORS & INOTROPES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://vasopressorsinotropes.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which vasopressor has no beta-adrenergic activity and increases systemic vascular resistance without vasodilation?**
 - A. Phenylephrine
 - B. Vasopressin
 - C. Norepinephrine
 - D. Epinephrine

- 2. What is the mechanism of action of T3 in the heart regarding adrenergic signaling and cAMP?**
 - A. Independent of adrenergic receptors and cAMP
 - B. Relies on adrenergic receptors and cAMP
 - C. Requires calcium channel activation
 - D. Inhibits Na-K ATPase

- 3. How does alkalosis affect ionized calcium?**
 - A. Decreases ionized calcium
 - B. Increases ionized calcium
 - C. No change
 - D. Variable

- 4. Which vasopressor is preferred for a pregnant patient with hypotension during spinal or epidural anesthesia?**
 - A. Epinephrine
 - B. Norepinephrine
 - C. Ephedrine
 - D. Phenylephrine

- 5. Which of the following can decrease ionized calcium concentration?**
 - A. Alkalosis (uncovers albumin binding sites)
 - B. Citrate binds ionized calcium (from blood products)
 - C. Acidosis increases ionized calcium
 - D. Albumin binds ionized calcium (decreases availability)

- 6. Which statement is true about elemental calcium per dose?**
- A. CaCl contains more elemental calcium per dose than calcium gluconate
 - B. Calcium gluconate contains more elemental calcium per dose than CaCl
 - C. They contain equal amounts of elemental calcium per dose
 - D. Only CaCl is available in IV form
- 7. At moderate-dose epinephrine infusion (0.03-0.15 mcg/kg/min), which receptors are activated and how does SVR typically change?**
- A. Alpha and Beta; heart rate and contractility increase; SVR may increase or decrease (variable)
 - B. Beta only; heart rate increases; SVR decreases
 - C. Alpha only; heart rate decreases; SVR increases
 - D. Alpha and Beta; heart rate decreases; SVR unchanged
- 8. Phenylephrine can be useful in which situation due to its reflex bradycardic effect?**
- A. Atrial fibrillation
 - B. Ventricular tachycardia
 - C. Sinus tachycardia
 - D. Supraventricular tachycardia
- 9. In the lungs, epinephrine has what effect?**
- A. Bronchodilation and mast cell stabilization
 - B. Bronchodilation only
 - C. No effect on the lungs
 - D. Bronchoconstriction
- 10. What is the primary presynaptic effect of alpha-2 agonism?**
- A. Increase norepinephrine release
 - B. Bronchodilation
 - C. Decrease norepinephrine release
 - D. No effect

Answers

SAMPLE

1. A
2. A
3. A
4. C
5. B
6. A
7. A
8. D
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Which vasopressor has no beta-adrenergic activity and increases systemic vascular resistance without vasodilation?

- A. Phenylephrine**
- B. Vasopressin
- C. Norepinephrine
- D. Epinephrine

Phenylephrine is a pure alpha-1 adrenergic agonist, so it causes vasoconstriction of the arterioles, which increases systemic vascular resistance and raises arterial pressure. Because it has no beta-adrenergic activity, it does not stimulate beta-1 receptors on the heart or beta-2-mediated vasodilation, so it typically avoids increasing heart rate or causing vasodilation. The result is a rise in blood pressure due to constricted peripheral vessels without beta-mediated cardiac stimulation. In contrast, agents with beta activity can boost heart rate and contractility (norepinephrine and epinephrine via beta-1) or cause vasodilation via beta-2 at certain doses, and vasopressin works through nonadrenergic receptors (V1) to raise SVR but isn't a pure alpha-adrenergic vasopressor.

2. What is the mechanism of action of T3 in the heart regarding adrenergic signaling and cAMP?

- A. Independent of adrenergic receptors and cAMP**
- B. Relies on adrenergic receptors and cAMP
- C. Requires calcium channel activation
- D. Inhibits Na-K ATPase

Thyroid hormone T3 boosts heart performance by increasing the heart's responsiveness to catecholamines through the adrenergic signaling and cAMP pathway. It does this mainly by upregulating beta-1 adrenergic receptors and components of the cAMP-PKA cascade inside cardiac cells. When catecholamines bind these receptors, Gs activates adenylate cyclase, raising cAMP, which then activates PKA. PKA phosphorylates targets that enhance calcium handling (like L-type calcium channels and phospholamban/SERCA), leading to stronger contractions and faster heart rate. Because these effects depend on receptor signaling and the cAMP pathway, they are not independent of adrenergic receptors and cAMP.

3. How does alkalosis affect ionized calcium?

- A. Decreases ionized calcium**
- B. Increases ionized calcium
- C. No change
- D. Variable

Alkalosis raises blood pH, which increases albumin's affinity for calcium. Since most calcium is bound to albumin, tighter binding leaves less calcium in the free, ionized form. Ionized calcium is the physiologically active fraction, so alkalosis leads to a decrease in ionized calcium even if total calcium stays the same. (For contrast, acidosis tends to increase ionized calcium by reducing binding.)

4. Which vasopressor is preferred for a pregnant patient with hypotension during spinal or epidural anesthesia?

- A. Epinephrine
- B. Norepinephrine
- C. Ephedrine**
- D. Phenylephrine

The main idea here is to restore mom's blood pressure in a way that also preserves or increases cardiac output so uteroplacental blood flow stays good. Ephedrine acts on both alpha and beta receptors, so it raises blood pressure (via some vasoconstriction) and, importantly, boosts heart rate and myocardial contractility (beta effects). That combination increases overall cardiac output, which helps maintain placental perfusion and fetal oxygen delivery during neuraxial anesthesia when venous pooling has reduced venous return. Pure vasopressors that mainly constrict blood vessels can raise pressure but may lower cardiac output and placental blood flow, which is less favorable for the fetus. Ephedrine historically offered advantages in this setting by supporting maternal perfusion and fetal status, making it the preferred choice in this scenario.

5. Which of the following can decrease ionized calcium concentration?

- A. Alkalosis (uncovers albumin binding sites)
- B. Citrate binds ionized calcium (from blood products)**
- C. Acidosis increases ionized calcium
- D. Albumin binds ionized calcium (decreases availability)

Ionized calcium is the active form of calcium in the blood, and its free concentration can be reduced either by chelation or by shifting calcium to the protein-bound pool depending on pH. Citrate used as an anticoagulant in stored blood products binds calcium to form calcium-citrate complexes, pulling calcium out of the ionized pool. This directly lowers the amount of free calcium available in circulation, which is why transfusion with citrate-containing products can cause hypocalcemia in the recipient. In contrast, acidosis tends to increase ionized calcium because hydrogen ions compete with calcium for albumin binding, displacing calcium into the free form, while alkalosis promotes more calcium binding to albumin and decreases the ionized fraction. Albumin binding itself means calcium is not ionized, so greater albumin-bound calcium reduces the ionized portion, but the clearest, most immediate decrease from a clinical standpoint during transfusion is citrate chelation.

6. Which statement is true about elemental calcium per dose?

- A. CaCl contains more elemental calcium per dose than calcium gluconate**
- B. Calcium gluconate contains more elemental calcium per dose than CaCl
- C. They contain equal amounts of elemental calcium per dose
- D. Only CaCl is available in IV form

Elemental calcium per dose depends on how much calcium is present in the salt form. Calcium chloride carries a larger fraction of its weight as elemental calcium than calcium gluconate. In practice, calcium chloride provides roughly 30% elemental calcium by weight, while calcium gluconate provides about 9–11%. So, for the same amount of salt, calcium chloride delivers more calcium ions per dose. The idea that calcium gluconate has more calcium, or that they're equal, isn't correct. Also, both salts can be given intravenously, so the notion that only calcium chloride is IV is false.

7. At moderate-dose epinephrine infusion (0.03-0.15 mcg/kg/min), which receptors are activated and how does SVR typically change?

- A. Alpha and Beta; heart rate and contractility increase; SVR may increase or decrease (variable)**
- B. Beta only; heart rate increases; SVR decreases
- C. Alpha only; heart rate decreases; SVR increases
- D. Alpha and Beta; heart rate decreases; SVR unchanged

Moderate-dose epinephrine engages both alpha-1 and beta receptors. The beta-1 effect increases heart rate and contractility, boosting cardiac output. In the vasculature, beta-2-mediated vasodilation can occur in some beds, while alpha-1-mediated vasoconstriction raises vascular tone. Because these actions oppose each other, the net change in systemic vascular resistance is variable: some patients experience an increase, others a decrease, or little change, depending on the balance of receptor effects in different vascular regions and individual sensitivity. This combination of alpha and beta activation with a heart rate/inotropy boost best fits the moderate-dose range. The other options imply receptor selectivity that isn't present at this dose, or incorrect effects on heart rate or SVR.

8. Phenylephrine can be useful in which situation due to its reflex bradycardic effect?

- A. Atrial fibrillation
- B. Ventricular tachycardia
- C. Sinus tachycardia
- D. Supraventricular tachycardia**

Phenylephrine works by squeezing the blood vessels, which raises blood pressure through alpha-1 receptor stimulation. That rise in pressure triggers a baroreceptor reflex that increases vagal (parasympathetic) tone to the heart, slowing the heart rate and specifically slowing conduction through the AV node. In tachyarrhythmias that rely on the AV node to drive the ventricles, like supraventricular tachycardia, this reflex bradycardia can reduce the ventricular rate or help terminate the tachycardia by dampening AV nodal conduction. This makes it particularly useful in SVT when you need to bolster blood pressure without increasing heart rate, and when slowing AV nodal conduction can control the rhythm. In atrial fibrillation or ventricular tachycardia, the effect on the AV node is less likely to terminate the rhythm or improve the situation, so phenylephrine's reflex bradycardia is not as advantageous.

9. In the lungs, epinephrine has what effect?

- A. Bronchodilation and mast cell stabilization**
- B. Bronchodilation only
- C. No effect on the lungs
- D. Bronchoconstriction

Epinephrine works in the lungs by activating beta-2 adrenergic receptors on airway smooth muscle, which causes direct bronchodilation and helps open the airways quickly. It also stabilizes mast cells, reducing their degranulation and the release of histamine and other mediators that worsen bronchoconstriction and edema. So the drug not only widens the bronchi but also dampens the inflammatory and allergic responses that contribute to airway narrowing. That's why it's more than just bronchodilation—the mast cell stabilization part is also important. The other choices miss one of these key effects or state there's no effect at all.

10. What is the primary presynaptic effect of alpha-2 agonism?

- A. Increase norepinephrine release
- B. Bronchodilation
- C. Decrease norepinephrine release**
- D. No effect

Alpha-2 receptors on sympathetic nerve terminals act as autoreceptors to dampen norepinephrine release. When activated, they couple to Gi proteins, which inhibit adenylyl cyclase and reduce cAMP, leading to decreased calcium influx and less vesicle fusion. The result is a net decrease in norepinephrine released into the synapse, lowering sympathetic signaling. Bronchodilation is mainly a beta-2 effect, not a direct presynaptic action of alpha-2 agonism, and stating no effect or increased release doesn't fit the autoreceptor mechanism.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://vasopressorsinotropes.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE