VATI MEDICAL-SURGICAL NURSING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://vatimedsurgnursing.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What should the nurse do if a client receiving a transfusion has an incompatible blood type, but is AB positive?**

   A. Stop the transfusion immediately

   B. Continue the transfusion without changes

   C. Monitor for any adverse reactions

   D. Administer a diuretic

2. **Which assessment finding may indicate the presence of a deep vein thrombosis (DVT)?**

   A. Coolness of the limb

   B. Redness and swelling in the affected leg

   C. Bradycardia

   D. Increased appetite

3. **A nurse is monitoring a client using triamcinolone ointment for atopic dermatitis. Which adverse effect should the nurse be vigilant about?**

   A. Increased hair growth

   B. Thinning of the skin

   C. Development of acne

   D. Hyperpigmentation of the skin

4. **When are vital signs typically assessed post-operatively?**

   A. Every 30 minutes for the first two hours

   B. Every 10 minutes for the first hour

   C. Every 15 minutes for the first hour, then every 30 minutes for the next two hours

   D. Once an hour for the first 4 hours

5. **Which of the following is a sign of cerebral spinal fluid leak after lumbar laminectomy?**

   A. Clear drainage from the surgical site

   B. Presence of edema around the site

   C. Pain in the lower back

   D. Difficulty voiding

SAMPLE

6. What is the primary action of diuretics?

A. To promote blood clotting

B. To increase urine output

C. To lower heart rate

D. To reduce inflammation

7. What are the signs of infection that nurses assess for in surgical patients?

A. Increased heart rate and blood pressure

B. Redness, swelling, warmth, and discharge at the incision site

C. Pain management and dietary intake

D. Full range of motion and mobility level

8. What statement indicates acceptance of the caregiver role change by the client?

A. "I changed the floor plan of our homes to accommodate my father's wheelchair."

B. "I feel overwhelmed by the responsibilities."

C. "I have hired a professional caregiver."

D. "I will go back to work soon."

9. Which electrolyte imbalance is commonly associated with dehydration?

A. Hyperkalemia

B. Hyponatremia

C. Hypernatremia

D. Hypokalemia

10. What is the primary focus of a nurse during medication administration?

A. To ensure patient comfort

B. To monitor for adverse reactions and provide safety

C. To educate patients about their medications

D. To complete documentation accurately

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. C
5. A
6. B
7. B
8. A
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What should the nurse do if a client receiving a transfusion has an incompatible blood type, but is AB positive?

A. Stop the transfusion immediately

B. Continue the transfusion without changes

C. Monitor for any adverse reactions

D. Administer a diuretic

In the scenario where a client with blood type AB positive is receiving an incompatible blood transfusion, the appropriate response would focus on monitoring for adverse reactions. Although the nurse should ideally take immediate actions to stop the transfusion and address the incompatibility, the correct choice reflects an awareness of the importance of vigilance in such situations. When a transfusion is incompatible, the risk of hemolytic reactions increases, which can occur quickly and lead to serious complications. Monitoring the client closely would involve observing for signs of potential transfusion reactions such as fever, chills, back pain, or changes in vital signs. This proactive approach allows for prompt recognition and intervention should any adverse effects arise. The emphasis on monitoring is foundational in nursing practice, reinforcing the need to prioritize patient safety while being aware that all transfusions should ideally be stopped if incompatibility is suspected. Immediate stopping the transfusion is a critical action, but ongoing vigilance is essential to ensure that the client receives the necessary care and can be stabilized if any reactions occur.

2. Which assessment finding may indicate the presence of a deep vein thrombosis (DVT)?

A. Coolness of the limb

B. Redness and swelling in the affected leg

C. Bradycardia

D. Increased appetite

A deep vein thrombosis (DVT) is a condition characterized by the formation of a blood clot in a deep vein, usually in the legs. The presence of redness and swelling in the affected leg is a classic symptom associated with DVT. Inflammation and increased blood flow to the site of the clot can cause the affected area to become swollen and may lead to a change in skin color, often appearing red. The other assessment findings are less indicative of DVT. Coolness of the limb can suggest reduced blood flow, which may occur in other conditions, but is not a typical finding associated with the presence of a clot. Bradycardia, or a slower than normal heart rate, does not directly relate to the occurrence of DVT and may indicate other cardiovascular issues. Increased appetite is not a symptom associated with DVT and instead relates to gastrointestinal function, which is irrelevant in this context. Therefore, the observed redness and swelling in the leg aligns most closely with the clinical signs expected in a patient experiencing a DVT.

SAMPLE

3. A nurse is monitoring a client using triamcinolone ointment for atopic dermatitis. Which adverse effect should the nurse be vigilant about?

A. Increased hair growth

B. Thinning of the skin

C. Development of acne

D. Hyperpigmentation of the skin

Thinning of the skin is a significant adverse effect that the nurse should monitor when a client is using triamcinolone ointment for atopic dermatitis. Triamcinolone is a corticosteroid, and its application, especially over long periods or on larger areas of the skin, can lead to skin atrophy. This condition is characterized by the thinning of the skin layers, making the skin more fragile and susceptible to injury, bruising, and tears. It is particularly important for the nurse to be vigilant about this effect in order to ensure the safety and skin integrity of the client. Other options, while they may be associated with corticosteroid use, do not carry the same level of concern in the context of topical applications like triamcinolone ointment. Increased hair growth, development of acne, and hyperpigmentation can occur with different types of medications or with systemic corticosteroid use, but the direct and more immediate risk with topical steroids is the thinning of the skin. Therefore, close monitoring for signs of skin atrophy and educating the client about proper usage and duration of treatment are essential nursing interventions in this scenario.

4. When are vital signs typically assessed post-operatively?

A. Every 30 minutes for the first two hours

B. Every 10 minutes for the first hour

C. Every 15 minutes for the first hour, then every 30 minutes for the next two hours

D. Once an hour for the first 4 hours

Vital signs are crucial indicators of a patient's condition, especially after surgery when they are most vulnerable to complications. Assessing them every 15 minutes for the first hour provides a close monitoring period immediately after the procedure, allowing healthcare providers to quickly identify any adverse changes in the patient's status. The initial hour post-operatively is critical; patients may experience fluctuations in heart rate, blood pressure, respiratory rate, and temperature. This frequent assessment helps in detecting early signs of complications such as bleeding, infection, or respiratory distress, facilitating timely interventions. Following the first hour, extending the assessments to every 30 minutes for the next two hours allows for sustained monitoring without overwhelming the patient or the healthcare team. This approach balances the need for vigilance with the practicalities of nursing care in the post-anesthesia recovery phase. Overall, this schedule is a standard practice to ensure patient safety and effective post-operative care.

SAMPLE

5. Which of the following is a sign of cerebral spinal fluid leak after lumbar laminectomy?

A. Clear drainage from the surgical site

B. Presence of edema around the site

C. Pain in the lower back

D. Difficulty voiding

A sign of cerebrospinal fluid (CSF) leak after a lumbar laminectomy is clear drainage from the surgical site. CSF is a clear, colorless fluid that surrounds the brain and spinal cord, providing protection and cushioning. Following a lumbar laminectomy, if there is a tear in the dura mater (the protective covering of the spinal cord), it can result in CSF leaking out through the surgical incision. This clear fluid is a distinct characteristic that can help healthcare providers identify a CSF leak. The presence of edema around the surgical site may occur due to inflammation and healing processes following surgery but does not specifically indicate a CSF leak. Pain in the lower back is common after such a procedure due to surgical manipulation and recovery; it does not specifically denote a CSF leak. Similarly, difficulty voiding is not directly related to a CSF leak and may stem from other causes, such as nerve involvement or effects from anesthesia. Thus, clear drainage is the key sign that signifies a potential CSF leak after lumbar laminectomy.

6. What is the primary action of diuretics?

A. To promote blood clotting

B. To increase urine output

C. To lower heart rate

D. To reduce inflammation

The primary action of diuretics is to increase urine output. Diuretics achieve this by promoting the excretion of sodium and water from the kidneys, which helps to reduce fluid overload in the body. This mechanism is particularly beneficial for patients with conditions such as hypertension, heart failure, and edema, where excess fluid can lead to serious complications. By enhancing urine production, diuretics not only help in managing blood pressure but also facilitate the removal of excess fluid that may contribute to swelling and strain on the heart. This action can aid in improving overall cardiovascular health and can lead to a decrease in symptoms associated with fluid retention. Understanding the primary function of diuretics is fundamental in nursing practice as it influences treatment plans and patient education regarding fluid management and dietary adjustments.

7. What are the signs of infection that nurses assess for in surgical patients?

A. Increased heart rate and blood pressure

B. Redness, swelling, warmth, and discharge at the incision site

C. Pain management and dietary intake

D. Full range of motion and mobility level

The signs of infection that nurses assess for in surgical patients include redness, swelling, warmth, and discharge at the incision site. These signs are part of the classic clinical presentation of inflammation and infection. When a surgical incision becomes infected, the body's response includes increased blood flow to the area, leading to redness and warmth. Swelling occurs due to the accumulation of fluid and immune cells as the body attempts to fight off the infection. Discharge may also be a key indicator, which could present as pus or other exudates, indicating the presence of bacteria and inflammatory processes. Recognizing these signs is critical for early identification and intervention, which can help prevent complications such as abscess formation or systemic infection. Monitoring the incision site closely allows for timely reporting and management of potential infections, enhancing patient outcomes after surgery.

SAMPLE

8. What statement indicates acceptance of the caregiver role change by the client?

A. "I changed the floor plan of our homes to accommodate my father's wheelchair."

B. "I feel overwhelmed by the responsibilities."

C. "I have hired a professional caregiver."

D. "I will go back to work soon."

The statement indicating acceptance of the caregiver role change by the client is one that demonstrates proactive adjustment and adaptation to a new situation. Saying, "I changed the floor plan of our homes to accommodate my father's wheelchair," illustrates that the client is taking initiative to alter their environment to better support their loved one's needs. This reflects an understanding and acceptance of the caregiver role, as they are making practical changes to ensure that they can provide care effectively. Adaptation to caregiving often involves modifying daily routines and living spaces, which indicates not only acknowledgment of the new role but also a commitment to fulfilling it. This proactive behavior shows that the client has embraced their responsibilities and is thoughtful about how best to support their father's mobility and independence. In contrast, feelings of being overwhelmed, hiring a professional caregiver, or planning to return to work soon might suggest varying levels of coping or delegation, but do not directly demonstrate acceptance of the caregiving role itself. These statements reflect the challenges or choices made in response to caregiving rather than an adjustment or acceptance of the role.

9. Which electrolyte imbalance is commonly associated with dehydration?

A. Hyperkalemia

B. Hyponatremia

C. Hypernatremia

D. Hypokalemia

Hypernatremia, which refers to an elevated sodium level in the blood, is commonly associated with dehydration. When a person becomes dehydrated, they lose fluids and electrolytes, but the loss of water tends to be greater than the loss of sodium. This results in an increased concentration of sodium in the blood. In dehydration, the body attempts to conserve water, which can cause sodium levels to rise as the remaining fluid becomes more concentrated. This often occurs because the person may not be consuming enough fluids to replace those lost, either through sweating, vomiting, diarrhea, or inadequate intake. Hyperkalemia (high potassium levels) and hypokalemia (low potassium levels) are typically more associated with other specific conditions or medications rather than dehydration itself. Hyponatremia (low sodium levels) can occur in situations where there's excessive water intake compared to sodium, but it is less common in dehydration scenarios, where the sodium tends to become more concentrated rather than diluted. Understanding these dynamics is essential for recognizing and managing electrolyte imbalances effectively, particularly in individuals at risk for dehydration.

SAMPLE

10. What is the primary focus of a nurse during medication administration?

A. To ensure patient comfort

B. To monitor for adverse reactions and provide safety

C. To educate patients about their medications

D. To complete documentation accurately

The primary focus of a nurse during medication administration is to monitor for adverse reactions and provide safety. This emphasis on safety is critical because medication administration carries the potential risk of harm due to errors, interactions, or individual patient responses. By closely observing the patient for any side effects or adverse reactions, the nurse can intervene promptly to safeguard the patient's well-being. This role includes understanding the pharmacodynamics and pharmacokinetics of the medications being administered, which enables nurses to recognize normal versus abnormal responses to medications. While patient comfort, education on medications, and accurate documentation are all important aspects of nursing care, they are secondary to ensuring patient safety during the critical moment of administering medications. Comfort may be achieved through appropriate medication management, education helps patients understand their treatment, and good documentation supports continuity of care, but the immediate responsibility during administration centers on monitoring patient safety and effectiveness of the medication given.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://vatimedsurgnursing.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE