# VIRGINIA RESIDENTIAL BUILDING CONTRACTOR (RBC) PRACTICE TEST (SAMPLE)

## STUDY GUIDE




## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://virginiarbc.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. Purlins used to support roof loads must be at least what size?**

A. The minimum size of the roof

B. The size of the rafter it is supporting

C. The average size of the rafters

D. Double the size of the rafters

**2. In building codes, what is the minimum height for a handrail above a staircase?**

A. 30 inches

B. 32 inches

C. 34 inches

D. 36 inches

**3. How long should drywall screws for wood framing typically be?**

A. 3/4" long

B. 1" long

C. 1-1/4" long

D. 1-3/4" long

**4. Notes on architectural drawings are primarily for what purpose?**

A. Providing aesthetic suggestions

B. Explanations of unclear features

C. Listing materials required

D. Indicating safety measures

**5. How many stories must be maintained between the erection floor and the upper most permanent floor during erection?**

A. 5 stories

B. 6 stories

C. 4 stories

D. 8 stories

SAMPLE

**6. What is the minimum floor space required for a habitable room?**

A. 70 square feet

B. 80 square feet

C. 90 square feet

D. 100 square feet

**7. For a site with 200 or more employees, how many toilets and urinals must be provided per 50 workers?**

A. 1 Toilet per 50 workers

B. 1 Toilet and 1 Urinal per 50 workers

C. 1 Toilet per 40 workers

D. 2 Toilets per 50 workers

**8. What are the risers in a stairway responsible for?**

A. Providing the total horizontal distance

B. Defining the height of each step

C. Supporting the treads

D. Creating the staircase's width

**9. What type of slope is defined as 6:12?**

A. Flat slope

B. Moderate slope

C. Steep slope

D. Vertical slope

**10. What is the required action for debris that exceeds a designated drop height?**

A. Use a net

B. Use an enclosed chute

C. Use a warning sign

D. Use a barricade

SAMPLE

# Answers

SAMPLE

1. B
2. C
3. C
4. B
5. D
6. A
7. B
8. B
9. C
10. B

SAMPLE

# Explanations

SAMPLE

## 1. Purlins used to support roof loads must be at least what size?

A. The minimum size of the roof

B. The size of the rafter it is supporting

C. The average size of the rafters

D. Double the size of the rafters

*Purlins must be at least the size of the rafter they are supporting because they serve as a critical structural element in transferring roof loads to the rafters. When purlins are sized appropriately, they ensure the overall stability and strength of the roof system. The load carried by the purlins can be significant, especially in regions with heavy snowfall or other load considerations, making it essential that they match or exceed the capacity of the rafters they support. This sizing practice helps in maintaining the integrity of the roof structure, preventing potential failures that could arise if the purlins are undersized. Proper sizing also complies with building codes and standards that dictate the necessary dimensions for various structural components to ensure safety and reliability in construction.*

## 2. In building codes, what is the minimum height for a handrail above a staircase?

A. 30 inches

B. 32 inches

C. 34 inches

D. 36 inches

*The minimum height for a handrail above a staircase is established by building codes to ensure safety and accessibility for all users. A height of 34 inches provides a balance that allows for a firm grip while also reducing the risk of falling. This measurement is designed with the needs of the average person's reach in mind, providing enough clearance above the steps without being so high that it becomes difficult to use effectively. Handrails serve an important safety function, particularly on stairs where the risk of falling is higher. The height of 34 inches helps to accommodate individuals of various heights, including children and adults, ensuring that everyone can maintain stability and support as they navigate the stairs. Building codes typically mandate this height to promote uniformity in construction and reduce accidents related to improper handrail height. The other options do not meet the established safety guidelines set forth in most building codes, which aim to create a safer environment for all residents. These codes are crucial in residential building practices and are important for both builders and occupants to understand.*

## 3. How long should drywall screws for wood framing typically be?

A. 3/4" long

B. 1" long

C. 1-1/4" long

D. 1-3/4" long

*Drywall screws used for wood framing are typically 1-1/4 inches long because this length provides the right balance of penetration into the wood framing while ensuring a secure hold of the drywall sheets. This screw length allows for adequate engagement with the framing members, which is essential for proper installation. Screws that are too short would not provide the necessary grip in the wood, potentially leading to sagging or detachment of the drywall. Conversely, screws that are too long could penetrate through the framing and into the space behind, potentially causing damage to electrical wiring or plumbing systems that may be installed in the wall. Therefore, 1-1/4 inches is the standard length recommended for securing standard 1/2-inch drywall to wood framing.*

EXAMPLE

## 4. Notes on architectural drawings are primarily for what purpose?

A. Providing aesthetic suggestions

B. Explanations of unclear features

C. Listing materials required

D. Indicating safety measures

*The primary purpose of notes on architectural drawings is to provide explanations of unclear features. Architectural drawings can be complex, with various symbols, lines, and annotations that convey essential information about the structure being designed. Notes are used to clarify elements that may not be immediately evident from the drawings alone, such as specific construction methods, the intent behind design choices, or contextual details important for contractors and builders. While suggestions for aesthetics, material lists, and safety measures can also be included within architectural drawings, the clarity they impart through explanatory notes is crucial for ensuring accurate interpretation and execution of the design. This is particularly important in construction to avoid miscommunication or misunderstanding between architects, contractors, and other stakeholders involved in the building process.*

## 5. How many stories must be maintained between the erection floor and the upper most permanent floor during erection?

A. 5 stories

B. 6 stories

C. 4 stories

D. 8 stories

*The requirement to maintain a specific number of stories between the erection floor and the uppermost permanent floor during construction is crucial for ensuring safety and structural integrity. In this case, the regulation stipulates a minimum of eight stories. This provision is in place to prevent accidents that may occur due to the instability of the structure during the construction phase. By maintaining eight stories, workers can ensure there is enough support and safety measures in place, reducing the risk of collapses or dangerous situations as construction progresses. This requirement reflects best practices in construction safety management, emphasizing the importance of preventing hazards in multi-story building projects. Regulations often require specific measures like this to protect workers and ensure the stability of a building before it is completed. Understanding these industry standards is essential for those looking to operate within the residential building contractor space in Virginia, as they form a foundational element of construction safety protocols.*

## 6. What is the minimum floor space required for a habitable room?

A. 70 square feet

B. 80 square feet

C. 90 square feet

D. 100 square feet

*The minimum floor space required for a habitable room is established by building codes to ensure that living spaces are functional and comfortable for occupants. In Virginia, the requirement specifies that a habitable room must have at least 70 square feet of floor area. This amount of space is considered sufficient to allow for basic furnishings and movement within the room, providing an adequate living environment. Habitable rooms can include areas like bedrooms, living rooms, and other spaces meant for living purposes, emphasizing the need for a standard that promotes safety and usability in residential construction. In contrast, the other options exceed the established minimum, which may lead to misconceptions about the necessary space requirements for habitable rooms according to Virginia's building codes. Understanding the minimum standards is crucial for compliance in residential construction.*

SAMPLE

## 7. For a site with 200 or more employees, how many toilets and urinals must be provided per 50 workers?

A. 1 Toilet per 50 workers

B. 1 Toilet and 1 Urinal per 50 workers

C. 1 Toilet per 40 workers

D. 2 Toilets per 50 workers

*The requirement for sanitation facilities on a site with a large number of employees is essential for maintaining hygiene and comfort. In workplaces with 200 or more employees, the standard set forth dictates that for every 50 workers, sufficient restroom facilities must be provided, specifically one toilet and one urinal. This provision is crucial for several reasons. First, it ensures that there are adequate facilities to accommodate the needs of all employees, minimizing wait times and promoting a healthier work environment. Having both toilets and urinals available helps cater to the different needs of male and female workers, as well as a more efficient use of space and utilization of facilities. Regulations typically follow guidelines established by health and safety standards, emphasizing the importance of sanitation in large workplaces. This measure not only addresses basic needs but also helps prevent potential health hazards that could arise from inadequate restroom access. In contrast to the other choices, the one toilet and one urinal per 50 workers provides a balanced solution that keeps in mind both efficiency and compliance with safety regulations. The alternatives either do not provide enough facilities or focus solely on toilets without accounting for urinals, missing the broader standard of ensuring an adequate number of sanitary facilities for the workforce.*

## 8. What are the risers in a stairway responsible for?

A. Providing the total horizontal distance

B. Defining the height of each step

C. Supporting the treads

D. Creating the staircase's width

*The risers in a stairway play a fundamental role in defining the height of each step. These vertical components are positioned between the treads—the horizontal parts of the stairs where one steps—and are crucial in determining the overall elevation the user must ascend or descend. Properly constructed risers ensure that each step maintains a consistent height, which is vital for safety and comfort during use. If the riser height is not uniform, it can lead to missteps and potential falls. In addition to providing a defined height for each step, risers contribute to the overall architectural design of the staircase, impacting both aesthetics and functionality. Understanding the importance of risers helps contractors in adhering to building codes and safety standards when constructing staircases in residential buildings.*

SAMPLE

## 9. What type of slope is defined as 6:12?

A. Flat slope

B. Moderate slope

C. Steep slope

D. Vertical slope

*A slope defined as 6:12 indicates a rise of 6 units for every 12 units of horizontal distance. This ratio can also be simplified to a 1:2 ratio, which represents a 45-degree angle. In construction and architecture, slopes are categorized based on their steepness, and a 6:12 slope is considered a steep slope. Steep slopes are typically characterized by a quick change in elevation over a short horizontal distance, which can affect drainage, stability, and construction techniques. The classification of slopes is crucial as it influences building design, land use, and can pose challenges for structural integrity and water runoff management. In contrast, flat slopes would have minimal or no rise, moderate slopes would generally range between flat and steep, and vertical slopes indicate an almost perpendicular rise, which is quite different from the 6:12 ratio. Thus, a slope of 6:12 clearly indicates a steep slope due to its relatively steep angle.*

## 10. What is the required action for debris that exceeds a designated drop height?

A. Use a net

B. Use an enclosed chute

C. Use a warning sign

D. Use a barricade

*Using an enclosed chute is the required action for debris that exceeds a designated drop height because it effectively prevents materials from falling freely and potentially injuring individuals or damaging property below. An enclosed chute guides the debris safely down to the ground or a designated collection area, reducing the risk of accidents associated with falling objects. This method is particularly important in construction sites or high-rise buildings where debris management is critical to ensuring worker and public safety. Enclosed chutes can also promote better waste management practices by containing the debris and making it easier to transport the materials for disposal or recycling. Other methods such as nets, warning signs, and barricades may help to mitigate risks, but they do not provide the same level of containment and control over falling debris as an enclosed chute does. While nets can catch falling debris, they do not eliminate the danger of materials bouncing off the net. Warning signs alert people to the danger but do not provide any physical protection. Barricades help restrict access to areas where falling debris is possible, but again, they are not a direct method of controlling debris fall.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://virginiarbc.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE