VITAL SIGNS CARDIOVASCULAR & RESPIRATORY SYSTEMS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://vitalsignscardiorespiratorysys.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the main function of the diaphragm in the respiratory system?

A. To circulate blood

B. To assist in air exchange during breathing

C. To filter air

D. To produce sound

2. Which term refers to the act of breathing air into the lungs?

A. Exhalation

B. Inhalation

C. Ventilation

D. Expiration

3. How does dehydration typically manifest in vital signs?

A. Increased blood pressure, increased heart rate

B. Decreased blood pressure, increased heart rate

C. Increased blood pressure, decreased heart rate

D. Stable vital signs

4. What type of pain is described as subjective and personal, often linked to tissue damage?

A. Chronic Pain

B. Acute Pain

C. Phantom Pain

D. Nociceptive Pain

5. Which condition can be a complication of coronary artery disease?

A. Stroke

B. Heart Attack

C. Both A and B

D. None of the above

6. What is a common characteristic of Cheyne-Stokes respirations?

A. Consistent shallow breathing

B. Sudden deep breaths followed by a pause

C. Alternating periods of apnea and hyperventilation

D. Rapid continuous breathing

SAMPLE

7. Which term refers to the measurement of temperature taken through the rectum?

A. Anal

B. Oral

C. Axillary

D. Rectal

8. Which of the following is not a common pulse point?

A. Carotid

B. Popliteal

C. Subclavian

D. Dorsalis pedis

9. Which condition is NOT a common cause of an elevated respiratory rate?

A. Fever

B. Asthma

C. Dehydration

D. Pneumonia

10. What is bradycardia?

A. An abnormally high resting heart rate, typically above 100 beats per minute

B. An abnormally low resting heart rate, typically below 60 beats per minute

C. A resting heart rate that is within the normal range

D. A rapid heart rate during physical activity

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. D
5. C
6. C
7. D
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is the main function of the diaphragm in the respiratory system?

A. To circulate blood

B. To assist in air exchange during breathing

C. To filter air

D. To produce sound

The diaphragm plays a crucial role in the respiratory system primarily by assisting in air exchange during the breathing process. It is a dome-shaped muscle located at the base of the thoracic cavity. When the diaphragm contracts, it moves downward, increasing the volume of the thoracic cavity, which decreases the pressure inside the lungs. This pressure difference allows air to be drawn into the lungs, facilitating inhalation. Conversely, when the diaphragm relaxes, it moves back to its original position, aiding in the expulsion of air from the lungs during exhalation. This action is vital for ensuring effective ventilation and oxygen exchange in the body. In contrast, circulating blood is the function of the cardiovascular system, not the diaphragm. Filtering air is primarily the responsibility of the upper respiratory tract, including the nose and sinuses, and the alveoli in the lungs, which trap particulates and pathogens. Producing sound is related to the movement of air through the vocal cords in the larynx, not directly to the function of the diaphragm itself.

2. Which term refers to the act of breathing air into the lungs?

A. Exhalation

B. Inhalation

C. Ventilation

D. Expiration

The term that refers to the act of breathing air into the lungs is inhalation. This process is a crucial aspect of respiration, where the diaphragm contracts, causing the thoracic cavity to expand. As a result, air pressure inside the lungs decreases, allowing air to flow in from outside. Inhalation is vital for delivering oxygen to the bloodstream, which is then transported to various cells throughout the body for energy production and other functions. In contrast, exhalation is the process of breathing air out of the lungs, which involves the passive relaxation of the diaphragm and other respiratory muscles. Ventilation refers to the overall process of air movement in and out of the lungs, encompassing both inhalation and exhalation. Expiration is synonymous with exhalation, focusing specifically on the removal of air from the lungs. Understanding these terms is essential for grasping the mechanics of breathing and the respiratory system's role in maintaining vital functions in the body.

3. How does dehydration typically manifest in vital signs?

A. Increased blood pressure, increased heart rate

B. Decreased blood pressure, increased heart rate

C. Increased blood pressure, decreased heart rate

D. Stable vital signs

Dehydration leads to a significant loss of body fluid, which can affect vital signs in specific ways. In the case of decreased blood pressure and increased heart rate, this occurs due to the body's compensatory mechanisms in response to the fluid deficit. When a person is dehydrated, the volume of blood circulating through the vascular system decreases. This reduction in blood volume typically causes a drop in blood pressure, as there is less fluid available to exert pressure against the walls of the blood vessels. The body recognizes this drop in blood pressure and responds by increasing the heart rate. This increase is an effort to maintain adequate blood flow to vital organs and tissues despite the lower volume of blood. The heart pumps faster to help circulate the available blood more efficiently, which is why an increased heart rate is a common compensatory response to dehydration. This physiological response is crucial as it allows the body to maintain perfusion and oxygen delivery, even when facing the challenges of reduced fluid levels. Thus, the combination of decreased blood pressure and increased heart rate is a typical manifestation of dehydration in vital signs.

SAMPLE

4. What type of pain is described as subjective and personal, often linked to tissue damage?

A. Chronic Pain

B. Acute Pain

C. Phantom Pain

D. Nociceptive Pain

Nociceptive pain is specifically characterized as being subjective and personal, stemming from the activation of nociceptors in response to actual or potential tissue damage. This type of pain serves as a critical warning signal that alerts the body to injury or the potential for harm, emphasizing its direct link to tissue damage. It encompasses both acute and chronic forms of pain but is primarily identified by its physiological basis: when damage occurs, the body's pain pathways get activated, leading to the conscious perception of pain. This makes nociceptive pain an important concept in understanding how pain functions as a protective mechanism for the body. In contrast, chronic pain refers to pain that persists beyond the usual recovery period and may not always be correlated with ongoing tissue damage, while acute pain is a type of nociceptive pain that is short-lived and typically aligned with an identifiable injury. Phantom pain describes sensations of pain in a limb or area that has been amputated, but it does not arise from tissue damage in the present body. This distinction clarifies why nociceptive pain is the term most accurately describing the pain linked to tissue damage.

5. Which condition can be a complication of coronary artery disease?

A. Stroke

B. Heart Attack

C. Both A and B

D. None of the above

Coronary artery disease (CAD) is characterized by the narrowing of the coronary arteries due to plaque buildup, which can lead to insufficient blood flow to the heart muscle. This condition can indeed result in serious complications, the most significant of which are heart attacks and strokes. A heart attack, or myocardial infarction, occurs when the blood flow to a part of the heart muscle is interrupted, often due to a clot that forms at the site of a plaque rupture within a narrowed coronary artery. This lack of blood flow can lead to the death of heart muscle cells, causing permanent damage and potentially leading to heart failure. A stroke, on the other hand, can occur when a blockage in the blood vessels supplying the brain prevents oxygen-rich blood from reaching brain tissue. This blockage may arise from fat deposits or clots that originate in the heart or arteries, particularly when CAD is present. Thus, the interaction between the heart and brain's blood supply means that a patient with coronary artery disease is also at an increased risk for stroke. Given this understanding, both a heart attack and stroke are complications that can arise from untreated or severe coronary artery disease, making the correct response both logical and supported by medical evidence.

SAMPLE

6. What is a common characteristic of Cheyne-Stokes respirations?

A. Consistent shallow breathing

B. Sudden deep breaths followed by a pause

C. Alternating periods of apnea and hyperventilation

D. Rapid continuous breathing

Cheyne-Stokes respirations are characterized by a distinct pattern of breathing where there are alternating periods of apnea (the absence of breathing) and hyperventilation (increased breathing rate and depth). This type of respiration typically starts with a gradual increase in the depth and rate of breathing, reaching a peak, followed by a gradual decrease, and eventually leading to a complete stop in breathing for a short period. This cycle then repeats itself. This phenomenon is often observed in conditions such as heart failure, stroke, or brain injury, making it a significant clinical indicator. The rhythmic pattern of breathing fluctuations helps differentiate Cheyne-Stokes from other types of abnormal respiratory patterns. The precise cycle of alternating between breath and apnea is what makes this characteristic so notable, distinguishing it from other breathing irregularities which may not involve this specific alternation in breathing patterns.

7. Which term refers to the measurement of temperature taken through the rectum?

A. Anal

B. Oral

C. Axillary

D. Rectal

The term that refers to the measurement of temperature taken through the rectum is "rectal." Rectal temperature measurements are known for providing accurate readings of core body temperature. This method is often used in various clinical settings, especially for infants, patients who are critically ill, or those who cannot take their temperature by mouth due to various reasons. Rectal temperature measurement is generally considered the gold standard for accurately reflecting the body's internal temperature because the rectum is well vascularized, making it a reliable site for monitoring changes in body temperature. This method helps healthcare providers assess a patient's health status accurately, especially when determining the presence of fever or hypothermia. Other methods such as oral, axillary, or anal may not provide the same level of accuracy and can be influenced by factors like the environment, recent food or drink intake, or skin conditions. Therefore, the rectal method is favored in specific clinical situations where precise temperature measurement is crucial.

8. Which of the following is not a common pulse point?

A. Carotid

B. Popliteal

C. Subclavian

D. Dorsalis pedis

The subclavian artery can be palpated, but it is not typically considered one of the common pulse points for routine assessments. Common pulse points are locations where arteries are close to the skin and can be easily felt, serving as vital indicators of circulation and heart rate in clinical practice. The carotid pulse, located in the neck, is frequently used to assess for life signs, especially in emergency situations. The popliteal pulse, found behind the knee, is significant for checking circulation to the lower leg. The dorsalis pedis pulse, located on the top of the foot, is essential for assessing blood flow in the lower extremities. These points are regularly used in both clinical and emergency settings, highlighting their importance in monitoring cardiovascular health.

SAMPLE

9. Which condition is NOT a common cause of an elevated respiratory rate?

A. Fever

B. Asthma

C. Dehydration

D. Pneumonia

An elevated respiratory rate, or tachypnea, can occur for a variety of reasons, typically as the body's response to certain physiological conditions. Fever, asthma, and pneumonia are all conditions that are known to increase respiratory rate due to various mechanisms such as increased metabolic demand, airway obstruction, or lung infection, respectively. Fever raises the body's metabolic rate, leading to an increased need for oxygen and the elimination of carbon dioxide, which results in faster breathing. In asthma, the airway becomes constricted, and the body compensates by breathing more quickly to maintain adequate oxygenation. Pneumonia, an infection of the lungs, leads to inflammation and fluid accumulation, which also stimulates the respiratory rate as the body attempts to optimize gas exchange. Dehydration, while it can have various effects on the body, does not directly lead to an elevated respiratory rate in the same way. Instead, it might contribute to changes in other vital signs or symptoms like hypotension or tachycardia, but it is less likely to specifically trigger increased breathing rates compared to the other listed conditions. Therefore, dehydration is not a common cause of an elevated respiratory rate.

10. What is bradycardia?

A. An abnormally high resting heart rate, typically above 100 beats per minute

B. An abnormally low resting heart rate, typically below 60 beats per minute

C. A resting heart rate that is within the normal range

D. A rapid heart rate during physical activity

Bradycardia refers to a condition where the heart rate is abnormally low, typically defined as being below 60 beats per minute when a person is at rest. This condition can occur in various situations, including during sleep, in well-trained athletes, or as a result of certain medical conditions affecting the heart's electrical system. The significance of bradycardia lies in its potential effects on cardiovascular function, as a heart rate below the normal range may lead to inadequate blood flow to the body's organs and tissues. Symptoms can include fatigue, dizziness, or fainting, particularly if the heart rate drops too low. Understanding bradycardia is crucial for recognizing when an individual may need medical evaluation or intervention, particularly in scenarios where it is symptomatic. In contrast, the other options describe different heart rate conditions that do not align with the definition of bradycardia. For example, an abnormally high resting heart rate refers to tachycardia, and a normal resting heart rate falls within a range of roughly 60-100 beats per minute. A rapid heart rate during physical activity does not relate to bradycardia, as it typically implies an increased heart rate in response to exertion, which is expected in healthy individuals.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://vitalsignscardiorespiratorysys.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE