
VTNE CRITICAL CARE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://vtnecriticalcare.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a crucial treatment for eclampsia in lactating dogs?

A. Iron supplementation

B. Calcium gluconate IV

C. Insulin therapy

D. Antibiotics

2. What immediate action should be taken if a patient under anesthesia shows signs of hypoxia?

A. Increase anesthetic dosage

B. Check the endotracheal tube placement

C. Administer oxygen therapy

D. Maintain current settings

3. Which symptom indicates a life-threatening condition that requires immediate treatment?

A. Fracture

B. Abscess

C. Stranguria

D. Status epilepticus

4. What acid-base imbalance is likely to occur due to an obstructive airway?

A. Respiratory alkalosis

B. Respiratory acidosis

C. Metabolic alkalosis

D. Normal acid-base balance

5. What does "cherry eye" refer to?

A. Prolapsed gland of the third eyelid

B. A form of dry eye

C. Eye infection

D. Corneal ulceration

SAMPLE

6. What is the most common reason neonatal calves and foals succumb to disease and death?

A. Infection acquired by the mother from the placenta

B. Gastrointestinal parasitism

C. Iron deficiency

D. Failure of passive transfer

7. In dogs, what is identified as the shock organ during an allergic reaction?

A. Liver

B. Heart

C. Kidneys

D. Lungs

8. In which emergency situation would you most likely pass a stomach tube in a dog?

A. Mesenteric torsion

B. Intestinal intussusception

C. Perforated stomach

D. Gastric-dilatation-volvulus

9. What is one method to ensure correct placement of an endotracheal tube during anesthesia?

A. Compare connector position to the incisors

B. Align measurement numbers against the patient

C. Move the tube cranially and check oxygen

D. Measure the tube by lining up the connector

10. What condition is characterized by excessive consumption of coagulation factors, leading to bleeding tendencies?

A. Dilated intrinsic coagulopathy

B. Disseminated intravascular coagulation

C. Localized thrombotic disease

D. Acute hemorrhagic syndrome

SAMPLE

Answers

SAMPLE

1. B
2. B
3. D
4. B
5. A
6. D
7. A
8. D
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is a crucial treatment for eclampsia in lactating dogs?

A. Iron supplementation

B. Calcium gluconate IV

C. Insulin therapy

D. Antibiotics

Calcium gluconate administered intravenously is a crucial treatment for eclampsia in lactating dogs due to its role in addressing hypocalcemia, which is a common cause of the condition. Eclampsia, or puerperal tetany, is characterized by a drop in calcium levels in postnatal dogs – especially in those that are nursing. This sudden drop can lead to muscle tremors, seizures, and can be life-threatening if not treated promptly. Calcium gluconate acts by replenishing calcium levels in the bloodstream, helping to stabilize neuromuscular function and prevent further seizures. It's critical to monitor the dog's calcium levels and clinical signs, allowing for appropriate dosage and administration of the drug. Other treatments listed, such as iron supplementation, insulin therapy, and antibiotics, do not address the underlying issue of low calcium levels in eclampsia and are therefore not appropriate for this specific condition. Each of these treatments serves a different purpose but does not tackle the urgent need for increased calcium that is vital for managing eclampsia effectively.

2. What immediate action should be taken if a patient under anesthesia shows signs of hypoxia?

A. Increase anesthetic dosage

B. Check the endotracheal tube placement

C. Administer oxygen therapy

D. Maintain current settings

In a situation where a patient under anesthesia exhibits signs of hypoxia, the first and foremost action is to check the endotracheal tube placement. Hypoxia can result from inadequate ventilation or oxygenation, and misplacement of the endotracheal tube is a common cause of this issue. Ensuring proper placement of the tube is critical because it allows for effective ventilation of the lungs and proper delivery of oxygen. If the tube is misplaced or dislodged, it can lead to severe oxygen deprivation and potential brain damage if not addressed immediately. Once correct placement is confirmed, additional interventions such as administering oxygen therapy can be implemented as needed. By prioritizing the assessment of the endotracheal tube, healthcare professionals can quickly determine whether the hypoxia is due to an airway problem, which is the most critical issue to address during anesthesia.

SAMPLE

3. Which symptom indicates a life-threatening condition that requires immediate treatment?

A. Fracture

B. Abscess

C. Stranguria

D. Status epilepticus

Status epilepticus is considered a life-threatening condition that requires immediate medical intervention due to its potential to cause severe, long-term neurological damage or even death. This condition is characterized by ongoing seizures that last longer than five minutes or recurrent seizures without a full recovery of consciousness in between. The continuous seizure activity can lead to complications such as respiratory failure, metabolic disturbances, and increased intracranial pressure. Prompt treatment is essential to stop the seizures and mitigate the risks of further neurological impairment. Other symptoms or conditions might require medical attention, but they do not pose the same immediacy or danger as status epilepticus. For example, while a fracture and an abscess may need timely treatment, they are generally not life-threatening in the same way. Stranguria, which refers to painful urination, is uncomfortable and could indicate a urinary tract issue, but it is not typically associated with an immediate life-threatening situation.

4. What acid-base imbalance is likely to occur due to an obstructive airway?

A. Respiratory alkalosis

B. Respiratory acidosis

C. Metabolic alkalosis

D. Normal acid-base balance

Obstructive airway conditions, such as chronic obstructive pulmonary disease (COPD) or asthma, typically lead to difficulties in exhaling air from the lungs. This can result in the retention of carbon dioxide (CO_2), as the body is unable to effectively eliminate it through expiration. When carbon dioxide accumulates in the blood, it combines with water to form carbonic acid, leading to an increase in acidity within the blood. This increased level of carbonic acid disrupts the normal pH balance and causes respiratory acidosis. The condition is characterized by an elevated CO_2 concentration, which is the primary driver of the decrease in blood pH. Thus, in the context of an obstructive airway, the most likely acid-base imbalance observed is respiratory acidosis, as the inability to expel carbon dioxide leads to an accumulation that affects the body's acid-base homeostasis.

5. What does "cherry eye" refer to?

A. Prolapsed gland of the third eyelid

B. A form of dry eye

C. Eye infection

D. Corneal ulceration

"Cherry eye" refers to the condition known as the prolapse of the gland of the third eyelid. In this condition, the gland, which is located beneath the third eyelid, becomes displaced and protrudes, resembling a cherry. This phenomenon is commonly seen in certain dog breeds and can lead to irritation and inflammation, as the gland plays a role in tear production to keep the eye lubricated. The attention on the third eyelid gland is important because when it prolapses, it can obstruct the normal functioning of the eye's protection and lubrication mechanisms. Timely surgical intervention is often necessary to reposition the gland and prevent further complications, such as chronic irritation or inadequate tear production that could lead to dry eye conditions in the future. While other options address different eye conditions, they do not capture the specific characteristics and implications of "cherry eye." For instance, dry eye pertains to insufficient tear production, an eye infection involves bacteria or viruses affecting the eye, and corneal ulceration describes damage to the cornea, none of which relate to the third eyelid's gland prolapse.

SAMPLE

6. What is the most common reason neonatal calves and foals succumb to disease and death?

A. Infection acquired by the mother from the placenta

B. Gastrointestinal parasitism

C. Iron deficiency

D. Failure of passive transfer

Failure of passive transfer is the most common reason neonatal calves and foals succumb to disease and death. In the first few hours after birth, it is crucial for neonatal livestock to receive colostrum, the first milk produced by the mother. Colostrum is rich in immunoglobulins (antibodies), which are critical for providing the neonate with passive immunity against infectious diseases. If the neonate fails to consume an adequate amount of colostrum, or if the colostrum itself is low in antibodies due to maternal issues, the animal becomes highly susceptible to infections, which can lead to severe illness or even death. This issue particularly affects young animals because their immune systems are not fully developed at birth, making them reliant on the passive immunity gained through colostrum. If the transfer of these vital antibodies is compromised, the risk of disease dramatically increases, making failure of passive transfer a leading cause of morbidity and mortality in neonatal calves and foals.

7. In dogs, what is identified as the shock organ during an allergic reaction?

A. Liver

B. Heart

C. Kidneys

D. Lungs

In dogs, the shock organ during an allergic reaction is primarily the lungs. When an allergic reaction occurs, especially in response to allergens like insect stings or environmental allergens, it often leads to an increase in vascular permeability and bronchoconstriction. This results in clinical signs such as wheezing, coughing, or difficulty breathing, all associated with respiratory distress. The reason the lungs are identified as the shock organ is due to their susceptibility to edema and bronchospasm caused by anaphylactic or hypersensitivity reactions. In contrast, while organs like the liver, heart, and kidneys can be affected during systemic reactions, they do not primarily serve as the focus of allergic shock in dogs. The lungs' role in providing oxygenation and clearing carbon dioxide makes them critical during these severe immune responses. Therefore, recognizing the lungs as the shock organ helps veterinary professionals anticipate and manage the potential respiratory complications arising from allergic reactions in dogs.

SAMPLE

8. In which emergency situation would you most likely pass a stomach tube in a dog?

A. Mesenteric torsion

B. Intestinal intussusception

C. Perforated stomach

D. Gastric-dilatation-volvulus

Passing a stomach tube in a dog is most commonly indicated in the case of gastric-dilatation-volvulus (GDV). This life-threatening condition involves the stomach twisting upon itself, leading to accumulation of gas and fluid, and can result in severe gastric distension. By passing a stomach tube, the veterinary professional can decompress the distended stomach, which is critical for relieving pressure, restoring normal blood flow to the stomach, and preventing further complications such as perforation or shock. In contrast, while mesenteric torsion, intestinal intussusception, and perforated stomach might also present with gastrointestinal distress, the primary interventions for those issues would focus on surgical intervention and stabilization rather than the routine use of a stomach tube for immediate relief. In these cases, the risk of significant manipulation or introduction of foreign materials could exacerbate the condition. Therefore, passing a stomach tube is most warranted during an emergency involving GDV due to its need for prompt decompression of the stomach.

9. What is one method to ensure correct placement of an endotracheal tube during anesthesia?

A. Compare connector position to the incisors

B. Align measurement numbers against the patient

C. Move the tube cranially and check oxygen

D. Measure the tube by lining up the connector

Aligning the measurement numbers on the endotracheal tube against the patient is a crucial method for ensuring proper placement during anesthesia. This technique typically involves aligning the tube so that the cuff portion is just above the patient's vocal cords, which minimizes the risk of complications associated with incorrect placement such as esophageal intubation or inadequate ventilation. This alignment method helps to standardize the tube positioning based on the patient's anatomy, ensuring that the tube is inserted to the appropriate depth. Proper depth markings can vary based on patient size and age, and visualizing the depth markings in reference to specific anatomical landmarks helps clinicians avoid both too shallow and too deep placements. Using this approach in conjunction with methods such as monitoring for breath sounds and observing chest rise can enhance the confirmation of proper tube placement and ventilation issues, promoting patient safety during anesthesia.

SAMPLE

10. What condition is characterized by excessive consumption of coagulation factors, leading to bleeding tendencies?

A. Dilated intrinsic coagulopathy

B. Disseminated intravascular coagulation

C. Localized thrombotic disease

D. Acute hemorrhagic syndrome

The condition characterized by excessive consumption of coagulation factors, leading to bleeding tendencies, is disseminated intravascular coagulation (DIC). In DIC, there is an overactivation of the coagulation cascade, often triggered by various underlying conditions such as infections, trauma, or malignancy. In this process, numerous small blood clots form throughout the body's vessels, depleting the platelets and coagulation factors. As these factors are consumed more rapidly than they can be produced, the body's ability to form clots diminishes, which results in bleeding tendencies in various locations. This excessive clotting and subsequent bleeding can lead to symptoms such as petechiae, ecchymosis, or even more significant hemorrhagic events, depending on the severity of factor consumption. Understanding DIC is crucial in critical care settings as it can have life-threatening consequences if not recognized and managed promptly. Other conditions listed, such as localized thrombotic disease, typically involve clot formation in a specific area without the systemic consumption of factors leading to generalized bleeding. Acute hemorrhagic syndrome may refer more broadly to a variety of causes of bleeding rather than a specific etiology like DIC. Dilated intrinsic coagulopathy does not exist as an established

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://vtnecriticalcare.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE