WASTEWATER LAB ANALYST PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://wastewaterlabanalyst.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Total Kjeldahl Nitrogen (TKN) is comprised of which components?

A. Organic nitrogen and nitrate

B. Organic nitrogen and ammonia

C. Ammonia and nitrite

D. Nitrate and nitrite

2. Results of bacti test are expressed as what?

A. CFUs per mL

B. colony-forming units per 10 mL

C. coliforms per 100 mL

D. presence/absence

3. Which of the following is true regarding the jar test?

A. It measures the biochemical oxygen demand.

B. It evaluates the effectiveness of coagulants and flocculants.

C. It is primarily used to test pH levels.

D. It assesses the presence of heavy metals.

4. What size bottles should be used for setting up BOD samples?

A. 25 mL bottles or smaller

B. 60 mL BOD bottles or greater

C. 100 mL bottles only

D. Any standard laboratory flask

5. When conducting a BOD calculation, what do you do with the seed correction factor?

A. Add to the BOD result

B. Subtract from the BOD result

C. Multiply with the BOD result

D. Ignore it completely

6. In waste management practices, what does "reducing" refer to?

A. Minimizing waste generation

B. Employing new recycling technologies

C. Composting organic materials

D. Donating unused items

SAMPLE

7. In water chemistry, what does TDS stand for?

A. Total Dissolved Solids
B. Total Deionized Solids
C. Total Distilled Solids
D. Total Diluted Solids

8. How to report TNTC on fecal coliform analysis?

A. 1000 colonies/100 mL
B. 1600 colonies/100 mL
C. 2000 colonies/100 mL
D. over 200 colonies/100 mL

9. E. coli represents the presence of what?

A. Heavy metals
B. Pesticides
C. Fecal matter
D. Nutrients

10. What does conductivity also measure in water samples?

A. pH levels
B. Total dissolved solids
C. Temperature
D. Oxygen levels

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. A
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Total Kjeldahl Nitrogen (TKN) is comprised of which components?

A. Organic nitrogen and nitrate

B. Organic nitrogen and ammonia

C. Ammonia and nitrite

D. Nitrate and nitrite

Total Kjeldahl Nitrogen (TKN) is a measurement used to assess the total nitrogen content in a sample, specifically reflecting the organic and inorganic nitrogen fractions present. The correct components of TKN are organic nitrogen and ammonia. Organic nitrogen represents nitrogen that is part of complex organic molecules, typically associated with proteins and amino acids found in biological materials. Ammonia, on the other hand, consists of the ammonia nitrogen that is liberated during the digestion process that TKN testing employs. The digestion process converts organic nitrogen into ammonia, allowing it to be quantified together. This combination provides a comprehensive view of nitrogen present in wastewater, excluding forms like nitrate and nitrite, which are measured separately in other methods. Thus, TKN focuses specifically on the organic portion and the ammonia, making the understanding of nitrogen dynamics in wastewater treatment processes crucial for lab analysis and water quality management.

2. Results of bacti test are expressed as what?

A. CFUs per mL

B. colony-forming units per 10 mL

C. coliforms per 100 mL

D. presence/absence

The results of a bacteriological test, particularly for coliform bacteria in wastewater or drinking water, are typically expressed as "coliforms per 100 mL." This standard measurement reflects the concentration of coliform bacteria, which is crucial for assessing water quality and safety. Reporting results in this manner allows for easier comparison to regulatory limits and guidelines, as many water quality standards specify allowable limits in terms of coliforms per volume of water tested. Using "coliforms per 100 mL" is particularly relevant in the context of public health, as regulatory agencies often evaluate the safety of water supplies based on these concentrations. This method provides a clear way to communicate the level of contamination in a specific volume of water, which is essential for determining compliance with health standards and taking necessary actions to protect public health.

SAMPLE

3. Which of the following is true regarding the jar test?

A. It measures the biochemical oxygen demand.

B. It evaluates the effectiveness of coagulants and flocculants.

C. It is primarily used to test pH levels.

D. It assesses the presence of heavy metals.

The jar test is a crucial laboratory procedure commonly employed in the water treatment process, particularly for evaluating the efficiency of coagulants and flocculants. During this test, various chemicals are added to a sample of water in a series of jars, and then the mixture is agitated to simulate the mixing conditions that occur in treatment plants. This allows for the observation of settling and clarification of the water, which indicates how well the coagulants and flocculants are working to remove suspended particles and impurities. By assessing how much clarity or turbidity reduction occurs in each jar, water treatment operators can determine the optimal dosage of chemicals needed for effective treatment. This provides valuable insights into the treatment process and helps in ensuring that the water meets quality standards before it is released or further processed. Other choices suggest different assessments. The measurement of biochemical oxygen demand relates to the amount of organic matter in the water, unlike the jar test, which focuses on coagulation and flocculation. Testing for pH is a straightforward measurement that doesn't typically require the multi-jars approach of a jar test. Assessing heavy metals involves specific techniques like atomic absorption spectroscopy or mass spectrometry, rather than the visual and sedimentation analysis used in jar tests. Thus, the

4. What size bottles should be used for setting up BOD samples?

A. 25 mL bottles or smaller

B. 60 mL BOD bottles or greater

C. 100 mL bottles only

D. Any standard laboratory flask

When setting up Biochemical Oxygen Demand (BOD) samples, 60 mL BOD bottles or larger are recommended in order to ensure that the sample volume is adequate to measure the oxygen demand accurately. The primary function of these bottles is to allow for sufficient water volume, which helps to dilute the organic matter within the sample and provides enough sample for accurate DO (dissolved oxygen) measurements during the incubation period. Using a 60 mL bottle or larger accommodates the typical 5-day incubation period required for BOD testing without risking the depletion of oxygen in the sample due to high concentrations of organic material. If smaller bottles were used, there could be insufficient volume for representative sampling, or they might not properly support the microbial activity necessary for accurate BOD readings. Larger bottles also provide a consistent environment for the microbial processes at play, which is crucial for obtaining reliable and reproducible BOD data.

SAMPLE

5. When conducting a BOD calculation, what do you do with the seed correction factor?

A. Add to the BOD result

B. Subtract from the BOD result

C. Multiply with the BOD result

D. Ignore it completely

When calculating Biochemical Oxygen Demand (BOD), addressing the seed correction factor is essential to obtain an accurate measurement of the organic matter present in the sample. The seed correction factor accounts for the oxygen demand contributed by the seed itself, which is often a mixture of microorganisms used to initiate the biodegradation process. Subtracting this seed correction factor from the BOD result is necessary because the BOD measurement includes both the oxygen demand from the sample and the demand from the seed. To isolate the oxygen demand that is exclusively from the wastewater sample, it is crucial to remove the contribution made by the seed. This ensures that the final result accurately reflects only the organic pollutants in the sample, making the assessment of wastewater quality more reliable. In summary, the proper handling of the seed correction factor through subtraction directly improves the accuracy of BOD calculations, providing a clearer picture of the sample's pollution potential.

6. In waste management practices, what does "reducing" refer to?

A. Minimizing waste generation

B. Employing new recycling technologies

C. Composting organic materials

D. Donating unused items

Reducing in waste management practices specifically refers to minimizing waste generation at the source. This involves implementing strategies and practices that aim to produce less waste before it even occurs. By focusing on reducing, individuals and organizations can limit the amount of resources that are consumed and consequently decrease the volume of waste created. This approach is crucial because it directly impacts the entire waste management system by lessening the volume that needs to be recycled, composted, or disposed of in landfills. While recycling technologies, composting, and donating unused items are all essential waste management practices, they primarily serve as methods for managing waste that has already been generated. In contrast, reducing focuses on prevention, making it a proactive measure in achieving sustainable waste management.

SAMPLE

7. In water chemistry, what does TDS stand for?

A. Total Dissolved Solids

B. Total Deionized Solids

C. Total Distilled Solids

D. Total Diluted Solids

TDS stands for Total Dissolved Solids, which is a critical parameter in water chemistry. It refers to the combined content of all inorganic and organic substances present in water, which are dissolved and capable of passing through a filter. TDS primarily consists of salts and minerals such as sodium, chloride, calcium, magnesium, and sulfate. Measuring TDS is important because it can provide insights into the water's quality, taste, and potential impact on aquatic life. High levels of TDS can indicate pollution or contamination in water sources, affecting everything from drinking water safety to the health of ecosystems. The measurement of TDS is often used in assessing the performance of treatment systems, as well as in various regulatory compliance scenarios. The other options, such as Total Deionized Solids, Total Distilled Solids, and Total Diluted Solids, do not accurately represent the general concept of TDS, as they either imply a specific treatment process or do not recognize the full range of dissolved substances in the water. Therefore, the definition of Total Dissolved Solids encapsulates the essence of what TDS measures.

8. How to report TNTC on fecal coliform analysis?

A. 1000 colonies/100 mL

B. 1600 colonies/100 mL

C. 2000 colonies/100 mL

D. over 200 colonies/100 mL

In the context of fecal coliform analysis, "TNTC" stands for "too numerous to count," which indicates that the number of colonies present exceeds the countable range of standard microbiological methods. This situation arises when the colony-forming units exceed the threshold of quantifiability in a given volume of sample. Typically, when a fecal coliform analysis indicates TNTC, laboratories often report a specific threshold value that reflects the overcrowded conditions. Among the provided options, the reporting of 1600 colonies/100 mL is a common practice for fecal coliform testing when faced with TNTC results. This threshold serves as a standard that conveys the significance of the contamination without giving an exact count, which is impossible due to the overwhelming number. The reporting practice varies depending on regulatory guidance and laboratory standards, but 1600 colonies/100 mL is often recognized as an acceptable representation of fecal coliform levels when they exceed countable limits. This method maintains consistency in reporting and helps ensure that results are communicated effectively for further assessment and management of water quality.

SAMPLE

9. E. coli represents the presence of what?

A. Heavy metals

B. Pesticides

C. Fecal matter

D. Nutrients

E. coli is a type of bacteria that serves as a key indicator of fecal contamination in water. Its presence is commonly used in microbiological testing to assess the safety and cleanliness of water sources, particularly in the context of wastewater treatment and environmental monitoring. When E. coli is detected, it often suggests that fecal matter, which may contain harmful pathogens, has entered the water system. This contamination can arise from various sources, including sewage discharges, agricultural runoff, or inadequate wastewater treatment processes. In contrast, heavy metals, pesticides, and nutrients do not directly correlate with the presence of E. coli. While these substances can also contaminate water and may pose health risks, they are indicative of different types of pollution and do not specifically signify fecal contamination. Understanding the role of E. coli is crucial for water quality assessment and helps in developing strategies for water treatment and public health protection.

10. What does conductivity also measure in water samples?

A. pH levels

B. Total dissolved solids

C. Temperature

D. Oxygen levels

Conductivity in water samples primarily measures the ability of water to conduct electrical current, which is directly related to the concentration of ions in the water. These ions include minerals, salts, and other dissolved solids that contribute to the overall ionic content of the water. Therefore, conductivity is an effective indicator of total dissolved solids (TDS) because, as the concentration of dissolved solids increases, the conductivity of the water also increases. By measuring conductivity, one can infer the TDS without needing to analyze each individual component separately, making it a valuable parameter in wastewater testing and general water quality assessments. Conductivity is often used in conjunction with other measurements, but its direct relationship with the ionic content of the water makes it the ideal choice in this context.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://wastewaterlabanalyst.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE