WEB DESIGN EOPA PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://webdesigneopa.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which href value creates a link to send an email when clicked?

A. mailto:webmaster@example.com

B. http://webmaster@example.com

C. https://webmaster

D. ftp://webmaster

2. Which tag's content is used to describe self-contained content such as illustrations or code listings?

A. <figure> tag is used to describe a caption

B. <code> tag is used to describe self-contained content

C. <figure> tag specifies self-contained content, like illustrations, diagrams, photos, code listings, etc.

D. <aside> tag is used for tangential content

3. A canvas is a rectangular area on an HTML page. By default, a canvas has no border and no content. Which statement is true about it?

A. A rectangular area on an HTML page with no border and no content

B. A block element that cannot be styled

C. A semantic element for sections

D. An inline element

4. Which HTML element is used to specify a header for a document or section?

A. Section

B. Header

C. Article

D. Footer

5. Which HTML element is commonly used as a generic container to group block-level content for styling?

A. Span

B. P

C. Header

D. Div

SAMPLE

6. Which statement about the <legend> element is true?

A. It defines a caption for the <fieldset> element

B. It defines a caption for a table

C. It defines the title of the document

D. It defines a tooltip for form fields

7. Which attribute is used in creating a bookmark in a webpage?

A. Id

B. Href

C. Name

D. Class

8. Which element defines the clickable areas in the image-map?

A. <area> element

B. <map> tag

C. element

D. <canvas> element

9. Block elements are normally displayed without starting a new line.

A. True

B. False

C. They sometimes start on the same line

D. They never start on a new line

10. Which HTML element is often used for self-contained content such as a blog post?

A. Div

B. Article

C. Span

D. Header

SAMPLE

Answers

SAMPLE

1. A
2. C
3. A
4. B
5. D
6. A
7. A
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which href value creates a link to send an email when clicked?

A. mailto:webmaster@example.com

B. http://webmaster@example.com

C. https://webmaster

D. ftp://webmaster

Links specify what action to take by using different URI schemes. A mailto: link uses the mailto scheme to open your default email client and start composing a message with the recipient already filled in. That makes mailto:webmaster@example.com the correct choice because it directly triggers email creation when clicked. In contrast, http://webmaster@example.com and https://webmaster are web-addresses meant to load web pages, not to compose emails, so they won't open an email composer. The ftp://webmaster option uses the FTP protocol to transfer files, not to send email.

2. Which tag's content is used to describe self-contained content such as illustrations or code listings?

A. <figure> tag is used to describe a caption

B. <code> tag is used to describe self-contained content

C. <figure> tag specifies self-contained content, like illustrations, diagrams, photos, code listings, etc.

D. <aside> tag is used for tangential content

The main idea here is using semantic HTML to wrap content that can stand alone along with a description. The element that is built for this purpose is the figure element. It groups self-contained content—like illustrations, diagrams, photos, or code listings—and can include a caption with the figcaption element. This pairing makes it clear that the content and its description belong together as a single unit, which helps with accessibility and document structure. That's why this is the best choice: it explicitly designates a self-contained piece of content and allows an accompanying caption. The idea that a figure only describes a caption is a common misconception; in reality, figure wraps the content and its caption, not just the caption itself. The code tag, while it can contain code, isn't the wrapper for a self-contained item with a caption. The aside tag is for tangential or supplementary content, not the main self-contained media.

3. A canvas is a rectangular area on an HTML page. By default, a canvas has no border and no content. Which statement is true about it?

A. A rectangular area on an HTML page with no border and no content

B. A block element that cannot be styled

C. A semantic element for sections

D. An inline element

Canvas provides a drawing surface: a defined rectangular area on the page that remains empty until you render graphics with JavaScript. By default there's no visible border and no content inside the element, so it looks like a blank rectangle. The text you might place between the tags serves only as fallback content for browsers that don't support the canvas API. You can style this area with CSS—set borders, size, padding, or even change how it's displayed—so it isn't limited to a fixed, unstyleable block. It's not a semantic container for sections, and while you can influence how it's laid out with CSS, its primary purpose is to act as a drawable region rather than to hold structured content.

SAMPLE

4. Which HTML element is used to specify a header for a document or section?

A. Section

B. Header

C. Article

D. Footer

HTML uses semantic elements to describe the structure of the page. The header element is used to define the header area for a document or for a section, typically containing the title, logo, or navigation. Because it's specifically meant to introduce the content that follows, it's the best choice for labeling a header. A section groups related content under a theme but isn't itself a header. An article is a self-contained, distributable piece of content, not a header. A footer marks the bottom area with concluding information, not the header.

5. Which HTML element is commonly used as a generic container to group block-level content for styling?

A. Span

B. P

C. Header

D. Div

The key idea here is using a generic container to group block-level content for styling. The div element is designed for this purpose: it has no inherent meaning, so you can wrap multiple block-level elements inside it (like headings, paragraphs, images, and more) and apply CSS or JavaScript to that whole group. Span, by contrast, is an inline container used for small pieces of text or inline elements; it isn't suitable for wrapping whole blocks of content. A paragraph element is meant to represent a single block of text, not to act as a wrapper for other blocks. The header element is semantic and should describe the header region of a page or section; using it purely as a styling wrapper would mislead assistive technologies about the content structure. So, for grouping block-level content for styling without adding meaning, the div is the best choice. If you can convey meaning with semantic elements (like section, article, header, footer) use those when appropriate, but for a pure generic container, div is the go-to.

6. Which statement about the <legend> element is true?

A. It defines a caption for the <fieldset> element

B. It defines a caption for a table

C. It defines the title of the document

D. It defines a tooltip for form fields

The <legend> element provides the caption for a fieldset, labeling the group of related form controls. When you bundle controls like name, email, and address inside a fieldset, the legend describes what that group is about, helping users quickly understand the purpose of the controls. This labeling is also important for accessibility, as screen readers announce the legend as the heading for the grouped controls, giving context before the user navigates the fields. A best practice is to place the legend as the first child of the fieldset so assistive technologies read it immediately when the fieldset is encountered. For example, you might have a fieldset with a legend like "Contact information" that groups together name, email, and phone fields. This concept isn't about a table caption or a document title, and it isn't used as a tooltip—those roles belong to other elements or attributes.

SAMPLE

7. Which attribute is used in creating a bookmark in a webpage?

A. Id

B. Href

C. Name

D. Class

Bookmarks on a page are internal anchors: you jump to a specific spot by linking to an anchor elsewhere on the same page. The point you jump to is created by giving an element an id, and the link uses a fragment in the href that matches that id (for example, href="#section1" goes to the element with id="section1"). So the id attribute is what establishes the bookmark target. The href attribute is what you click to go somewhere, but it references the target defined by that id. The name attribute was used in very old HTML for anchors, but it's not used for modern bookmarks, and class is for styling and layout, not for bookmarking.

8. Which element defines the clickable areas in the image-map?

A. <area> element

B. <map> tag

C. element

D. <canvas> element

In an image map, the clickable regions are defined by the area element inside a map. The area element is what actually specifies the shapes (such as rectangles, circles, or polygons) and the coordinates that map those shapes to parts of the image, along with where you should go when a region is clicked (the link). The map element serves as a container that groups those area elements and gives the group a name so the image can reference it with the usemap attribute. The image itself just points to that map, enabling the interactive regions to work. The map tag by itself isn't creating the regions; it's simply the container for the clickable areas defined by the area elements. The div and canvas elements aren't used to define image-map regions, so they don't fulfill this role. So the area element is the component that defines the clickable areas.

9. Block elements are normally displayed without starting a new line.

A. True

B. False

C. They sometimes start on the same line

D. They never start on a new line

Block elements in normal document flow start on a new line and stretch to fill the width of their container, so they stack vertically. This is why placing two block elements one after another creates a line break between them. Inline elements, by contrast, flow on the same line and only wrap when needed. You can make blocks appear on the same line by changing their display to inline or inline-block, or by using layout techniques like flexbox or grid, but by default block elements do start on a new line. That's why the statement is false.

SAMPLE

10. Which HTML element is often used for self-contained content such as a blog post?

A. Div

B. Article

C. Span

D. Header

Semantic HTML uses elements that describe their meaning. An article element is designed for a self-contained piece of content that could stand on its own outside of the page, such as a blog post. It signals to browsers, screen readers, and search engines that this block is a complete composition with its own heading and content, potentially distributable or reusable independently. That makes it the best fit for a blog post, where the post represents a distinct, standalone item. In contrast, a div is just a generic container with no inherent meaning, a span is an inline container, and a header is meant for the introductory area of a section or page rather than the entire self-contained piece.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://webdesigneopa.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE