WOMEN'S HEALTH/ DISORDERS AND CHILDBEARING HEALTH PROTECTION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://womenshealthprotection.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the primary reason for monitoring the bleeding after a suction and curettage abortion?**

   A. To ensure proper hydration levels are maintained

   B. To determine the emotional well-being of the client

   C. To check if all byproducts of conception have been evacuated

   D. To assess if any physical activity restrictions are needed

2. **Which of the following would the nurse question for a client considering oral contraceptives?**

   A. Blood clots

   B. Heart disease

   C. Breast cancer

   D. All of the above

3. **When should premenopausal women perform breast self-examinations?**

   A. On the first day of menstruation

   B. About a week after menses ends

   C. During ovulation

   D. Every month at the same time

4. **Increased obesity is a known risk factor for which of the following conditions?**

   A. Multiple myeloma

   B. Inflammatory bowel disease

   C. Gallbladder disease

   D. Atrial fibrillation

5. **Which of the following might indicate the need for immediate medical consultation after a surgical abortion?**

   A. Experiencing cramping

   B. Signs of an infection

   C. Feeling fatigued

   D. Having emotional mood swings

SAMPLE

6. What potential risk is associated with hormone replacement therapy?

A. Increased risk of heart disease

B. Increased risk of diabetes

C. Increased risk of breast cancer

D. Increased risk of high blood pressure

7. How should a nurse respond to a couple under pressure to conceive after 5 years of infertility?

A. Encouraging them to prioritize their feelings

B. Advising them to focus solely on their relationship

C. Stating that it is a long time without a pregnancy

D. Encouraging acceptance of parental input regarding pregnancy

8. Which intervention is recommended to relieve symptoms of a yeast infection?

A. Using a sitz bath

B. Sitting in a warm bubble bath

C. Sleeping in tight leggings

D. Using tampons if she is on her period

9. How should a nurse respond to a mother who is concerned about her exhausted primipara daughter and her request to undress her newborn?

A. "I'll help you undress the baby."

B. "This is important for you. Of course you can undress your baby."

C. "You should wait a few hours, until your baby's temperature has stabilized."

D. "Let's walk back to the nursery. We'll put the baby in a heated crib so you can undress him."

10. Which client statement indicates proper understanding of STI prevention?

A. "If I have sex, nothing I do will really prevent me from getting another STI."

B. "If I get another STI, I can take any antibiotic, because I'm not allergic to any of them."

C. "I won't have unprotected sex again, and I'll tell my partners to be tested for STIs."

D. "I have to ask my partners if they have an STI, and if they say no I'll know that I can have sex."

SAMPLE

Answers

SAMPLE

1. C
2. D
3. B
4. C
5. B
6. C
7. A
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is the primary reason for monitoring the bleeding after a suction and curettage abortion?

A. To ensure proper hydration levels are maintained

B. To determine the emotional well-being of the client

C. To check if all byproducts of conception have been evacuated

D. To assess if any physical activity restrictions are needed

Monitoring the bleeding after a suction and curettage abortion is primarily focused on checking if all byproducts of conception have been evacuated. After this procedure, which is designed to remove the contents of the uterus, it's critical to ensure that no tissue is left behind, as retained products can lead to complications such as infection or prolonged bleeding. Excessive or abnormal bleeding can indicate that remnants of the pregnancy remain in the uterus, which may require further intervention. This assessment helps in ensuring that the procedure has been fully effective and that the patient is on the path to recovery without any complications that could arise from incomplete evacuation. Detailed observation of bleeding patterns provides crucial information to healthcare providers regarding the success of the procedure and the patient's physical status, allowing for timely interventions if necessary. Maintaining hydration and understanding emotional well-being are important aspects of post-operative care but are not the primary reasons for bleeding assessment after a suction and curettage abortion. Equally, while assessing physical activity restrictions is relevant, it is secondary to the immediate concern of ensuring that the procedure has been conducted without leaving any tissue behind.

2. Which of the following would the nurse question for a client considering oral contraceptives?

A. Blood clots

B. Heart disease

C. Breast cancer

D. All of the above

When considering oral contraceptives, it is essential for healthcare professionals to evaluate a client's medical history for conditions that could pose risks when using hormonal methods of birth control. Each of the conditions listed carries significant implications for the safe use of oral contraceptives. Blood clots are a major concern because estrogen, commonly found in many oral contraceptives, can increase the risk of thrombosis. This risk is particularly pronounced in women with a personal or family history of clotting disorders, making it crucial for a nurse to question the use of oral contraceptives in clients with this condition. Heart disease is another critical factor to consider. Hormonal contraceptives can elevate blood pressure and may increase the chance of cardiovascular events such as heart attacks and strokes. Therefore, if a client has existing heart disease, the nurse would need to approach the use of oral contraceptives with caution. Breast cancer is also pertinent because some studies suggest a potential increased risk of certain types of breast cancer in women who use combined oral contraceptives, especially in those with a history of the disease. This calls for questioning the use of oral contraceptives in affected individuals due to the possible heightened risk. Given the risks associated with these conditions, it is appropriate for the

SAMPLE

3. When should premenopausal women perform breast self-examinations?

A. On the first day of menstruation

B. About a week after menses ends

C. During ovulation

D. Every month at the same time

Performing breast self-examinations about a week after menstruation ends is optimal for premenopausal women. This timing is recommended because hormone levels are more stable and the breast tissue is less likely to be tender or lumpy due to hormonal fluctuations that occur during the menstrual cycle. After menstruation, the breasts typically return to their normal state, making it easier to detect any unusual changes or lumps. This practice can help women become familiar with the normal texture and feel of their breasts, which is essential for recognizing any potential anomalies early on.

4. Increased obesity is a known risk factor for which of the following conditions?

A. Multiple myeloma

B. Inflammatory bowel disease

C. Gallbladder disease

D. Atrial fibrillation

Increased obesity is indeed a known risk factor for gallbladder disease. Obesity contributes to an imbalance in the substances that make up bile, leading to the formation of gallstones. These gallstones can cause inflammation and other issues within the gallbladder, potentially resulting in cholecystitis (inflammation of the gallbladder) and other complications. The higher levels of cholesterol and decreased bile salts found in individuals with obesity can disrupt the normal process of bile formation, increasing the risk of gallbladder disease. This connection between obesity and gallbladder issues is well-supported in medical literature, highlighting the impact of excess body weight on gallbladder function and health. Understanding this relationship is important for healthcare professionals in encouraging weight management as a preventive strategy for gallbladder disease.

5. Which of the following might indicate the need for immediate medical consultation after a surgical abortion?

A. Experiencing cramping

B. Signs of an infection

C. Feeling fatigued

D. Having emotional mood swings

The need for immediate medical consultation after a surgical abortion is indicated by signs of infection. This can include symptoms such as fever, chills, heavy vaginal bleeding, severe pain, or any unusual discharge that has an offensive odor. An infection may arise as a complication following any surgical procedure, including a surgical abortion, and can lead to serious health issues if not treated promptly. It is crucial for patients to be vigilant about these signs, as they require swift medical intervention to ensure the patient's safety and well-being. Experiencing cramping can be a normal part of the recovery process after a surgical abortion and is not necessarily a cause for alarm unless it is extreme or accompanied by other concerning symptoms. Feeling fatigued is also a common experience during recovery as the body heals. Emotional mood swings are frequently reported due to hormonal changes after the procedure and are typically not a sign of a medical issue requiring immediate attention. Understanding these nuances helps in discerning which symptoms warrant urgent medical evaluation and underscores the importance of monitoring one's health during the recovery period.

SAMPLE

6. What potential risk is associated with hormone replacement therapy?

A. Increased risk of heart disease

B. Increased risk of diabetes

C. Increased risk of breast cancer

D. Increased risk of high blood pressure

The correct answer highlights a significant concern surrounding hormone replacement therapy (HRT), particularly its association with an increased risk of breast cancer. Research has consistently indicated that women undergoing HRT, particularly combined therapy involving estrogen and progestin, have a higher incidence of breast cancer compared to those who do not use HRT. This risk is particularly pronounced after several years of treatment and can depend on various factors, including the type of hormones used, the duration of therapy, and individual patient risk factors like family history or genetic predispositions. Breast cancer risk becomes a critical factor in the decision-making process for women considering HRT, as it necessitates weighing the benefits of alleviating menopausal symptoms against the potential long-term health risks. This aspect of HRT underscores the importance of personalized medicine, where healthcare providers must assess individual circumstances when recommending hormonal treatments. While other risks, such as heart disease, diabetes, and high blood pressure, can be associated with HRT, the link to breast cancer is particularly emphasized in clinical guidelines and patient education regarding the safety and risks of hormone therapies. Understanding this risk is crucial for both patients and healthcare providers in making informed treatment decisions.

7. How should a nurse respond to a couple under pressure to conceive after 5 years of infertility?

A. Encouraging them to prioritize their feelings

B. Advising them to focus solely on their relationship

C. Stating that it is a long time without a pregnancy

D. Encouraging acceptance of parental input regarding pregnancy

Encouraging the couple to prioritize their feelings is a vital response that acknowledges the emotional toll that infertility can have on individuals and couples. Infertility can create significant stress, anxiety, and disappointment, which may affect their mental health and relationship dynamics. By prioritizing their feelings, the nurse creates a supportive environment where the couple can openly discuss their emotions, fears, and hopes. This approach not only validates their experiences but also fosters a sense of connection and understanding, which is essential for coping with the challenges they face. This response supports the couple in addressing their emotional needs, encouraging them to express how they feel about their infertility journey and to explore the impact it has on their relationship. This holistic approach can also help in determining the next steps they may wish to take, whether that be seeking further medical advice or exploring emotional support resources, ultimately empowering them during this challenging time.

SAMPLE

8. Which intervention is recommended to relieve symptoms of a yeast infection?

A. Using a sitz bath

B. Sitting in a warm bubble bath

C. Sleeping in tight leggings

D. Using tampons if she is on her period

Using a sitz bath is recommended to relieve symptoms of a yeast infection because it helps to soothe the inflamed area and can provide relief from irritation and itching. A sitz bath involves sitting in shallow, warm water that covers the perineal area, which can promote circulation, help alleviate discomfort, and can be a comforting way to manage symptoms. In contrast, sitting in a warm bubble bath may not be advisable because the soaps and bubbles can exacerbate irritation or introduce more bacteria, potentially worsening the infection. Sleeping in tight leggings is not helpful as they can trap moisture and create a warm environment that yeast thrive in, making symptoms worse. Lastly, using tampons during menstruation when dealing with a yeast infection can also lead to increased irritation and discomfort in the vaginal area, hindering recovery. Overall, a sitz bath provides a focused and gentle approach to symptom relief.

9. How should a nurse respond to a mother who is concerned about her exhausted primipara daughter and her request to undress her newborn?

A. "I'll help you undress the baby."

B. "This is important for you. Of course you can undress your baby."

C. "You should wait a few hours, until your baby's temperature has stabilized."

D. "Let's walk back to the nursery. We'll put the baby in a heated crib so you can undress him."

The appropriate response acknowledges the mother's emotional needs and her desire to connect with her newborn. It emphasizes empowerment by validating her feelings and encouraging her to take an active role in caring for her baby. Allowing her to undress her newborn not only helps foster bonding but also supports her confidence as a new mother. In this scenario, the response speaks to the importance of parental involvement in their child's care, which can be comforting and reassuring for a new mother. By facilitating this intimate moment, the nurse helps to nurture the mother's relationship with her baby, which is crucial for both their emotional well-being. Although other responses may provide practical suggestions and information, they might not fully address the mother's immediate emotional needs or the importance of her role in the newborn's care.

SAMPLE

10. Which client statement indicates proper understanding of STI prevention?

A. "If I have sex, nothing I do will really prevent me from getting another STI."

B. "If I get another STI, I can take any antibiotic, because I'm not allergic to any of them."

C. "I won't have unprotected sex again, and I'll tell my partners to be tested for STIs."

D. "I have to ask my partners if they have an STI, and if they say no I'll know that I can have sex."

*The statement indicating proper understanding of STI prevention is the one that emphasizes the importance of avoiding unprotected sex and encouraging partners to get tested for STIs. This response highlights two critical aspects of STI prevention: 1. **Avoiding Unprotected Sex**: Engaging in unprotected sex significantly increases the risk of transmitting STIs. By committing to avoid such practices, the individual is taking a proactive approach to protect their health and the health of their partners. 2. **Partner Testing**: Encouraging partners to be tested for STIs is essential for safe sexual practices. Knowing each other's STI status can help in making informed decisions about sexual activity. This promotes mutual responsibility in preventing the transmission of STIs. Together, these points reflect a comprehensive understanding of STI prevention strategies, underlining the importance of communication and precaution in sexual health.*

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://womenshealthprotection.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE