XRAY POSITIONING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://xraypositioning.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **For optimal visualization of the ankle mortise joint, how should the foot be positioned?**

   A. Dorsiflexed to 45°

   B. Dorsiflexed to 90°

   C. Plantar flexed

   D. Neutral position

2. **To properly open up the distal tib-fib joint during medial oblique ankle positioning, how should the foot be positioned?**

   A. Dorsiflexed 30°

   B. Dorsiflexed 60°

   C. Dorsiflexed 90°

   D. Plantar flexed

3. **For which position is it crucial to ensure the elbow is oriented in an anterior-posterior position?**

   A. Lateral oblique elbow

   B. AP elbow

   C. Cross-table elbow

   D. Radial head view

4. **What is the required focal film distance (FFD) for a lateral cervical X-ray?**

   A. 60"

   B. 72"

   C. 84"

   D. 56"

5. **What is the cassette size used for AP or PA clavicle imaging?**

   A. 10" x 12" vertical orientation

   B. 10" x 12" horizontal orientation

   C. 14" x 17" horizontal orientation

   D. 10" x 12" square orientation

SAMPLE

6. What is the collimation size for a Frog-Leg Lateral X-ray?

A. 8" x 10"

B. 9" x 11"

C. 10" x 12"

D. 11" x 14"

7. What instructions should be given to the patient during an AC joint exam?

A. Keep moving slightly for comfort

B. Remain still, hold breath, do not move

C. Breathe normally throughout the test

D. Only hold breath when instructed

8. What is the FFD for the external rotation of the shoulder?

A. 35"

B. 30"

C. 40"

D. 45"

9. What is the tube tilt angle for an AP foot X-ray?

A. 5-10° caudad

B. 0° horizontal

C. 10-15° cephalad

D. 20-25° cephalad

10. What is the correct patient positioning for an AP or PA clavicle projection?

A. Patient lying supine with head neutral

B. Patient standing against bucky with head turned to contralateral side

C. Patient seated with arms extended

D. Patient standing with arms crossed

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. B
7. B
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. For optimal visualization of the ankle mortise joint, how should the foot be positioned?

A. Dorsiflexed to 45°

B. Dorsiflexed to 90°

C. Plantar flexed

D. Neutral position

For optimal visualization of the ankle mortise joint, the foot should be positioned in a dorsiflexed position of 90°. This positioning is crucial because it allows for the best opening of the ankle mortise, which is the area where the tibia, fibula, and talus meet. When the foot is fully dorsiflexed, the bony structures are aligned in such a way that maximizes the visibility of the joint space, reducing superimposition from surrounding anatomy. This is particularly important for diagnosing injuries or conditions related to the mortise joint, as it provides a clear view of any potential anomalies or fractures in those areas that could impact joint stability and function. Other positioning methods can lead to suboptimal imaging. For instance, using a plantar flexed position may close the mortise joint, obscuring important anatomical details necessary for accurate assessment. A neutral position may not exert the same tension on the ligaments, potentially resulting in unclear images. Therefore, dorsiflexion to 90 degrees is the most effective angle for achieving high-quality imaging of the ankle mortise joint.

2. To properly open up the distal tib-fib joint during medial oblique ankle positioning, how should the foot be positioned?

A. Dorsiflexed 30°

B. Dorsiflexed 60°

C. Dorsiflexed 90°

D. Plantar flexed

To achieve proper visualization of the distal tib-fib joint during a medial oblique ankle position, the foot should be positioned with maximal dorsiflexion, typically around 90 degrees. This positioning helps to open up the joint space effectively by increasing the angle between the tibia and fibula, which is crucial for minimizing superimposition of these two bones on the radiographic image. Dorsiflexing the foot to this extent allows the anatomic structures of the ankle and the distal fibula to be better visualized and assessed, ensuring that any potential abnormalities can be accurately identified. The selected angle facilitates separation between the two bones, which is essential for a clear and diagnostic image of the joint. Other positions, such as those with lesser degrees of dorsiflexion or plantar flexion, would not achieve the same level of joint opening or may even lead to obscured visualization, which is vital in clinical practice for accurate readings and patient diagnosis.

SAMPLE

3. For which position is it crucial to ensure the elbow is oriented in an anterior-posterior position?

A. Lateral oblique elbow

B. AP elbow

C. Cross-table elbow

D. Radial head view

Ensuring the elbow is oriented in an anterior-posterior position is particularly crucial for the AP elbow because this positioning is essential for obtaining the clearest view of the anatomy of the elbow joint. The anterior-posterior view allows for optimal visualization of the humeral epicondyles and the joint space without distortion. It helps to demonstrate the alignment of the olecranon process within the olecranon fossa, which is vital for evaluating any potential fractures or joint abnormalities. In this position, the patient typically has their arm fully extended with the palm facing up, allowing for a symmetrical view that is important in assessing medial and lateral structures. Proper technique in achieving this positioning directly impacts the diagnostic quality of the radiograph, making it identifiable for conditions such as joint effusion or fractures. Other positions, though important, do not require the elbow to be strictly maintained in an anterior-posterior orientation. Each has its own specific objectives and view requirements.

4. What is the required focal film distance (FFD) for a lateral cervical X-ray?

A. 60"

B. 72"

C. 84"

D. 56"

The required focal film distance (FFD) for a lateral cervical X-ray is 72 inches. This specific distance is utilized to ensure optimal image quality by providing sufficient reduction of magnification and distortion, which can occur when the X-ray source is too close to the film. In the case of lateral cervical X-rays, a longer FFD helps to enhance the clarity of soft tissue structures and the bony anatomy of the cervical spine. This measurement also plays a critical role in minimizing patient dose while achieving the necessary detail in the image for accurate diagnosis. Understanding the correct FFD is essential for radiologic technologists to maintain high-quality imaging standards and ensure patient safety during X-ray procedures.

5. What is the cassette size used for AP or PA clavicle imaging?

A. 10" x 12" vertical orientation

B. 10" x 12" horizontal orientation

C. 14" x 17" horizontal orientation

D. 10" x 12" square orientation

The correct choice for the cassette size used in AP or PA clavicle imaging is indeed 10" x 12" horizontal orientation. This size is appropriate for frontal views of the clavicle because it allows for sufficient coverage of the area while minimizing OID (Object to Image Distance), thereby improving image quality. Using a horizontal orientation helps to align the clavicle properly within the image field, accommodating its anatomical structure effectively. The horizontal layout is frequently adopted to best capture the length of the clavicle, enabling optimal visualization for diagnostic purposes. Cassette sizes and orientations are critical in radiographic procedures. A smaller cassette, such as 10" x 12", helps in focusing on the region of interest without including excess anatomy, thus enhancing the quality of the radiographs while reducing unnecessary radiation exposure to surrounding tissues.

SAMPLE

6. What is the collimation size for a Frog-Leg Lateral X-ray?

A. 8" x 10"

B. 9" x 11"

C. 10" x 12"

D. 11" x 14"

For a Frog-Leg Lateral X-ray, the correct collimation size is 9" x 11". This specific collimation size is chosen because it is optimal for adequately capturing the hip joint area while minimizing unnecessary exposure to surrounding tissues. The Frog-Leg position typically focuses on evaluating the femoral head, neck, and greater trochanter, and the 9" x 11" collimation ensures that all essential anatomical structures are included within the field of view without excessive radiation exposure. Proper collimation is crucial in radiography to enhance image quality and ensure patient safety by reducing radiation dosage.

7. What instructions should be given to the patient during an AC joint exam?

A. Keep moving slightly for comfort

B. Remain still, hold breath, do not move

C. Breathe normally throughout the test

D. Only hold breath when instructed

During an AC joint exam, it is essential for the patient to remain still and hold their breath during the exposure to ensure that the resulting images are clear and accurate. Any movement can lead to blurring or distortion of the X-ray images, which can hinder proper diagnosis. By instructing the patient to stay still and hold their breath, the radiologic technologist minimizes motion artifacts that can interfere with the diagnostic quality of the images. In addition, ensuring that the patient maintains a steady position is crucial for accurately visualizing the anatomy of the acromioclavicular joint and surrounding structures. Proper positioning and stillness during imaging are fundamental principles in radiography to obtain the best possible results, which is why this instruction is critical during an AC joint evaluation.

8. What is the FFD for the external rotation of the shoulder?

A. 35"

B. 30"

C. 40"

D. 45"

The correct answer, which states that the focal film distance (FFD) for the external rotation of the shoulder is 40 inches, is based on standard radiographic practices. In this positioning, the patient's arm is externally rotated to provide a clear view of the humeral head and the relationship to the glenoid cavity. Using a FFD of 40 inches helps to reduce distortion of the image while simultaneously ensuring that sufficient detail is captured for accurate diagnosis. This distance is optimal for minimizing magnification effects while ensuring that the anatomy of the shoulder is well visualized. It aligns with standard protocols in radiography to maintain appropriate image quality. Other distances are typically either too short, which can lead to distortion and insufficient detail, or too long, which might unnecessarily increase exposure and reduce image quality. Therefore, 40 inches is recognized as the standard FFD for this specific shoulder positioning to ensure clarity and accuracy in the diagnostic image.

SAMPLE

9. What is the tube tilt angle for an AP foot X-ray?

A. 5-10° caudad

B. 0° horizontal

C. 10-15° cephalad

D. 20-25° cephalad

For an AP foot X-ray, the correct tube tilt angle is generally 10-15° cephalad. This angle is necessary to effectively align the X-ray beam with the anatomical structures of the foot, which can help reduce distortion and provide a clearer image for diagnostic purposes. When the tube is angled cephalad, it minimizes the overlap of bones in the foot, allowing for better visualization of the tarsal bones as well as the metatarsals. Using a cephalad angle helps in compensating for the natural arch of the foot, ensuring that important anatomical details are captured in the radiograph, which is crucial for accurate assessment. The specified range of 10-15° cephalad is a standard practice in radiography for this particular view, ensuring consistent results across different patients and situations.

10. What is the correct patient positioning for an AP or PA clavicle projection?

A. Patient lying supine with head neutral

B. Patient standing against bucky with head turned to contralateral side

C. Patient seated with arms extended

D. Patient standing with arms crossed

For an anterior-posterior (AP) or posterior-anterior (PA) projection of the clavicle, proper patient positioning is crucial to obtain the best images while minimizing the risk of repeating the procedure. The correct choice involves the patient standing against the bucky, which allows for more accurate alignment of the clavicle with the imaging receptor. When the patient stands against the bucky, they can naturally assume a stable posture that enhances the clarity of the clavicle's projection. Turning the head to the contralateral side (the side opposite to the clavicle being examined) not only helps to minimize overexposure of the lung on the side being imaged but also allows for a more unobstructed view of the clavicle itself. This positioning aligns the clavicle parallel to the film, reducing distortion and improving image quality. In contrast, the other positioning options may lead to suboptimal images due to factors such as overlapping structures or improper alignment of the clavicle with respect to the imaging receptor. For instance, lying supine may not provide a clear view of the clavicle in the desired projection, while seated positions might not adequately position the clavicle or the surrounding anatomy. Crossing the arms can also lead to increased overlap of structures or obscure the

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://xraypositioning.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE