YMCA CPR TRAINING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ymca-cprtraining.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. During CPR, when should rescue breaths be given?

A. After every 10 compressions

B. Only when there is a clear airway present

C. After every 30 compressions

D. Only for children and infants

2. What is the proper rate of chest compressions for adult CPR?

A. 80-100 compressions per minute

B. 100-120 compressions per minute

C. 120-140 compressions per minute

D. 70-90 compressions per minute

3. What should you NOT do when managing a significant head injury?

A. Monitor the person's responsiveness

B. Provide first aid and stabilize the head

C. Allow them to walk to a medical facility

D. Activate EMS for evaluation

4. What is a sign that someone may be experiencing a severe choking incident?

A. Gagging and coughing

B. Inability to speak, breath or cough

C. Feeling lightheaded

D. Sudden vomiting

5. If you are performing CPR on a child, what modifications should be made?

A. Use both hands for compressions

B. Reduce the compression depth slightly and use one hand for compressions

C. Perform compressions interspersed with chest thrusts

D. Use the same technique as an adult

6. What is the most important aspect of handling oxygen cylinders?

A. Transporting them lying flat.

B. Carrying them with one hand only.

C. Ensuring they are secured and upright.

D. Keeping them near heat sources.

SAMPLE

7. What is the primary purpose of Good Samaritan laws?

A. To ensure only trained professionals can provide first aid.

B. To encourage bystanders to help those in need by protecting anyone who volunteers assistance.

C. To limit liability for medical professionals.

D. To provide financial compensation for helpers in emergencies.

8. When using an AED, what should you confirm before delivering a shock?

A. Adequate power supply to the AED

B. That the victim is breathing

C. No one is in contact with the victim

D. The AED pads are placed correctly

9. In CPR, how often should you switch roles if you are working with another rescuer?

A. Every minute

B. Every 2 minutes

C. Every 5 minutes

D. Every 10 minutes

10. What should be done immediately after calling for emergency medical services?

A. Start performing CPR if required

B. Administer first aid for wounds

C. Wait for instructions from the operator

D. Check for breathing and pulse

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. B
6. C
7. B
8. C
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. During CPR, when should rescue breaths be given?

A. After every 10 compressions

B. Only when there is a clear airway present

C. After every 30 compressions

D. Only for children and infants

Rescue breaths should be administered after every 30 chest compressions during CPR for adults and larger children. This sequence is part of the recommended CPR protocol that emphasizes the importance of maintaining blood flow and oxygenation to vital organs during a cardiac arrest. The 30 compressions followed by two rescue breaths help to maximize the effectiveness of CPR by ensuring that oxygen reaches the lungs and, subsequently, the bloodstream, which is crucial for sustaining life until advanced medical help arrives. This method of alternating compressions and breaths is intended for situations where rescue breaths can be safely given, and it is important to ensure that the airway is clear before administering breaths. Therefore, delivering breaths only when there's a clear airway present is crucial, but it fits into the overall procedure of CPR rather than as a standalone rule. The instruction to give breaths specifically for children and infants reflects different guidelines that may apply, but adult CPR primarily focuses on the 30:2 ratio, making it the standard practice for effective CPR in adults.

2. What is the proper rate of chest compressions for adult CPR?

A. 80-100 compressions per minute

B. 100-120 compressions per minute

C. 120-140 compressions per minute

D. 70-90 compressions per minute

The proper rate of chest compressions for adult CPR is 100-120 compressions per minute. This rate is based on current guidelines from organizations such as the American Heart Association, which emphasize the importance of providing high-quality chest compressions during cardiac arrest. Compressions at this rate help maintain adequate blood circulation to vital organs, such as the brain and heart, increasing the chances of survival and recovery. Maintaining a compression rate within this range ensures that enough blood is pumped throughout the body, which is critical during such emergencies. Additionally, compressions should be delivered at a depth of at least 2 inches and at a rate that is both effective and sustainable for the rescuer. This balance of speed and force is crucial for maximizing the effectiveness of CPR efforts. Understanding this standard is essential for anyone involved in CPR training, as it directly influences the likelihood of a positive outcome in a cardiac arrest situation.

3. What should you NOT do when managing a significant head injury?

A. Monitor the person's responsiveness

B. Provide first aid and stabilize the head

C. Allow them to walk to a medical facility

D. Activate EMS for evaluation

When managing a significant head injury, allowing the person to walk to a medical facility is not appropriate due to the risk of exacerbating their condition. Head injuries can lead to various complications, including loss of consciousness, disorientation, or worsening symptoms. Moving the individual, especially walking, can increase the risk of secondary injuries or complications, such as a fall or worsening of the head injury, which could lead to serious outcomes. In contrast, monitoring the person's responsiveness, providing first aid and stabilizing the head, and activating EMS for evaluation are critical steps in ensuring the individual's safety and facilitating appropriate medical care. These actions help in assessing the severity of the injury, preventing further harm, and ensuring that professional medical personnel attend to the injury promptly.

SAMPLE

4. What is a sign that someone may be experiencing a severe choking incident?

A. Gagging and coughing

B. Inability to speak, breath or cough

C. Feeling lightheaded

D. Sudden vomiting

A sign that someone may be experiencing a severe choking incident is the inability to speak, breathe, or cough. This indicates a complete blockage of the airway, preventing air from flowing in and out of the lungs. When a person is unable to communicate or generate a cough reflex, it signifies that the obstruction is severe and requires immediate intervention. In other scenarios, such as gagging and coughing, the individual often has some degree of airflow and is attempting to clear the obstruction, which is characteristic of less severe choking. Feeling lightheaded may occur due to various reasons, including lack of oxygen, but it is not a definitive sign of severe choking. Sudden vomiting is also not directly associated with choking; it could be due to other medical conditions or reactions and does not necessarily indicate an airway blockage. Recognizing the inability to speak, breathe, or cough as a primary indicator is crucial for performing appropriate emergency measures like the Heimlich maneuver.

5. If you are performing CPR on a child, what modifications should be made?

A. Use both hands for compressions

B. Reduce the compression depth slightly and use one hand for compressions

C. Perform compressions interspersed with chest thrusts

D. Use the same technique as an adult

When performing CPR on a child, it is essential to modify the technique to accommodate their smaller size and developing physiology. Using one hand for compressions is appropriate for children because their chests are narrower and less robust than those of adults. This allows for effective compressions without causing injury, while also ensuring that the rescuer can maintain proper form and technique. Moreover, compressions should be around 1.5 to 2 inches deep, which is slightly shallower than the depth recommended for adult CPR. This adjustment helps ensure that the compressions are effective while minimizing the risk of harm to the child's ribs or internal organs, which are more fragile compared to adults. Maintaining an appropriate rate of compressions and ensuring a complete chest recoil are also critical elements of effective CPR on children. Therefore, modifying the technique to one-handed compressions and adjusting the depth is vital for effective lifesaving efforts in pediatric cases.

6. What is the most important aspect of handling oxygen cylinders?

A. Transporting them lying flat.

B. Carrying them with one hand only.

C. Ensuring they are secured and upright.

D. Keeping them near heat sources.

The most important aspect of handling oxygen cylinders is ensuring they are secured and upright. This is critical for safety, as an unsecured or improperly positioned cylinder can fall, potentially causing damage to the cylinder, or leading to serious injury from a rapid release of oxygen or even an explosion if the cylinder is damaged. Oxygen cylinders are under high pressure, and when they are upright and secured, it minimizes the risk of accidents and ensures they can be safely transported and used. In contrast, laying them flat or carrying them with one hand can lead to instability, increasing the risk of dropping them. Keeping oxygen cylinders near heat sources is particularly hazardous because exposure to heat can increase the pressure inside the cylinder or lead to a fire, making it crucial to store them in a cool, dry place away from any source of heat. Thus, securing and positioning the cylinders upright is paramount for safe handling and usage.

SAMPLE

7. What is the primary purpose of Good Samaritan laws?

A. To ensure only trained professionals can provide first aid.

B. To encourage bystanders to help those in need by protecting anyone who volunteers assistance.

C. To limit liability for medical professionals.

D. To provide financial compensation for helpers in emergencies.

The primary purpose of Good Samaritan laws is to encourage bystanders to assist individuals in need during emergencies by offering legal protection to those who render aid. These laws are designed to alleviate the fear of legal repercussions that might deter people from providing help. When individuals know they are legally protected, they are more likely to step in during critical situations, potentially saving lives. Good Samaritan laws typically protect those who provide assistance as long as they act in good faith, without expectation of compensation, and within the scope of their training. This fosters a community spirit where people feel empowered to help others in distress without the fear of being sued or held liable for unintentional harm that could arise from their good intentions. The legislation reflects an understanding that quick, compassionate action can make a significant difference in emergencies.

8. When using an AED, what should you confirm before delivering a shock?

A. Adequate power supply to the AED

B. That the victim is breathing

C. No one is in contact with the victim

D. The AED pads are placed correctly

Before delivering a shock with an AED (Automated External Defibrillator), it is crucial to confirm that no one is in contact with the victim. This ensures the safety of both the victim and the rescuers. If someone is touching the person receiving the shock, they could also receive a potentially lethal jolt of electricity when the AED delivers a shock. The AED is designed to analyze the heart rhythm and determine whether a shock is needed. It will advise when it is safe to administer the shock, but it is always a good practice for rescuers to visually confirm that no one is touching the victim before proceeding. The other considerations, while important for effective AED use, are secondary to ensuring safety. Power supply is essential, but an AED is generally equipped with indicators to confirm it is functioning. Confirming breathing is not necessary immediately before a shock, as an AED is used specifically in situations where the victim is unresponsive and not breathing normally. Proper placement of AED pads is crucial, but it must be done before checking for safety and whether a shock is advised, not as a preceding confirmation right before shock delivery.

SAMPLE

9. In CPR, how often should you switch roles if you are working with another rescuer?

A. Every minute

B. Every 2 minutes

C. Every 5 minutes

D. Every 10 minutes

Switching roles every 2 minutes during CPR is essential because it helps prevent fatigue in rescuers, ensuring that high-quality chest compressions are maintained throughout the duration of resuscitation. High-quality compressions are crucial for effective circulation and oxygenation of the body, especially the brain, during cardiac arrest. Rescuers need to be able to deliver compressions at the correct rate and depth, which can become challenging as fatigue sets in. By changing roles every 2 minutes, rescuers can maintain optimal performance, which significantly increases the chances of survival for the person in need. This is established as a best practice in CPR training and guidelines provided by organizations like the American Heart Association. Frequent switching also helps to keep both rescuers alert and ready to respond if any changes in the situation arise, such as needing to use an AED or reassess the victim's condition.

10. What should be done immediately after calling for emergency medical services?

A. Start performing CPR if required

B. Administer first aid for wounds

C. Wait for instructions from the operator

D. Check for breathing and pulse

The immediate action taken after calling for emergency medical services is crucial for the victim's survival, especially if they are unresponsive and not breathing. Starting CPR as soon as it is determined to be necessary can significantly increase the chances of survival. CPR helps to maintain blood circulation and oxygen supply to vital organs until professional assistance arrives. It is essential to act quickly because every minute counts in a cardiac emergency, and initiating CPR can make a substantial difference in the outcome for the individual in need. In scenarios where CPR is required, it is done without delay to maximize the efficacy of this life-saving technique. It is important to assess whether the victim is breathing or has a pulse while ensuring that help is on the way, as these steps should go hand in hand with CPR efforts.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ymca-cprtraining.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE